

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 1 of 8

nn DEALER INFORMATION		RTS INFORMATION	
Dealer:	Account #:	RTS:	Phone:
PO:	Ordered By:	Email:	
Email:	SHIP TO INFORMATION		
Mark For:	User Weight:	Name:	Ship Via:
TiLite Sales Rep:	Address:		
TiLite Information:	Promo Code:	City:	State: Zip:
Ship Date:	Order #:	Phone:	Fax:

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Please Email or Fax to the Permobil Manual Customer Experience Team at tilitesales@permobil.com or 509.586.2413



FRAME STYLE

- TAFS1 ☐ **TRA Titanium Frame** (Full Adjustability. 265 Pound Weight Limit. For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....\$4,759 K0005, E1235
- TRFS1 ☐ **TR Titanium Frame Ultimate TiFIT** (Minimal Adjustability. 265 Pound Weight Limit. For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....\$281

SMARTDRIVE POWER ASSIST SYSTEM



- TMAXSD1 ☐ **Permobil SmartDrive MX2+*** (N/A with rear seat heights less than 13.5", or 20" rear wheels).....\$7,529 E0986
- TMAXSD18 ☐ **SwitchControl Buttons**.....NCO
- TMAXSD8 ☐ **SwitchControl Button with Mono Jack Option**.....NCO
- TMAXSD19 ☐ **NEW Buddy Button**.....NCO
- TMAXSD4 ☐ **Carrying Bag**.....\$84
- TMAXSD10 ☐ **Universal Padded Handle**.....\$22

*SmartDrive apps available on Apple App Store and Google Play Store for Apple Watch Series 5 or newer and Samsung Galaxy Watch 4 or newer.

FRAME STYLE

- THDR1 ☐ **Heavy Duty Frame** (Not Available with TR Titanium Frame. 350 Pound Weight Limit. Requires Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spinergy SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery or Glide™ Forks.).....NCO
- TQST1 ☐ **Q'Straint Adaptable Frame** (Not Available with TR Titanium Frame. 350 Pound Weight Limit. Requires Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spinergy SPOX Rear Wheels. LX Rear Wheels. only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery, Open Loop Footrest, V-Front Taper or Glide™ Forks.).....NCO
- TPWR1 ☐ **Power Adaptable Frame** (Requires LiteSpeed Billet Aluminum Front Wheels and 0 degree camber. Not available with Single-sided Forks, or Titanium Camber Tubes. Not required for SmartDrive.).....NCO
- TRFR1 ☐ **Reinforced Frame**.....NCO

FRAME FINISHES

- TFF1 ☐ **Satin** (Available with Titanium Frame only.).....STD
- SCBT1 ☐ **Satin Finish Buffing Pads**.....\$22
- TFF3 ☐ **Tattooed Titanium™** (Tattoos on front frame tubes. Titanium frame finished in Satin. Tattoos will be trimmed and adjusted to fit your frame.).....\$363

- TFF45 ☐ **Need for Speed**  TFF44 ☐ **Flower Garden** 
- TFF43 ☐ **Mosaic** 

- | | | |
|--|---|--|
| ☐ TFF8 High Gloss Black | ☐ TFF10 Red Pepper | ☐ TFF29 Neon Pink |
| ☐ TFF14 Ocean Blue Metallic | ☐ TFF15 Tangerine Metallic | ☐ TFF30 Acid Green Metallic |
| ☐ TFF17 Midnight Blue Pearl | ☐ TFF18 White Pearl | ☐ TFF19 Black Lava |
| ☐ TFF27 Titanium Grey | ☐ TFF59 Pomegranate Red | ☐ TFF62 Blue Mist |
| ☐ TFF57 Indigo Purple | ☐ TFF40 Hyper Blue | ☐ TFF41 Flame Orange |
| ☐ TFF42 OD Green | ☐ TFF60 Silver Streak | ☐ TFF63 Lavender Dusk |
| ☐ TFF58 Black Galaxy | ☐ TFF61 Seafoam Green | ☐ TFF64 Daffodil Yellow.....STD |

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Caster Mount, Caster Fork, and Caster Caps. If no anodize color is selected, the default will be black.)

- ☐ ZANO1 Black.....STD
- ☐ ZAN12 Gold ☐ ZAN15 Green ☐ ZAN13 Purple ☐ ZAN14 Orange ☐ ZAN10 Blue ☐ ZAN11 Red.....\$71



Permobil.com
2701 West Court Street / Pasco, Washington 99301
Tel 800 736 0925 or Email tilitesales@permobil.com

OF0026 TR TRA 1212020RevE

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 2 of 8

TiFit: TAILORED INDIVIDUALIZED FRAME

Measurements shown below are our most popular selections. **Not seeing what you want?** Contact customer service or visit our Creative Mobility Division (CMD) catalog [here](#) to view additional options.

REAR SEAT WIDTH A Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

TSW1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"STD
ZSW2 ☐ 20" (HCPCS code only applies to 20" Rear Seat Width ; > 20" size available through CMD).....\$536 E2201

FRONT SEAT WIDTH (SEAT TAPER) T Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End v. Not Available with Standard Front End i.)

TFSW1 ☐ No TaperSTD
TFSW2 ☐ 1" Taper (3" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery. **Bolt On Adjustable Sling (CMD #20) is available.**)\$304
TFSW4 ☐ 2" Taper (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery. **Bolt On Adjustable Sling available through our Creative Mobility Division #20**)\$304

SEAT DEPTH B Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

TSD1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" STD
TSD2 ☐ 20"\$568 E2203
TSD3 ☐ Custom Frame Depth: _____" Frame Depth Longer or Shorter Than Seat Depth (Measure from front of seat sling to beginning of frame bend. Ranges from 0.5" to 2" and can be given as specific as 1/4" increments. A Custom Frame Depth outside specified range may be available through our Creative Mobility Division. A Custom Frame Depth of 20" will have an additional charge)NCO

ERGONOMIC SEAT U Measure from front of back post to beginning of upward bend of seat tube.

TERG1 ☐ TR Ergonomic Seat (Tension Adjustable by strap comes standard. **Bolt On Adjustable Sling available through our Creative Mobility Division #20. Solid Seat available through Creative Mobility Division #16.**)\$369
☐ 5" ☐ 6" ☐ 7" ☐ 8" ☐ 9".....
TERG2 ☐ TRA Ergonomic Seat (Tension Adjustable by strap comes standard, Center of Gravity adjustment may be affected by this option. Not available with V-Front or Seat Taper, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, or the Curve cushion. **Bolt On Adjustable Sling available through our Creative Mobility Division #20. Solid Seat available through Creative Mobility Division #16**)
☐ 6" (Minimum Seat Depth B 12") ☐ 7" (Minimum Seat Depth B 12")
☐ 8" Minimum Seat Depth B 13").....\$433

FRONT SEAT HEIGHT C Measure from floor to top of seat tube at front edge of seat sling.

TFSH1 ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5"
☐ 20" ☐ 20.5" ☐ 21"STD

REAR SEAT HEIGHT D Measure from floor to top of seat tube at back post.

Rear Wheel Size	Rear Seat Height
20"	12.5"-20"
22"	13.5"-20"
24"	14.5"-20" (15" on TRA)
25"	15.0"-20"
26"	15.5"-20"

TRSH1 ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5"
☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20"STD





FRONT ANGLE or OVERALL FRAME LENGTH Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

TFA1 ☐ 70° ☐ 75° ☐ 80° ☐ 85° L Measure from frame front to floor. (Not available with 6" Front Wheels.) ☐ 90° (Not available with 5" or 6" Front Wheels.)STD

TFA2 ☐ Overall Frame Length M _____" Measure from front of backrest to Front Edge of Footrest.NCO

SEAT TO FOOTREST E Measure from front edge of seat sling to top rear of footrest.

Standard Footrests Measurement must be at least 2" shorter than Front Seat Height C.
☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18"
☐ 18.5" ☐ 19"



TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 3 of 8

- TFTR3 ☐ Angle Adjustable Footrest.....STD
TFTR1 ☐ Titanium Footrest w/Flat ABS Cover\$217
TFTR2 ☐ Titanium Open Loop Footrest.....\$277
TFTR12 ☐ Angle Adjustable Flip-Back Footrest (Not available with 10" or 11" Rear Seat Width A, Heavy Duty Frame, or ABS Cover with 2" Sides).....\$244 K0040
High Mount Footrest
☐ 7"-9" ☐ 9"-11" ☐ 11"-13" Set at _____ (Use 1/2" increments)
TFTR4 ☐ Angle Adjustable High Mount Footrest.....\$109 K0040

- ☐ **Custom Two-Piece Flip Up Footplates CMD 040.** Please visit our CMD catalogue and specify footrest type and rigidizer bar placement in the Notes section of this order form. Some limitations may apply.

FOOTREST WIDTH I or V Select either a Standard Front End I if no Seat Taper T is selected or a V-Front End V if a Seat Taper T is selected.

STANDARD FRONT END I Find your Rear Seat Width A in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.




TFE1 ☐ **NO V-Front Taper**.....STD

REAR SEAT WIDTH A (Outside Measurement)	FOOTREST WIDTH I		
	No Taper (2" Narrower than Rear Seat Width)	2" Taper (4" Narrower than Rear Seat Width)	4" Taper (6" Narrower than Rear Seat Width)
12"	☐ 10"	☐ 8"	
13"	☐ 11"	☐ 9"	
14"	☐ 12"	☐ 10"	☐ 8"
15"	☐ 13"	☐ 11"	☐ 9"
16"	☐ 14"	☐ 12"	☐ 10"
17"	☐ 15"	☐ 13"	☐ 11"
18"	☐ 16"	☐ 14"	☐ 12"
19"	☐ 17"	☐ 15"	☐ 13"
20"	☐ 18"	☐ 16"	☐ 14"

V-FRONT END V Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

TFE2 ☐ V-Front Taper.....\$315
☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15"

- ☐ **Custom Abducted Front Frame Width CMD 008.** (Adapted Footrest and/or Front Seat Width) Please specify desired front seat width and desired footrest width to the nearest 1/2" in the Notes section. Some limitations may apply.



BACK SUPPORTS

ROHO® AGILITY® ACTIVE ALUMINUM Contour Back Support

Shell Height ☐ 8" ☐ 10"
SBR514 ☐ AGILITY Active Aluminum Min Contour with Foam.....\$738 E2620
SBR515 ☐ AGILITY Active Aluminum Mid Contour with Foam.....\$738 E2620

ROHO® AGILITY® ACTIVE CARBON Contour Back Support (2x2 Twill Weave Carbon Fiber)

Shell Height ☐ 10" ☐ 13" ☐ 16"
☐ AGILITY Carbon Min Contour Back with Foam w/ Air Insert
SBR57 Foam w/ Air Insert.....\$738 E2620
ACB1 AGILITY Active Carbon Upgrade (Not available with Bolt-on Push Handles).....\$464
Fixed Hardware.....NCO
☐ AGILITY Carbon Mid Contour Back with Foam w/ Air Insert
SBR59 Foam w/ Air Insert.....\$738 E2620
ACB2 AGILITY Active Carbon Upgrade (Not available with Bolt-on Push Handles).....\$464
Fixed Hardware.....NCO

COMFORT ACTA-EMBRACE® Back Support

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"
SBR516 ☐ Acta-Embrace Back with 2-PT Quick Release Compass Hardware.....\$642 E2613
CPSB1 ☐ Comfort Privacy Shield.....\$44

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 4 of 8

COMFORT ACTA-RELIEF Back Support

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"

SBRS13 ☐ Acta-Relief Back with 2-PT Quick Release Compass Hardware.....

\$846

E2615

CPSB1 ☐ Comfort Privacy Shield.....

\$44

BACK UPHOLSTERY (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

TBUP2 ☐ Velcro Adjustable (Not available with Fold-Down Push Handles.).....STD

Tension Adjustable by Straps (Required with Fold-Down Push Handles.)

TBUP3 ☐ Padded Nylon.....\$369

E2611

TBUP5 ☐ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.).....\$369

E2611

TUPC3 Ultrasuede Backrest Stripe ☐ Black.....\$115

TBUP0 ☐ Omit Back Upholstery.....NCO

TiFit: TAILORED INDIVIDUALIZED FRAME

Options shown below are our most popular selections. **Not seeing what you want** Contac customer service or visit our Creative Mobility Division (CMD) catalog [here](#) to view additional options.

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT F Measure from top of back post to top of seat tube at rear of frame.

TSB1 ☐ Folding Aluminum Adjustable Height Back (Required for Heavy Duty Frame.....STD

TSB2 ☐ Folding Titanium Adjustable Height Back and Rounded Rigidizer Bar (Titanium back will match Frame Finish.).....\$277

TSB15 ☐ Non-Folding, Fixed Height Titanium with New Rounded Rigidizer Bar (Not Available with TRA. Titanium back will match Frame Finish. Not available with Push Handles.).....\$315

TISHAFT™ BACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.)

TSB3 ☐ Aluminum.....STD

TSB5 ☐ 2x2 Twill Weave Carbon Fiber.....\$82

PUSH HANDLES

TSB6 ☐ Integrated Push Handles.....NCO

TSB7 ☐ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps Back Upholstery.).....\$125

TSB8 ☐ Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar.).....\$217

TSB9 ☐ Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidizer Bar.).....\$363

FOLDING SEAT BACK HEIGHT F (TSB1 and TSB2)

Push Handles (Selected Above)	Short	Medium	Tall	Set at: (Use 1/2" increments)
None/ Bolt-On	☐ 8.5"-11.5"	☐ 12"-16.5"	☐ 16"-20.5"	Set at: _____
Integrated	☐ 10.5"-12.5"	☐ 13.5"-16.5"	☐ 17.5"-20.5"	Set at: _____
Integrated Fold-Down	☐ 13"-15.5"	☐ 14"-18.5"	☐ 18.5"-21"	Set at: _____

NON-FOLDING, FIXED-HEIGHT F TITANIUM SEAT BACK with New Rounded Rigidizer Bar (TSB15) (Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

☐ 5" ☐ 5.5" ☐ 6" ☐ 6.5" ☐ 7" ☐ 7.5" ☐ 8" ☐ 8.5" ☐ 9" ☐ 9.5" ☐ 10" ☐ 10.5" ☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20"

AVAILABLE ON ALL BACKS

TSB11 ☐ Backrest that Locks when Folded (Not available with Ergonomic Seat.).....STD

TSB12 ☐ 4" Deep Backrest Rigidizer Bar (Not available with a Non-Folding, Fixed Height Titanium Seat Back Type. 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.).....NCO




SEAT BACK ANGLE G Measure angle from front of back post to floor.

TSBA1 **Folding Back**
☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95° ☐ 98° ☐ 101°.....STD

TSBA1 **Non-Folding Back**
☐ 80° ☐ 81° ☐ 82° ☐ 83° ☐ 84° ☐ 85° ☐ 86° ☐ 87° ☐ 88° ☐ 89° ☐ 90° ☐ 91° ☐ 92° ☐ 93° ☐ 94° ☐ 95° ☐ 96° ☐ 97° ☐ 98° ☐ 99° ☐ 100° ☐ 101°.....NCO

CENTER OF GRAVITY H Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

TCOG1 ☐ 1" ☐ 1.25" ☐ 1.5" ☐ 1.75" ☐ 2" ☐ 2.25" ☐ 2.5" ☐ 2.75" ☐ 3" ☐ 3.25" ☐ 3.5" ☐ 3.75" ☐ 4" ☐ 4.25" ☐ 4.5" ☐ 4.75" ☐ 5".....STD



TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 5 of 8

REAR WHEEL SPACING /PLUGS Measure from outside of seat back post to inside of rear tire. TRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber K. Ergonomic Seat selection may limit available center of gravity.		
TRWS1	☐ .75" ☐ 1" ☐ 1.25	STD
TCBR12	☐ Adjustable Rear Wheel Spacing Camber Plugs	STD
TCBR9	☐ Additional Spacers to Increase Rear Wheel Spacing	NCO
TCBR11	☐ Zero Play Aluminum Camber Plugs (Not available with Power Adaptable Frame or more than 6° of Camber K.)	NCO

SEAT UPHOLSTERY

ZSUP1	☐ Tension Adjustable Bolt On (Not available with Ergonomic Seat or Tapered Seat T. Black only.)	STD	
ZSUP2	☐ Tension Adjustable by Straps (Standard with Ergonomic Seat and Front Seat Width (Seat Taper) T of 1", 2" or 3". Black upholstery only.)	\$201	
ZSUP8	☐ Aluminum Solid Seat (Not available with 10" or 11" Rear Seat Width A, Ergonomic Seat U requires CMD 016)	\$309	E2231
ZSUP0	☐ Omit Seat	NCO	

☐ **Custom iSleeve** CMD 018. Please provide sleeve width and depth (in inches) in the Notes section at the end of this order form (add 1" to device depth and ¼" to width). Some limitations may apply.

SEAT CUSHION (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

ZCSH2	☐ Comfort Curve Cushion (Stretch-Air cover)	\$122	E2601
ZCSH23	☐ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion	\$428	E2607
ZCSH11	☐ ROHO® Single Compartment (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$534	E2622
ZCSH14	☐ ROHO® QUADTRO SELECT® Cushion (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$534	E2624
ZCSH16	☐ ROHO® Hybrid Select (Fits seat widths 14" to 18", and 20")	\$571	E2624
ZCSH17	☐ Vicair Vector 02 with Comfair Cover (Fits seat widths A 14" to 19". Non-stock upcharges may apply.)	\$515	E2624

CAMBER K/CAMBER TUBES

TCBR1	☐ 0° ☐ 2° ☐ 4° ☐ 6° (8° of Camber K may be available through our Creative Mobility Division.)	STD
TCBR15	☐ Aluminum Camber Tube	STD
TCBR3	☐ Titanium Camber Tube (Not available with Power Adaptable Frame.)	\$217

CUSTOM CONFIGURATION OPTIONS

FRONT WHEELS

TFW24	☐ 3"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub	\$206
TFW14	☐ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork or Power Adaptable Frame.)	NCO
TFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork or Power Adaptable Frame.)	\$88
TFW26	☐ 4"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)	\$112
TFW27	☐ 4"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub	\$217
TFW6	☐ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	NCO
TFW28	☐ 5"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle L or Power Adaptable Frame.)	\$103
TFW30	☐ 5"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 90° Front Angle L.)	\$233
TFW9	☐ 6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	NCO
TFW32	☐ 6"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	\$119
TFW33	☐ 6"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 85° or 90° Front Angle L or Slipstream Fork.)	\$244

PRECISION LOCK FRONT FORKS

TFK1	☐ TiLite Standard Fork	STD	
TFK2	☐ TiLite Slipstream Single-Sided Fork (Not available with Power Adaptable Frame.)	\$185	
TGL1	☐ Glide™ Suspension Fork (Black anodize only. Not available with Heavy Duty Frame.)	\$526	E1015
TTFS1	☐ Titanium Fork Stem	\$66	

STANDARD REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

TRW14	TiLite SHADOW™	STD
	☐ 20"(451)	
	☐ 22"(501)	
	☐ 24"(540)	
	☐ 25"(559) (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) (Requires 15" minimum Seat Depth B.)	

PERFORMANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

TRW7	Spinergy SPOX ☐ Black ☐ Red ☐ Blue ☐ White ☐ Orange ☐ Pink ☐ Purple ☐ Green (Orange, Pink, Purple and Green only available in 20" size.)	\$915
	☐ 20"(451) - Std. Hub	
	☐ 22"(501) - Std. Hub	

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 6 of 8

	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW8	Spinergy LX ☐ Black ☐ Red ☐ Blue ☐ White ☐ Bright Orange ☐ Flamingo Pink ☐ Purple ☐ Green	\$1,148
	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW9	Spinergy Design Lab LX Wheels (Available with black spokes only.)	
	☐ Gold Anodize ☐ Green Anodize ☐ Blue Anodize ☐ Red Anodize ☐ Purple Anodize ☐ Orange Anodize.....	\$1,364
	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.) ☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW16	Spinergy® Carbon Blade with 2x2 Twill Weave Carbon Fiber (Not available with Heavy Duty Frame.).....	\$1,602
	☐ 24"(540)	
	☐ 25"(559) (Requires 15" minimum Seat Depth B.)	
TRW17	X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.).....	\$66
	☐ 20"(451)	
	☐ 22"(501)	
	☐ 24"(540)	

AXLES

TAXL1	☐ Stainless Quick Release.....	STD
TAXL2	☐ Titanium Quick Release.....	\$277
TAXL3	☐ Quad Release (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.).....	\$169

PNEUMATIC REAR TIRES

TRTR1	☐ Treaded 22"(501), 24"(540), and 26"(590).....	STD
TRTR2	☐ Airless Inserts (Not available with Spinergy Carbon Blade Rear Wheels.).....	\$98
TRTR31	☐ MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559) and 26"(590).....	STD
TRTR30	☐ 24"(540), 25"(559) and 26"(590) Primo Sentinel.....	\$136
TRTR8	☐ 24"(540), 25"(559) and 26"(590) Schwalbe® Marathon Plus Evolution.....	\$152
TRTR32	☐ 24"(540) Primo C-763 Knobby.....	\$104

E2213

SOLID REAR TIRES (Not available with Spinergy Carbon Blade Rear Wheels.)

TRTR22	☐ 20"(451), 22"(501), 24"(540) and 25"(559) Primo Orion.....	\$120
TRTR23	☐ 24"(540) and 25"(559) Primo Active.....	\$147

HANDRIMS

TRIM1	☐ Aluminum – Silver Anodized.....	STD
TRIM21	☐ Aluminum – Black Anodized.....	NCO
TRIM12	☐ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.).....	\$509
TRIM10	☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.).....	\$433
TRIM11	☐ The Surge LT (All-In-One Oval with Gription™ Strip, Smaller Profile) (Not available with 20"(451) Rear Wheels.).....	\$466
TRIM20	☐ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451) Rear Wheels.).....	\$358

The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.)

TRIM14	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.).....	\$428
TRIM15	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.).....	\$466
TRIM16	☐ Without Thumb Grip.....	\$390

The Natural-Fit® LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.)

TRIM17	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.).....	\$440
TRIM18	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.).....	\$514
TRIM19	☐ Without Thumb Grip.....	\$423

Additional Handrim Options

TRIM5	☐ Plastic Coated – Black.....	\$174
TRIM22	☐ Omit Handrims.....	NCO

Tab Length

TRIM7	☐ Long Tabs.....	STD
TRIM8	☐ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.).....	\$28

WHEEL LOCKS

TWLK7	☐ Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing) only.).....	NCO
TWLK8	☐ Compact Composite Pull to Lock (Available with .75" to 1.5" Rear Wheel Spacing) only.).....	NCO
TWLK10	☐ Extension Handles for Compact Composite Push/Pull to Lock.....	\$93

E0961

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 7 of 8

Additional Wheel Locks

TWLK11	☐ MBL Composite Scissor Lock.....	\$158	
TWLK3	Uni-Lock Set At: ☐ Push OR ☐ Pull.....	\$179	
TWLK4	☐ Extension Handles for Uni-Lock.....	\$93	E0961
TWLK15	☐ Grade Aids Push to Lock (Not available with solid rear tires).....	\$190	E0974

SIDE GUARDS

Aluminum

TSDG2	☐ Rigid Removable	☐ Small OR ☐ Std.....	\$217	
TSDG3	☐ Quad Removable w/Hole	☐ Small OR ☐ Std.....	\$233	
TSDG4	☐ Fold Down Rigid	☐ Small OR ☐ Std (Not available with Ergonomic Seat.).....	\$363	
TSDG6	☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5").....		\$363	

2x2 Twill Weave Carbon Fiber

TSDG7	☐ Rigid Removable	☐ Small OR ☐ Std.....	\$336	
TSDG8	☐ Quad Removable w/Hole	☐ Small OR ☐ Std.....	\$347	
TSDG9	☐ Fold Down Rigid	☐ Small OR ☐ Std (Not available with Ergonomic Seat or Carbon Edition.).....	\$499	
TSDG12	☐ Fendered Removable.....		\$493	

Available on Aluminum and Carbon Fiber Non-Fendered Side Guards

TSDG13	☐ Side Guards Custom Cut to Profile of Rear Wheels.....		\$342	
--------	--	--	-------	--

☐ **Custom Offset Profiled Sideguards (Removable or Fold-Down) CMD 007.** Please specify desired offset to nearest $\pm\frac{1}{2}$ " (e.g., ± 0.50 ") and sideguard type (rigid or fold-down) in the Notes section of the order form. Sideguard material must be selected. Some limitations may apply.

CUSTOM CONFIGURATION OPTIONS

ARMRESTS (Desk Arms come with built-in Side Guards.)

TARM1	Swing Away Tubular ☐ 6.5" to 9.5" OR ☐ 9.5" to 12.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.).....	\$244	E0973
TARM4	Swing Away - Flip Back Tubular 8.5" to 11.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back.).....	\$342	E0973
TARM2	Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.).....	\$363	E0973
	☐ 9" to 12" OR ☐ 12" to 15"		
	☐ Standard Length Pad (10") OR ☐ Full Length Pad (14")		
TARM3	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.).....	\$406	E0973
	☐ 9" to 12" OR ☐ 12" to 15"		
	☐ Standard Length Pad (10") OR ☐ Full Length Pad (14")		

Available Armrest Option

TARM5	☐ Covered in Black Ultrasuede (Not available with Desk Arms).....	\$120	
-------	--	-------	--

SEAT BELTS

TBLT1	☐ Velcro Adjustable, Black Nylon Webbing.....	\$61	E0978
TBLT2	☐ Bodypoint® 2" Push-Button Buckle (Auto-Style.).....	\$103	E0978
TBLT4	☐ Bodypoint® 1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A.).....	\$196	E0978
TBLT5	☐ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A.).....	\$185	E0978
TBLT10	☐ Bodypoint® Optional Band Clamp Mounting Hardware.....	\$22	K0108
TBLT16	☐ Bodypoint® EvoFlex® Pelvic Stabilizer Push Button.....	\$201	E0978

CALF STRAP

TCLF2	Velcro Adjustable.....	\$44	K0038
	☐ Small (Recommended for 9" - 12" Footrest Widths.)		
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)		
	☐ Large (Recommended for 14" - 17" Footrest Widths.)		
	☐ Xtra Large (Recommended for 16"- 19" Footrest Widths.)		
TCLF3	Bodypoint® Padded Velcro Adjustable.....	\$109	K0038
	☐ Medium (Recommended for 11"- 15" Footrest Widths.)		
	☐ Large (Recommended for 16"- 19" Footrest Widths.)		
TCLF1	☐ Buckle Adjustable, Black Nylon Webbing.....	\$34	K0038

RESIDUAL LIMB SUPPORT

TRSL1	☐ Residual Limb Support ☐ Left OR ☐ Right (8" width x 10" length).....	\$428	E1020
TRSL2	☐ Residual Limb Support Pair (8" width x 10" length).....	\$855	E1020

BACKPACK

TBCK3	☐ Permobil Medical Necessities Backpack.....	\$103	
-------	---	-------	--

TiLite TR TRA Order Form

Effective Aug 2025 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 8 of 8

SEAT POUCH

TPCH3 ☐ Permobil Medical Necessities Seat Pouch.....\$66

TPCH4 ☐ Bodypoint® Mobility Bag.....\$109

SPOKE GUARDS

TGRD1 ☐ Clear (Not available with Mag Rear Wheels.).....\$147 K0065

ANTI-TIPS

TTIP1 ☐ Rear Aluminum - Black.....\$174 E0971

TTIP2 ☐ User Friendly Flip-up.....\$363 E0971

ACCESSORIES

TUEST1 Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths A (Requires Armrests.).....\$315 E0950

TLUG1 ☐ Luggage Carriers.....\$158

TMPCT2 ☐ Black Neoprene Impact Guards with Ultrasuede Stripe\$115


TCH1 ☐ Crutch Holder.....\$244 E2207

TAFP1 4" Logo Patch ☐ Army ☐ Navy ☐ Air Force ☐ Marines.....\$115


NOTES

The rear frame for a TR will be square when the Center of Gravity H measurement is less than 3.5". TRA will always be a Rounded Rear Frame.

GENERAL



A. Round rear frame



B. Square rear frame

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

NOTES

QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR