Effective November 18, 2019 (New Items in Red)

DUAL-TUBE RIGID FRAME

DEALER INFORMATION			RTS INFORMA	TION		
Dealer:	Account	#:	RTS:		Phone:	
PO:	Ordered	By:	Email:			
Email:			SHIP TO INFO	RMATION		
Mark For:	User We	ight:	Name:		Ship Via:	
TiLite Sales Rep:		-	Address:		·	
TiLite Information:	Promo C	ode:	City:		State:	Zip:
Ship Date:	Order #:		Phone:		Fax:	<u> </u>
More options and frame ma	odifications may be available	e through our Creative	Mobility Division! Please cor	ntact customer service	for details or click her	e to view opti
·	· · · · · · · · · · · · · · · · · · ·		Service Team at tilitesale			
FRAME STYLE						
ATFS1			y. 265 Pound Weight Limit. Fo			
			at Depth ③ of less than 15", us			\$2,615
			5 Pound Weight Limit. For Reat That Depth () of less than 15", us			\$3.705
			mal Adjustability. 265 Pound			
			t Width 3 and Seat Depth 3			
THDR1			anium Frame. 350 Pound Weig n Adjustable by Straps Back U			
	Height Backrest, Billet Alumin	num Front Wheels, Shad	dow or Spinergy SPOX Rear \	Wheels. LX Rear Wheel	ls only available with 0 c	or 2
			Slipstream Fork, Velcro Adju			t \$435
			ght Limit. No charge when 20°			
			k Upholstery. Requires Foldin Rear Wheels. LX Rear Whee			o t
			lcro Adjustable Upholstery, Op			Ol .
TRFR1	☐ Reinforced Frame (No	charge when 20" Rear	Seat Width 1 and 20" 1 Sea	at Depth are selected.)		\$330
FRAME FINISHES TFF1	Cotin (Available with Tite	nium France ants)				et D
			bes. Titanium frame finished ii			
						\$345
TFF45	□ Need for Speed		TFF44	☐ Flower Garde	en Mariana	
			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			
TFF43	☐ Mosaic			70	0000	
	有多级资源		\ \ ' =			
		7.0. 2 7.200				
FRAME FINISHES			TEE (□ TEE00 N	D: 1	
High Gloss Pa Metallic Paint	int ☐ TFF8 Super Wo		TFF10 TiLite Red TFF15 Tangerine Metallic	☐ TFF29 Nec	on Pink d Green Metallic	
Pearlescent Pa			TFF18 White Pearl	☐ TFF30 ACI	u Green Metallic	
Matte Paint	☐ TFF19 Black La		TFF27 Titanium Grey			
Candy Paint	☐ TFF22 Ruby R	ed 🖵 .	TFF23 Azure Blue	☐ TFF25 Elec	ctric Plum	
Matte Texture	d Paint 🗆 TFF40 Hyper B	Slue 🗆 :	TFF41 Flame Orange	☐ TFF42 OD	Green	STD
COLOR ANODIZE PA	ACKAGE					
			odize not available with Power			
E((O)), Caster Fork, Caster C				
Footrest Clamp, (will be black.)	Caster Mount, Footrest Clamp		ap and riginly Garbon Baok of	iamps. iī no anodize coi	or is selected, the detail	ult
will be black.)	☐ TANO1 Black					STD
will be black.)	☐ TANO1 Black					STD
will be black.) TiFit: TAILORED II	□ TANO1 Black □ TANO5 Sapphire □ T	ANO3 Red Pepper		_ TANO8 Ultraviole		STD



TSW1

TSW2

Page 1 of 8

Effective November 18, 2019 (New Items in Red)

DUAL-TUBE RIGID FRAME

TIFIT: TAILORED INDIVIDUALIZED FRAME FRONT SEAT WIDTH (SEAT TAPER) • Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End 10. Not Available with Standard Front End 1.) TFSW1 □ No Taper_____STD TFSW2 ☐ 1" Taper (3" Narrower than Rear Seat Width ④. Includes Tension Adjustable by A Straps Seat Upholstery.) \$290 TFSW4 ☐ 2" Taper (4" Narrower than Rear Seat Width . Includes Tension Adjustable by Straps Seat Upholstery.) \$290 SEAT DEPTH 0 Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair. □ 12" □ 13" □ 14" □ 15" □ 16" □ 17" □ 18" □ 19" STD TSD1 □ 20"_______\$555 □ Custom Frame Depth: ______" Frame Depth Longer or Shorter Than TSD2 TSD3 Seat Depth (Measure from front of seat sling to beginning of frame bend. Ranges from 0.25" to 3" and can be given as specific as 1/4" increments. A negative Custom Frame Depth or specified above 3" may be available through our Creative Mobility 4"-10" **ERGONOMIC SEAT (1)** Measure from front of back post to beginning of upward bend of seat tube. O TERG1 ☐ TR Ergonomic Seat (Not available with Tension Adjustable Bolt On Seat Upholstery) □ 5" (12.7cm) □ 6" (15.2cm) □ 7" (17.8cm) □ 8" (20.3cm) □ 9" (22.9cm) **\$410** TERG2 ☐ Aero T and TRA Ergonomic Seat (Center of Gravity adjustment may be affected by this option. Not available with V-Front or Seat Taper, Seat Back that Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat, Tension Adjustable Bolt On Seat Upholstery, or the Curve cushion.) □ 6" (15.2cm) (Minimum Seat Depth ③ 12") □ 7" (17.8cm) (Minimum Seat Depth ③ 12") □ 8" (20.3cm) (Minimum Seat Depth **③** 13") **\$410** FRONT SEAT HEIGHT @ Measure from floor to top of seat tube at front edge of seat sling. □ 15" (38.1cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm) TFSH1 □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) □ 19.5" (49.5cm) □ 20" (50.8cm) □ 20.5" (52.1cm) □ 21" (53.3cm).......STD **REAR SEAT HEIGHT** Measure from floor to top of seat tube at back post. Rear Wheel Size **Rear Seat Height** 12.5"-20" (31.8-53.3 cm) 22" 13.5"-20" (34.3-53.3 cm) 24" 14.5"-20" (15" on AeroT/TRA) (36.8-53.3 cm) 15.0"-20" (38.1-53.3 cm) 25' 26' 15.5"-20" (38.1-53.3 cm) □ 13" (33cm) □ 13.5" (34.3cm) □ 14" (35.6cm) □ 14.5" (36.8cm) □ 15" (38.1cm) TRSH1 □ 15.5" (39.4cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm) □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) □ 19.5" (49.5cm) □ 20" (50.8cm) ... STD **FRONT ANGLE** • Measure from frame front to floor. TFA1 □ 70° □ 75° □ 80° □ 85° (Not available with 6" Front Wheels.) □ 90° (Not available with 5" or 6" Front Wheels.) SEAT TO FOOTEST (9/FOOTESTS Measure from front edge of seat sling to top rear of footrest. Standard Footrests Measurement must be at least 2" shorter than Front Seat Height @. □ 13.5" (34.3cm) □ 14" (35.6cm) □ 14.5" (36.8cm) □ 15" (38.1cm) □ 15.5" (39.4cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm) □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) Seat taper starts approximately 9"44 TFTR3 □ Angle Adjustable Footrest_____STD from seat back □ Titanium Footrest w/Flat ABS Cover______\$195 TFTR1 TFTR2 ☐ Titanium Open Loop Footrest \$260 TFTR12 ☐ Flip-Back Footrest (Not available with ABS Cover with 2" Sides or Front Roller.)...\$215 **High Mount Footrest** □ 7"-9" □ 9"-11" □ 11"-13" Set at__ (Use 1/2" increments) TFTR4 □ Angle Adjustable High Mount Footrest______\$100


TIFIT: TAILORED INDIVIDUALIZED FRAME

FOOTEST WIDTH 🛈 or 🐧 Select either a Standard Front End 🛈 if no Seat Taper 🛈 is selected or a V-Front End 🗘 if a Seat Taper is selected.

STANDARD FRONT END 1 Find your Rear Seat Width 1 in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

TFE1 □ NO V-Front Taper_____STD


		FOOTREST WIDTH ()	
REAR SEAT WIDTH () (Outside Measurement)	No Taper (2" Narrower than Rear Seat Width)	2" Taper (4" Narrower than Rear Seat Width)	4" Taper (6" Narrower than Rear Seat Width)
12"	□ 10"	□ 8"	
13"	□ 11"	□ 9"	_
14"	□ 12"	□ 10"	□ 8"
15"	□ 13"	□ 11"	□ 9"
16"	□ 14"	□ 12"	□ 10"
17"	□ 15"	□ 13"	□ 11"
18"	□ 16"	□ 14"	□ 12"
19"	□ 17"	□ 15"	□ 13"
20"	□ 18"	□ 16"	□ 14"



TFE2 □ V-Front Taper______\$115

> □ 10" (25.54m) □ 11" (27.9cm) □ 9" (22.9cm) □ 12" (30.5cm) □ 13" (33cm) □ 14" (35.6cm)





SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT Measure from top of back	
post to top of seat tube at rear of frame.	

TSB1	☐ Folding Aluminum Adjustable Height w/Precision Lock Back	STD
TSB2	☐ Folding Titanium Adjustable Height w/Precision Lock Back and Rounded	
	Rigidizer Bar (Titanium back will match Frame Finish. Not available with Bolt-On	
	Push Handles.)	\$195
TSB15	☐ Non-Folding, Fixed Height Titanium with Rounded Rigidizer Bar (Not	
	Available om Aero T or TRA. Titanium back will match Frame Finish. Not available with	


TISHAFT™ E	BACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.)	
TSB3	□ AluminumSTD)
TSB5	☐ Carbon Fiber\$70	


Push Handles) \$280


TUPC3


TBUP0

PUSH HANDL	.E5	
TSB6	☐ Integrated Push Handles	NCO
TSB7	☐ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps Back Upholstery.)	<u></u> \$115
TSB8	☐ Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.).	\$195
TSB9	☐ Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidize Bar. Not available with Ti Back.).	r









3 TiF

Push Handles		(TSB1 and TSB2 Medium	Tall	Set at:			
(Selected Above) None/ Bolt-On	9.5"-12.5"	□ 13"-17.5"	17"-21.5"	(Use ½" increments Set at:)		
Integrated	☐ 11.5"-13.5"	☐ 13 -17.5"	□ 18.5"-21.5"	Set at:			
Integrated Fold-	☐ 14"-16.5"	☐ 14.5 -17.5 ☐ 15"-19.5"	□ 19.5"-22"	Set at:			
Down	14 - 16.5	15 - 19.5	19.5 -22	Oct ut			
TRA. Titanium ba	ck will match Frame F and Integrated Push if □ 5" (12.7cm) □ □ 8.5" (21.6cm) □ □ 12" (30.5cm) □ □ 15.5"(39.4cm) □	Finish. Required for fixed Handles, Integrated For 5.5" (14cm) 9" (22.9cm) 9.5	ed Side Guards. Not bld-Down Push Hand (15.2cm)	available with Sw dles or Bolt-On He 5" (16.5cm) " (25.4cm) 3.5" (34.3cm)	ing Àway Tubular o ight Adjustable Pus □ 7" (17.8cm) □ 10.5" (26.7cm) □ 14" (35.6cm)	□ 7.5" (19.1cm)) □ 11" (27.9cm) □ 14.5" (36.8cm)	ck 8"(20.3cm) 11.5"(29.2c) 15"(38.1cm) 18.5"(47cm)
AVAILABLE O	N ALL BACKS						
		cks when Folded (N	lot available with Fro	gonomic Seat.)			STD
						t Back Type.4" Deep Ri	
10512							
SEAT BACK A	NGLE @ Measure	angle from front of	back post to floor			_	
TSBA1	Folding Back						
		, 🗖 88。 🗖 85。 🗖 82	° 🗆 98° 🗆 101°		STD		
	Non-Folding Back					Ħ	
		° □ 83° □ 84° □ 85					_
	□ 91° □ 92° □ 93°	° □ 94° □ 95° □ 96	° □ 97° □ 98° □	99° □ 100° □ 1	01°. NCO		
	the rear axle. If no	re from front of back center of gravity is s rward-most position	selected, chair will				9
TCOG1	□ 1" (2.5cm) □ 1.2 □ 2.25" (5.7cm) □ □ 3.5" (8.9cm) □ 3	25" (3.2cm) ☐ 1.5" 2.5" (6.4cm) ☐ 2.7 3.75" (9.5cm) ☐ 4" ☐ 5"(12.7cm)	(3.8cm) □ 1.75" ('5" (7cm) □ 3" (7. (10.2cm) □ 4.25"	.6cm) 3 .25" (' (10.8cm) 4 .5	8.3cm) 5" (11.4cm)		
REAR WHEEL	rear tire. TRA 0.75"	GS Measure from o Rear Wheel Spacion Rear Wheel Spacion	ng not available w	vith 0° or 2° Can			
TRWS1	□ 0.75" □ 1" □ 1.	25"			STD		J
TCBR12	■ Adjustable Rear	Wheel Spacing Ca	mber Plugs (Not a	vailable with Pow	er		
TCBR9	Additional Space	are to Increase Real	r Wheel Specing		חופ	0 -0-	NCO
TCBR11						n 6° of Camber () .)	
SEAT UPHOLS	STERY	_					
TSUP1		hle Bolt On <i>(Not avai</i>	ilable with Francom	ic Seat or Tanered	l Seat 🛈 Black onl	y.)	STD
TSUP2						2" or 3". Black upholste	
						2 Or 3 . Black uprioist	
TSUP8	I Alliminim Salid						

CUSTOM CONFIGURATION OPTIONS

TCBR1

TCBR15

TCBR6

TCBR3

DRATION OF HONS	
ELS	
□ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub.	\$175
☐ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.)	NCO
☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.)	\$75
☐ 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty	
Frame.)	\$95
□ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub.	\$185
□ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle ①, Slipstream Fork, Glide™ Single-Sided Fork or Power	
Adaptable Frame.)	NCO
□ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle ● or Power Adaptable Frame.)	\$95
	Use 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire Usilver Hub OR Black Hub. 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire Silver Hub OR Black Hub.

□ 0° □ 2° □ 4° □ 6° (8° of Camber **®** may be available through our Creative Mobility Division.).

□ Aluminum Camber Tube_____STD

□ Titanium Camber Tube (Not available with Power Adaptable Frame.)_____\$195

CUSTOM CONFIGURATION OPTIONS □ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub (Not available with 90° TFW30 Front Angle ①.) \$205 TFW9 □ 6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle ●, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) NCO TFW32 □ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle ①, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) \$100 ☐ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 85° or TFW33 90º Front Angle ❶, Slipstream Fork, Glide™ Single-Sided Fork.). \$215 PRECISION LOCK FRONT FORKS TFK1 ☐ TiLite Standard Fork______STD TFK2 □ Out-Front Glide™ Suspension Fork (Black anodize only.)______\$480 TGL1 Rider's Weight: □ 125 lbs. □ 125-180 lbs. □ 180-265 lbs. TTFS1 □ Titanium Fork Stem______\$55 STANDARD REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height 10 limitations.) TRW14 TiLite SHADOW™______STD □ 20"(451) **22**"(501) □ 24"(540) □ 25"(559) (Requires 15" minimum Seat Depth ③.) □ 26"(590) (Requires 15" minimum Seat Depth ③.) PERFORMANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height ® limitations.) TRW7 □ 22"(501) - Std. Hub □ 24"(540) - Std. Hub □ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ③.) ☐ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth 3. Not available with Quad Release Axles.) Spinergy LX □ Black □ Red □ Blue □ White □ Bright Orange □ Flamingo Pink ______\$995 TRW8 □ 22"(501) - Std. Hub □ 24"(540) - Std. Hub □ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ③.) □ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth 10. Not available with Quad Release Axles.) **TRW16** Spinergy Carbon Blade (Not available with Heavy Duty Frame, Natural-Fit or Natural-Fit LT with Standard Grip or Super Grip.)....\$1,480 □ 25"(559) (Requires 15" minimum Seat Depth **③**.) TRW17 X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.) \$110 **2**0"(451) **22**"(501) **2**4"(540) **AXLES** ☐ Stainless Quick Release STD TAXL1 TAXL2 ☐ Titanium Quick Release \$250 TAXL3 PNEUMATIC REAR TIRES TRTR1 ☐ Treaded (Not available with 25"(559) or 20" (451) Rear Wheels.)________STD □ Airless Inserts (Not available with Spinergy Carbon Blade Rear Wheels.)_______\$95 TRTR2 □ 25"(559) Primo Treaded (Standard with 25"(559) Rear Wheels.)_______STD TRTR3 TRTR4 □ 24"(540), 25"(559) and 26"(590) Primo Sentinel______**\$130** TRTR30 □ 24"(540), 25"(559) and 26"(590) Schwalbe_® Marathon Plus Evolution______**\$105** TRTR8 TRTR9 □ 24"(540) and 25"(559) Schwalbe_® Slick______**\$105** □ 24"(540) Kenda Kobra Knobby_______**\$90** TRTR24 SOLID REAR TIRES (Not available with Spinergy Carbon Blade Rear Wheels.) TRTR22 TRTR23 **HANDRIMS** Handrims by OUT-FRONT® □ Aluminum – Silver Anodized______STD TRIM1 TRIM21 □ Aluminum – Black Anodized (Not available with 20"(451) Rear Wheels.)_______\$55 TRIM12

CUSTOM CONFIGURATION OPTIONS ☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.)_____\$365 TRIM10 ☐ The Surge LT (All-In-One Oval with Gription™ Strip, Smaller Profile) (Not available with 20"(451) Rear Wheels.), \$395 TRIM11 □ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451)Rear Wheels.) \$335 TRIM20 The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.) TRIM14 TRIM15 TRIM16 The Natural-Fit LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.) TRIM17 ☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$385 □ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$435 TRIM18 TRIM19 □ Without Thumb Grip______\$360 **Additional Handrim Options** TRIM5 □ Plastic Coated – Black \$130 TRIM22 □ Omit Handrims NCO **Tab Length** TRIM7 □ Long Tabs_____STD TRIM8 WHEEL LOCKS Wheel Locks by OUT-FRONT® TWI K7 TWI K8 □ Extension Handles for Compact Composite Push/Pull to Lock________\$80 TWLK10 TWLK9 □ Composite Scissor Lock_______\$145 **Additional Wheel Locks** Uni-Lock Set At: ☐ Push **OR** ☐ Pull \$165 TWLK3 TWLK4 TWLK15 ☐ Grade Aids Push to Lock (Not available with solid rear tires). SIDE GUARDS **Aluminum** TSDG2 ☐ Rigid Removable □ Small **OR** □ Std________\$195 TSDG3 ☐ Quad Removable w/Hole □ Small OR □ Std (Not available with Ergonomic Seat.)_____\$335 TSDG4 ☐ Fold Down Rigid TSDG6 **SIDE GUARDS (CONTINUED)** Carbon Fiber TSDG7 □ Rigid Removable TSDG8 □ Quad Removable w/Hole □ Small OR □ Std__________\$315 TSDG9 ☐ Fold Down Rigid ☐ Small OR ☐ Std (Not available with Ergonomic Seat or Carbon Edition.) \$455 ☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height **①** of 14.5" to 18.5".) **\$450** TSDG11 □ NEW Fendered Removable \$450 TSDG12 Available on Aluminum and Carbon Fiber Non-Fendered Side Guards TSDG13 ☐ Side Guards Custom Cut to Profile of Rear Wheels \$310 ARMRESTS (Desk Arms come with built-in Side Guards.) TARM1 Swing Away Tubular 🗆 6.5" to 9.5" OR 🗅 9.5" to 12.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.) \$215 TARM4 TARM2 Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth 19. Not available with Ergonomic Seat.) \$335 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") TARM3 Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth 19. Not Available with Ergonomic Seat.) \$365 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") **Available Armrest Option** TARM5 ☐ Covered in Black Ultrasuede (Not available with Desk Arms).

CUSTOM CONFIGURATION OPTIONS

SEAT BELTS		
TBLT1	☐ Velcro Adjustable, Black Nylon Webbing	.\$45
TBLT2	☐ Bodypoint® 2" Push-Button Buckle (Auto-Style.)	
TBLT4	□ Bodypoint® 1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths ② .),	
TBLT5	☐ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths .)	\$175
TBLT10	☐ Bodypoint® Optional Band Clamp Mounting Hardware	\$20
TBLT16	□ Bodypoint® EvoFlex® Pelvic Stabilizer Push Button	
CALF STRAF		
TCLF2	Velcro Adjustable ☐ Small (Recommended for 9" - 12" Footrest Widths.)	\$35
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)	
	☐ Large (Recommended for 14" - 17" Footrest Widths.)	
	☐ Xtra Large (Recommended for 16"- 19" Footrest Widths.)	
TCLF3	Bodypoint®Padded Velcro Adjustable	\$105
	☐ Medium (Recommended for 11"- 15" Footrest Widths.)	
	☐ Large (Recommended for 16"-19" Footrest Widths.)	
TCLF1	□ Buckle Adjustable, Black Nylon Webbing	\$25
RESIDUAL L	IMB SUPPORT	
TRSL1	□ Residual Limb Support □ Left OR □ Right (8" width x 10" length)	\$405
TRSL2	□ Residual Limb Support Pair (8" width x 10" length)	\$815
BACKPACK		
TBCK3	□ Black Permobil Backpack	. \$95
SEAT POUCI	4	
TPCH3	☐ Black Permobil Seat Pouch	\$55
TPCH4	□ Bodypoint® Mobility Bag	
SPOKE GUA	RDS	
TGRD1	☐ Clear Lexan with TiMotion Logo (Not available with Mag Rear Wheels.)	<u>.,</u> \$130
ANTI-TIPS		
TTIP1	☐ Rear Aluminum - Black	\$160
TTIP7	□ Black Aluminum Single	\$80
	Mount on ☐ Left Side or ☐ Right Side	
TTIP2	☐ User Friendly Flip-up (Not available with Frog Legs® Rear Suspension.)	
TTIP8	☐ User Friendly Flip-up Single	
	Mount on ☐ Left Side or ☐ Right Side	NCO
ACCESSORI		
TUEST1	Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths ((Requires Armrests.)	
TLUG1	□ Luggage Carriers	
TMPCT2	Neoprene Impact Guards with Ultrasuede Stripe ☐ Black	
TCH1	☐ Crutch Holder	\$145

International TiLite **T-Series** Order Form


Effective November 18, 2019 (New Items in Red)

DUAL-TUBE RIGID FRAME


Page 8 of 8

FRAME NOTES

The rear frame for a TR will be square when the Center of Gravity (1) measurement is less than 3.5". Aero T and TRA will always be a Rounded Rear Frame



A. Round Rear Frame



B. Square Rear Frame

GENERAL

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or click here to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle Gmbh. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMPORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.



QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR