



TiLite Twist - Order Form



Dealer Name*:

Account #*:

City, State, Zip:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference*:

Client Weight:

Special considerations that need to be addressed here (e.g., diagnosis):

*Required field

Frame Style

- | | | | |
|---------------------------------|--|-----------------|-------------|
| ☐ TWFS2 | TiLite Twist Full adjustability. 165lb weight limit. Seat width 'A' grows 2" and seat depth 'B' grows 3". | E1235,
E1237 | \$ 3,073.00 |
| ☐ TWFSW7 | Abduction Frame, 2" Outward Flare Requires a No Taper Footrest. | | \$ 179.00 |

Transit Options

- | | | | |
|---------------------------------|---|-------|-----------|
| ☐ TWTTDO | Transit Tie-Downs Tested to WC-19. Consists of four tie-down brackets. Transit option is not available with user weights less than 51lb (23kg). Please refer to the Twist Transit Tie-Down Option Brochure for important information regarding transit tie-down options. | E1023 | \$ 239.00 |
|---------------------------------|---|-------|-----------|

Frame Finishes

Frame Color:

- | | | |
|---|--|---|
| ☐ TWFF8 High Gloss Black | ☐ TWFF10 Red Pepper | ☐ TWFF49 Neon Pink |
| ☐ TWFF14 Ocean Blue Metallic | ☐ TWFF15 Tangerine Metallic | ☐ TWFF30 Acid Green Metallic |
| ☐ TWFF17 Midnight Blue Pearl | ☐ TWFF18 White Pearl | ☐ TWFF19 Black Lava |
| ☐ TWFF27 Titanium Grey | ☐ TWFF59 Pomegranate Red | ☐ TWFF62 Blue Mist |
| ☐ TWFF57 Indigo Purple | ☐ TWFF40 Hyper Blue | ☐ TWFF41 Flame Orange |
| ☐ TWFF42 OD Green | ☐ TWFF60 Silver Streak | ☐ TWFF63 Lavendar Dusk |
| ☐ TWFF58 Black Galaxy | ☐ TWFF61 Seafoam Green | ☐ TWFF64 Daffodil Yellow |

Caster Arm Color:

- | | | |
|---|--|---|
| ☐ TWFF8 High Gloss Black | ☐ TWFF10 Red Pepper | ☐ TWFF49 Neon Pink |
| ☐ TWFF14 Ocean Blue Metallic | ☐ TWFF15 Tangerine Metallic | ☐ TWFF30 Acid Green Metallic |
| ☐ TWFF17 Midnight Blue Pearl | ☐ TWFF18 White Pearl | ☐ TWFF19 Black Lava |
| ☐ TWFF27 Titanium Grey | ☐ TWFF45 Pomegranate Red | ☐ TWFF48 Blue Mist |
| ☐ TWFF43 Indigo Purple | ☐ TWFF40 Hyper Blue | ☐ TWFF41 Flame Orange |
| ☐ TWFF42 OD Green | ☐ TWFF46 Silver Streak | ☐ TWFF49 Lavendar Dusk |
| ☐ TWFF44 Black Galaxy | ☐ TWFF47 Seafoam Green | ☐ TWFF50 Daffodil Yellow |

Color Anodize Package

- | | | | | | | | |
|--------------------------|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|-------------------------------------|------------------------------------|----------|
| Standard: | ☐ ZAN01 Black | | | | | | Standard |
| Anodized Package: | ☐ ZAN12 Gold | ☐ ZAN15 Green | ☐ ZAN13 Purple | ☐ ZAN14 Orange | ☐ ZAN10 Blue | ☐ ZAN11 Red | \$ 71.00 |

Includes caster mount, caster fork and caster caps. If no anodize colour is selected, default will be black.

Frame Measurements

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.

Seat Width 'A' | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Seat width grows 2". All upholstery and components (exception cushion) needed to grow the seat width are included. TiShaft back release bar available at no charge upon request.

TWSW5: ☐ 8"-10" ☐ 9"-11" ☐ 10"-12" ☐ 11"-13" ☐ 12"-14" ☐ 13"-15"

TWSW5: ☐ Set at

Default will be smallest seat width for selected range. Please specify for other settings (1" increments).

Seat Depth 'B' | Measure from front of back post to the front edge of seat sling. Seat depth grows 3". Front edge of seat sling will be 1.5" from the beginning of the bend on no-taper and tapered frames, and 2" on abduction frames. All upholstery and components needed to grow the seat depth are included (except cushion).

TWSD4: ☐ 8"-11" ☐ 9"-12" ☐ 10"-13" ☐ 11"-14" ☐ 12"-15" ☐ 13"-16"

TWSD4: ☐ Set at

8"-11" range requires 18" or 20" rear wheels. Default will be smallest seat depth for selected range. Please specify for other settings (1" increments).

Front Seat Height 'C' | Measure from floor to top of seat tube at front edge of seat sling. Twist adjusts up and down in 1/2" increments. 2" taper footrest width 'I' available with 12"-15" or 13"-16" seat depths only. For 2" taper footrest width 'I' add 1.5" to minimum front seat height.

TWFSH1: ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5"
☐ 19" ☐ 19.5" ☐ 20"

Front Wheel	3"	13"-14.5"	13.5"-15"	13"-16"	14"-17"	14.5"-17.5"	15.5"-18.5"
	3" Glide	14.5"-15.5"	15"-16.5"	14"-17"	15"-18"	16"-19"	16.5"-19.5"
	4"	13.5"-15"	14"-15.5"	13.5"-16.5"	14"-17.5"	15"-18"	16"-18.5"
	4" Glide	14.5"-16"	15.5"-17"	14.5"-17.5"	15.5"-18.5"	16"-19"	17"-20"
	5"			14"-17"	14.5"-17.5"	15.5"-18.5"	16.5"-19.5"
		8"-11" Depth	9"-12" Depth	10"-13" Depth	11"-14" Depth	12"-15" Depth	13"-16" Depth
Front Seat Height Range							

Rear Seat Height 'D' | Measure from floor to top of seat tube at back post. Twist adjusts up and down in 1/2" increments.

TWRSH1: ☐ 12" ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5"
☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5"

Rear Wheel	18"	12"-17"
	20"	13"-17.5"
	22"	14"-18.5"
	24"	15"-19.5"

Rear Seat Height Range

Front Angle 'L' | Measure from frame front to floor.

TWFA1: ☐ 70° ☐ 80° ☐ 90°

Standard

Footrest

Standard Footrests

Seat to Footrest 'E': ☐ 9" ☐ 9.5" ☐ 10" ☐ 10.5" ☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5"
☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5"

Measure from front edge of seat sling to top rear of footrest. Measurement must be at least 2" shorter than Front Seat Height 'C'.

☐ TWFTR3

Angle Adjustable Footrest

Standard

☐ TWFTR24

Flip-Back Depth and Angle Adjustable Footrest Not available when both 13"-15" seat width and abduction frame are ordered.

K0040

\$ 233.00

High Mount Footrests

Seat to Footrest 'E': ☐ 5" ☐ 5.5" ☐ 6" ☐ 6.5" ☐ 7" ☐ 7.5" ☐ 8" ☐ 8.5" ☐ 9" ☐ 9.5" ☐ 10" ☐ 10.5"
☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5" ☐ 13"

Measure from front edge of seat sling to top rear of footrest.

☐ TWFTR4

Angle Adjustable High Mount Footrest

K0040

\$ 109.00

☐ TWFTR27

Flip-Back Depth and Angle Adjustable High Mount Footrest Not available when both 13"-15" seat width and abduction frame are ordered.

K0040,
K0045

\$ 336.00

Seat Depth 'B'	3" Front Wheel		4" Front Wheel		5" Front Wheel	
	8"-11"		9"-12"	5"-8"		
	9"-12"		10"-13"	6"-9"		
	10"-13"		9"-13.5"	5"-9.5"	9"-14"	5"-10"
	11"-14"		10"-14.5"	7"-11.5"	10"-15"	6"-11"
	12"-15"		11"-15"	8"-12.5"	11"-15.5"	7"-12"
	13"-16"		12"-16"	7.5"-12"	12"-16.5"	8"-13"
	Standard	High-Mount	Standard	High-Mount	Standard	High-Mount
Footrest Height Range						

Footrest Width 'I' | Measure from inside of front frame tube to inside of opposite front frame tube.

- ☐ TWFSW1

No Taper
 2" narrower than seat width.

Standard
- ☐ TWFSW4

2" Taper
 4" narrower than seat width. Available with 12"-15" or 13"-16" seat depths only. Add 1.5" to minimum seat to footrest 'E' ranges.

No charge

Seat Width 'A'	8"	6"	
	9"	7"	
	10"	8"	
	11"	9"	
	12"	10"	8"
	13"	11"	9"
	14"	12"	10"
	15"	13"	11"
		No Taper	2" Taper
Footrest Width			

Rear Wheel Positioning

Rear Wheel Spacing 'J' | Measure from outside of back post to inside of rear tire. 3/4" rear wheel spacing not available with 0° or 2° camber. Not all rear wheel spacing is available with all accessories.

- ☐ TWRWS1

Fixed Rear Wheel Spacing

Standard

☐ 0.75"
 ☐ 1"
 ☐ 1.25"
 ☐ 1.5"
 ☐ 1.75"
 ☐ 2"
- ☐ TWCBR12

Adjustable Rear Wheel Spacing Camber Plugs

No charge
- ☐ TWCBR9

Additional Spacers to Increase Rear Wheel Spacing

No charge

Camber 'K'

- ☐ TWCBR15

Aluminum Camber Tube

Standard
- TWCBR1:**

☐ 0°
 ☐ 2°
 ☐ 4°
 ☐ 6°
 ☐ 8°
 ☐ 12°

Backrest

Back Type

- ☐ TWSB1

Folding Aluminum Adjustable Height Back
 With TiShaft aluminum back release bar.

Standard
- ☐ TWSB11

Backrest Locks When Folded

Standard
- ☐ TWSB22

Height Adjustable Backrest Rigidizer Bar

\$ 169.00

Push Handles

- ☐ TWSB6

Integrated Push Handles

No charge
- ☐ TWSB7

Integrated Fold-Down Push Handles
 Requires tension adjustable by straps back upholstery.

\$ 125.00
- ☐ TWSB8

Bolt-On Push Handles
 Requires 12"-14" or 13"-15" seat width range.

\$ 217.00
- ☐ TWSB9

Bolt-On Height-Adjustable Push Handles
 Requires 12"-14" or 13"-15" seat width range.

\$ 363.00
- ☐ TWSB20

Bolt-On Center Mount Height Adjustable Push Handle

\$ 201.00

☐ Small (9.25")
 ☐ Standard (14.25")
 ☐ Tall (19.25")
- ☐ TWSB21

Stroller Handle

\$ 239.00

Back Height 'F' | Set at 0.5" increments.

Push Handles	None / Bolt-On	☐ 8.5"-11.5"	☐ 12"-16.5"	☐ 16.5"-20.5"	Set at:
	Integrated	☐ 10.5"-12.5"	☐ 13.5"-16.5"	☐ 17.5"-20.5"	Set at:
	Fold-Down	☐ 13"-15.5"	☐ 14.5"-19"	☐ 18.5"-21"	Set at:
		Short	Medium	Tall	Specify
Folding Back Height					

Back Angle 'G' | Measure angle from front of back post to floor. 90° will be perpendicular to the floor. To approximate the angle from the back post to the seat, subtract 2° from measurement G for every 0.5" of seat dump.

TWSBA1: ☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95° ☐ 98° ☐ 101°

Back Upholstery

☐ TWBUP2	Velcro Adjustable Back Upholstery <i>Not available with fold-down push handles.</i>		Standard
☐ TWBUP3	Tension Adjustable Back Upholstery By Straps, Padded Nylon <i>Required for fold-down push handles.</i>	E2611	\$ 369.00
☐ TWBUP5	Tension Adjustable Back Upholstery By Straps, AIR Breathable <i>Required for fold-down push handles.</i>	E2611	\$ 369.00
☐ TWUPC3	Ultrasuede Backrest Stripe, Black <i>Not available with AIR breathable upholstery.</i>		\$ 115.00
☐ TWBUP0	Omit Back Upholstery		No charge

Front Wheels

See front seat height ranges chart for limitations.

☐ TFWW24	3"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire		\$ 206.00
	☐ Silver Hub ☐ Black Hub		
☐ TFWW14	4"x0.75" Plastic Wheel w/Poly Tire <i>Not available with Slipstream fork.</i>		No charge
☐ TFWW3	4"x0.75" Light-Up Micro Caster <i>Not available with Slipstream fork.</i>		\$ 88.00
☐ TFWW26	4"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire		No charge
☐ TFWW27	4"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire		\$ 217.00
	☐ Silver Hub ☐ Black Hub		
☐ TFWW6	5"x1" Plastic Wheel w/Poly Tire <i>Not available with 90° front angle or Slipstream fork.</i>		No charge
☐ TFWW28	5"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not available with 90° front angle.</i>		No charge
☐ TFWW30	5"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not available with 90° front angle.</i>		\$ 233.00
	☐ Silver Hub ☐ Black Hub		

Precision Lock Front Forks

☐ TWFK1	TiLite Standard Fork		No charge
☐ TWFK2	TiLite Slipstream Single-Sided Fork		\$ 185.00
☐ TWGL1	Glide Suspension Fork <i>Black anodize only. Select rider weight.</i>	E1015	\$ 526.00
	☐ 125lbs ☐ 125-180lbs ☐ 180-265lbs		
☐ TWTS1	Titanium Fork Stem		\$ 66.00

Rear Wheels

See rear seat height ranges chart for limitations.

☐ TWRW14	TiLite SHADOW Rear Wheel <i>Select size.</i>		Standard
	☐ 18" (400) ☐ 20" (451) ☐ 22" (501) ☐ 24" (540)		
☐ TWRW7	Spinergy SPOX Rear Wheel <i>Select size and spoke color. Orange, pink, purple and green spokes only available in 20" size.</i>		\$ 1,195
	☐ 20" (451) ☐ 22" (501) ☐ 24" (540)		
	☐ Black ☐ Red ☐ Blue ☐ White ☐ Orange ☐ Pink ☐ Purple ☐ Green		
☐ TWRW8	Spinergy LX Rear Wheel <i>Select size and spoke color.</i>		\$ 1,295
	☐ 22" (501) ☐ 24" (540)		
	☐ Black ☐ Red ☐ Blue ☐ White ☐ Orange ☐ Pink ☐ Purple ☐ Green		
☐ TWRW9	Spinergy Design Lab LX Rear Wheel <i>Black spokes only. Select size and anodizing color. If same color is selected, anodized hubs and rims match colour anodized package.</i>		\$ 1,995
	☐ 22" (501) ☐ 24" (540)		
	☐ Gold ☐ Green ☐ Blue ☐ Red ☐ Purple ☐ Orange		
☐ TWRW16	Spinergy Carbon Blade Rear Wheel <i>Select size. 2x2 twill weave carbon fiber.</i>		\$ 1,795
	☐ 24" (540)		
☐ TWRW17	X-Core Mag Rear Wheel <i>Select size. Not available with short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.</i>		\$ 225
	☐ 20" (451) ☐ 22" (501) ☐ 24" (540)		

Axles

☐	TWAXL1	Stainless Quick Release Axle		Standard
☐	TWAXL2	Titanium Quick Release Axle		\$ 277.00
☐	TWAXL3	Quad Release Axle	Not available with Mag rear wheels.	\$ 169.00

Pneumatic Rear Tires

☐	TWRTR1	Treaded Tire		Standard
☐	TWRTR2	Airless Inserts	Not available with 18" rear wheels.	E2213 \$ 98.00
☐	TWRTR4	MBL SpeedLite Tire 20"(451), 22"(501), 24"(540)		No charge
☐	TWRTR30	Primo Sentinel Tire 24"(540)		\$ 136.00
☐	TWRTR8	Schwalbe Marathon Plus Evolution Tire 24"(540)		\$ 169
☐	TWRTR32	Primo C-764 Knobby Tire 24"(540)		\$ 104.00

Solid Rear Tires

☐	TWRTR22	Primo Orion Tire 18" (400), 20"(451), 22"(501), 24"(540)	Not available with Spinergy Carbon Blade rear wheels.	\$ 120.00
☐	TWRTR23	Primo Active Tire 24"(540)	Not available with Spinergy Carbon Blade rear wheels.	E2213 \$ 147.00

Handrims

☐	TWRIM1	Aluminium Handrim, Silver Anodized		Standard
☐	TWRIM21	Aluminium Handrim, Black Anodized	Not available with 18" rear wheels.	No charge
☐	TWRIM12	Titanium Handrim, Satin Finish	Not available with 18", 20" or 22" rear wheels, or 24" knobby tires.	\$ 509.00
☐	TWRIM20	Q-Grip Handrim	Exclusive high-friction, anti-slip coating. Not available with 18" or 20" rear wheels.	\$ 358.00
☐	TWRIM5	Plastic Coated Handrim, Black	Not available with 18" rear wheels.	\$ 174.00
☐	TWRIM10	The Surge Handrim	Large profile. All-In-One oval with Gription™ strip. Not available with 18" or 20" rear wheels.	\$ 433.00
☐	TWRIM11	The Surge LT Handrim	Small profile. All-In-One oval with Gription™ strip. Not available with 18" or 20" rear wheels.	\$ 466.00
☐	TWRIM14	The Natural-Fit Handrim, Standard Grip	Original, large profile. Not available with 18" or 20" rear wheels, short tabs or Spinergy Carbon Blade rear wheels.	\$ 428.00
☐	TWRIM15	The Natural-Fit Handrim, Super Grip	Original, large profile. Not available with 18" or 20" rear wheels, short tabs or Spinergy Carbon Blade rear wheels.	\$ 466.00
☐	TWRIM16	The Natural-Fit Handrim, Without Thumb Grip	Original, large profile.	\$ 390.00
☐	TWRIM17	The Natural-Fit LT Handrim, Standard Grip	Reduced weight, small profile. Not available with 18" or 20" rear wheels, short tabs or Spinergy Carbon Blade rear wheels.	\$ 440.00
☐	TWRIM18	The Natural-Fit LT Handrim, Super Grip	Reduced weight, small profile. Not available with 18" or 20" rear wheels, short tabs or Spinergy Carbon Blade rear wheels.	\$ 514.00
☐	TWRIM19	The Natural-Fit LT Handrim, Without Thumb Grip	Reduced weight, small profile.	\$ 423.00
☐	TWRIM22	Omit Handrims		No charge

Handrim Tab Length

☐	TWRIM7	Long Tabs		Standard
☐	TWRIM8	Short Tabs	Not available with Mag rear wheels or The Natural-Fit handrims with thumb grip.	\$ 28.00

Wheel Locks

☐	TWWLK7	Compact Composite Push to Lock	Available with 0.75"-1.5" rear wheel spacing only.	No charge
☐	TWWLK8	Compact Composite Pull to Lock	Available with 0.75"-1.5" rear wheel spacing only.	No charge
☐	TWWLK10	Extension Handles for Compact Composite Push/Pull to Lock		E0961 \$ 93.00
☐	TWWLK11	MBL Composite Scissor Lock		\$ 158.00
☐	TWWLK12	MBL Performance Aluminum Scissor Lock		\$ 175
☐	TWWLK3	Uni-Lock		\$ 179.00
		☐ Push ☐ Pull		
☐	TWWLK4	Extension Handles for Uni-Lock		E0961 \$ 93.00

Seat Upholstery

☐	TWSUP1	Tension Adjustable Bolt-On Upholstery, Black		Standard
☐	TWSUP0	Omit Seat Upholstery		No charge

Seat Cushions

☐	TWCSH2	Comfort Curve Cushion <i>Stretch-Air cover.</i>	E2601	\$ 122.00
☐	TWCSH23	Comfort Embrace Zero Elevation Cushion <i>Comfort-Tek cover.</i>	E2607	\$ 428.00
☐	TWCSH11	ROHO Low Profile Single Compartment Cushion	E2622	\$ 534.00

Side Guards

☐	TWSDG13	Side Guards Custom Cut to Profile of Rear Wheels <i>Available on aluminum and carbon fiber non-fendered side guards.</i>		\$ 342.00
☐	CMD007	Custom Offset Profiled Side Guards (Removable or Fold-Down) <i>Please specify desired offset to nearest 1/2" and side guards type in the Notes section of this order form. Side guard material must be selected. Some limitations may apply.</i>		CMD

Aluminum

☐	TWSDG2	Aluminum Rigid Side Guards Removable	E0956, E1034	\$ 217.00
		☐ Extra Small ☐ Small ☐ Standard		
☐	TWSDG3	Aluminum Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 233.00
		☐ Small ☐ Standard		

Carbon Fiber

☐	TWSDG7	Carbon Rigid Side Guards, Removable	E0956, E1034	\$ 336.00
		☐ Small ☐ Standard		
☐	TWSDG8	Carbon Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 347.00
		☐ Small ☐ Standard		
☐	TWSDG12	Carbon Side Guards, Fendered Removable	E0956, E1034	\$ 493.00

Armrests

☐	TWARM1	Swing Away Tubular Armrests	E0973	\$ 244.00
☐	TWARM4	Flip Back Tubular Armrests <i>Not available with short seat back height or velcro adjustable back upholstery.</i>	E0973	\$ 342.00
☐	TWARM2	Removable Height Adjustable Desk Armrests with Rigid Side Guard <i>10" armpad. Requires 10" minimum seat depth.</i>	E0973	\$ 363.00
☐	TWARM5	Armrests Covered in Black Ultrasuede <i>Not available with desk arms.</i>		\$ 120.00

Positioning

Upper Body Positioning

☐	TWUBP1	Bodypoint PivotFit Dynamic Shoulder Harness <i>Cam buckle mounts, rear pull.</i>	E0960	\$ 228.00
		☐ Extra Small ☐ Small		

Pelvic Positioning

☐	TWBLT1	Velcro Adjustable Belt, Black Nylon Webbing	E0978	\$ 61.00
☐	TWBLT2	Bodypoint 2" Belt, Push-Button Buckle (Auto Style)	E0978	\$ 103.00
☐	TWBLT4	Bodypoint 1" Padded Belt, Push-Button Buckle (Auto Style)	E0978	\$ 196.00
☐	TWBLT5	Bodypoint 1.5" Padded Belt, Push-Button Buckle (Auto Style)	E0978	\$ 185.00
☐	TWBLT8	Q'Straint WC-19 Wheelchair Anchored Pelvic Belt <i>Recommended for use with transit tie down.</i>	E0978	\$ 217.00
☐	TWBLT10	Bodypoint Optional Band Clamp Mounting Hardware	K0108	\$ 22.00

Lower Body Positioning

☐	TWCLF15	Bodypoint Ankle Huggers	E0978	\$ 244.00
		☐ Extra Small ☐ Small		

Calf Straps

☐ TWCLF2	Velcro Adjustable	K0038	\$ 44.00
	☐ Small (9"-12" footrest widths) ☐ Medium (11"-15" footrest widths)		
☐ TWCLF3	Bodypoint Padded Calf Strap, Velcro Adjustable	K0038	\$ 109.00
	☐ Medium (11"-15" footrest widths)		
☐ TWCLF1	Buckle Adjustable Calf Strap, Black Nylon Webbing	K0038	\$ 34.00

Residual Limb Supports

☐ TWRS1	Residual Limb Support, 8"W x 10"L, Single	E1020	\$ 428.00
	☐ Left ☐ Right		
☐ TWRS2	Residual Limb Support, 8"W x 10"L, Pair	E1020	\$ 855.00

Anti-Tips

☐ TWTIP1	Rear Anti-Tips, Aluminum Black <i>Seat widths 8"-10", 9"-11" and 10"-12" will ship with Center Mount Single Non-Swivel Caster Anti-Tip at no additional cost.</i>	E0971	\$ 174.00
☐ TWTIP2	Rear Anti-Tips, User Friendly Flip-Up <i>Requires 12"-14" or 13"-15" seat widths.</i>	E0971	\$ 363.00
☐ TWTIP5	Center Mount Swivel Caster Anti-Tip	E0971	\$ 277.00
☐ TWTIP6	Center Mount Non-Swivel Caster Anti-Tip	E0971	\$ 250.00

Accessories

☐ TWGRD1	Clear Lexan Spoke Guards <i>Not available with Mag rear wheels.</i>	K0065	\$ 147.00
☐ TWBCK3	Permobil Medical Necessities Backpack		\$ 103.00
☐ TWpch3	Permobil Medical Necessities Seat Pouch		\$ 66.00
☐ TWUEST1	Upper Extremity Support Tray <i>Requires armrests.</i>	E0950	\$ 315.00
	☐ 12"-14" seat widths ☐ 13"-15" seat widths		
☐ TWMPCT2	Neoprene Impact Guards with Ultrasuede Stripe, Black		\$ 115.00
☐ TWCH1	Crutch Holder	E2207	\$ 244.00

General

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

Notes

TiFit Reference Diagrams

