



PDG Stellar GLT - AADL W321



Dealer Name*:		Account #*:
City, Province, Post Code:		
Phone:	Email:	ATP:
Rep Name:	P.O. Number:	Quote Number:
Client Reference*:	Client Weight:	
Special considerations that need to be addressed here (e.g., diagnosis):		

*Required field

October 1, 2026. Prices are in Canadian Dollars (CAD)

Wheelchair & Frame

- | | | |
|---|------|-------------|
| ☒ Stellar GL 45° Manual Tilt Wheelchair Base Model | W321 | \$ 3,255.00 |
| ☒ Stellar GLT Lightweight Aluminum Frame Upgrade <i>Aluminum frame is not recommended for agitated users.</i> | | No charge |

Frame Type

- | | |
|--|-----------|
| ☐ Fixed Frame Width, 300lb Weight Capacity <i>Select a fixed seat width below.</i> | No charge |
| ☐ Adjustable Width Frame, 300lb Weight Capacity <i>Select an adjustable seat width below.</i> | \$ 200.00 |

User Weight | Required for setup of tilt uplift force.

- User Weight Range: ☐ Up to 75lbs ☐ 75lbs - 100lbs ☐ 100lbs - 115lbs ☐ 115lbs - 150lbs ☐ 150lbs - 200lbs ☐ 200lbs - 250lbs ☐ 250lbs - 300lbs

Frame Options

- | | |
|---|-----------|
| ☐ Transit Tie Down System (TTDS) <i>Includes 4 factory installed transport brackets. TTDS has been tested according to ANSI/RESNA WC19. See Owners Manual for complete details. Not compatible with seat widths > 22". Tested to maximum weight capacity of 300lbs.</i> | No charge |
|---|-----------|

Seat Measurements

Seat Width | Overall chair width is +9.5" with 12"/16" rear wheels, +10.5" with 20"/22"/24" rear wheels.

- | | | |
|---------------------|--|-----------|
| Fixed: | ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" | No charge |
| | ☐ 20" ☐ 21" ☐ 22" | \$ 200.00 |
| | ☐ 23" ☐ 24" | \$ 500.00 |
| Adjustable 12"-16": | ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" | No charge |
| Adjustable 15"-20": | ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" | No charge |
| | ☐ 20" | \$ 200.00 |

Seat Depth

- | | | |
|---------------|---|-----------|
| Select Depth: | ☐ 16" ☐ 17" ☐ 18" ☐ 19" | No charge |
| | ☐ 20" | \$ 100.00 |
| | ☐ 21" ☐ 22" | \$ 700.00 |

16"-20" seat depths are adjustable.

Frame Finishes

- Select Color: ☐ High Gloss Black ☐ Hyper Blue

Armrests

Armrest Type

- ☐ No Armrests No charge
- ☐ Single Post, Height Adjustable Armrests No charge
- ☐ 8"-11" Range ☐ 10-14" Range ☐ 12"-16" Range
- ☐ Fixed Height Armrests, Single Post 12" height, full length arm pads only. No charge
- Armrest Position: ☐ Rear ☐ Front

If left blank default setting will be used. In the interest of maintaining chair stability and avoiding interference with other chair functions PDG may not be able to accommodate stated preference.

Armpads

- ☐ Regular Armpads No charge
- ☐ Desk Length 2" x 10" ☐ Full Length 2" x 14"
- ☐ Waterfall Armpads \$ 275.00
- ☐ Desk Length 2" x 10" ☐ Full Length 2" x 14"
- ☐ Comfort Armpads with Interlocking Hardware May interfere with wheels in some tilt configurations. \$ 496.00
- ☐ Desk Length 3.75" x 10" ☐ Full Length 3.75" x 14"
- ☐ Gel Armpads May interfere with wheels in some tilt configurations. \$ 305.00
- ☐ Narrow 2" x 12" ☐ Wide 3.5" x 12"
- ☐ Comfort Standard Arm Trough with Interlocking Hardware, Right Not compatible with lap tray or locking flip-up armrests. May interfere with wheels in some tilt configurations. \$ 562.00
- ☐ 6" x 17" ☐ 6" x 22"
- ☐ Comfort Standard Arm Trough with Interlocking Hardware, Left Not compatible with lap tray or locking flip-up armrests. May interfere with wheels in some tilt configurations. \$ 562.00
- ☐ 6" x 17" ☐ 6" x 22"

Armrest Wideners | Moves armrests outwards by up to 1" each side. Seat size does not change.

- ☐ Armrest Wideners, 1" Total Additional Width \$ 245.00
- ☐ Armrest Wideners, 2" Total Additional Width \$ 395.00

Clothing Guards

- ☐ Clothing Guards, Single Post Armrests Not compatible with 8"-11" height range. \$ 125.00

Armrest Extensions | Not compatible with flip-up armrests or desk length armpads.

- ☐ Armrest Extensions - 3" Forward \$ 215.00
- ☐ Armrest Extensions - 3" Rearward \$ 215.00

Seat Height

Seat Height - 6" Casters | Seat height is adjustable within the range of the chosen lower frame type (Low/High)

Low						High					
		☐	☐	☐	☐			☐	☐	☐	☐
	☐	☐	☐	☐			☐	☐	☐	☐	
☐	☐	☐	☐			☐	☐	☐	☐		
		☐	☐	☐	☐			☐	☐	☐	☐
☐	☐	☐	☐			☐	☐	☐	☐		
13"	14"	15"	16"	17"	18"	15"	16"	17"	18"	19"	20"
Seat to Floor Height											

Seat Height - 8" Casters | Seat height is adjustable within the range of the chosen lower frame type (Low/High)

Low					High				
24"	☐	☐	☐	☐	☐	☐	☐	☐	☐
16"	☐	☐	☐	☐	☐	☐	☐	☐	☐
	15"	16"	17"	18"	17"	18"	19"	20"	
Seat to Floor Height									

Seat Pan

- | | |
|---|-----------|
| ☐ No Seat Pan | No charge |
| ☐ Solid Aluminium Seat Pan | No charge |

Seat Cushions

Cushions over 20" wide subject to increased pricing.

- | | |
|--|-------------|
| ☐ Comfort M2 Cushion Zero Elevation | \$ 580.00 |
| ☐ Comfort-Tek Cover ☐ Stretch Air Cover | |
| ☐ Comfort M2 Cushion Anti-Thrust | \$ 580.00 |
| ☐ Comfort-Tek Cover ☐ Stretch Air Cover | |
| ☐ Comfort Embrace Cushion Zero Elevation | \$ 508.00 |
| ☐ Comfort-Tek Cover ☐ Stretch Air Cover | |
| ☐ Comfort Embrace Cushion Anti-Thrust | \$ 508.00 |
| ☐ Comfort-Tek Cover ☐ Stretch Air Cover | |
| ☐ Comfort Saddle 7 Series Foam Cushion Zero Elevation <i>Solace cover.</i> | \$ 818.00 |
| ☐ Comfort Saddle 7 Series Gel Cushion Zero Elevation <i>Solace cover.</i> | \$ 1,133.00 |
| ☐ Comfort Support Pro 7 Series Foam Cushion Zero Elevation <i>Solace cover.</i> | \$ 445.00 |
| ☐ Comfort Support Pro 7 Series Gel Cushion Zero Elevation <i>Solace cover.</i> | \$ 693.00 |
| ☐ ROHO Quadtro Select High Profile Cushion | \$ 777.00 |
| ☐ ROHO Sensor Ready High Profile Cushion | \$ 637.00 |

Front Casters

Urethane Casters

- | | |
|---|-----------|
| ☐ 6" x 1.25" Caster | No charge |
| ☐ 8" x 1.25" Caster <i>Only compatible with 16" and 24" rear wheels.</i> | No charge |
| ☐ 6" x 1.50" Caster | \$ 230.00 |
| ☐ 8" x 2.00" Caster <i>Only compatible with 16" and 24" rear wheels.</i> | \$ 305.00 |

Pneumatic Casters

- | | |
|---|-----------|
| ☐ 6" x 1.25" Pneumatic Caster | \$ 265.00 |
| ☐ 8" x 1.25" Pneumatic Caster <i>Only compatible with 16" and 24" rear wheels.</i> | \$ 280.00 |
| ☐ 8" x 2.00" Pneumatic Caster <i>Only compatible with 16" and 24" rear wheels.</i> | \$ 325.00 |

Soft-Roll Casters

- | | |
|--|-----------|
| ☐ 6" x 1.5" Soft-Roll Caster <i>Urethane tire and silver anodized aluminum hub.</i> | \$ 515.00 |
|--|-----------|

Frog Legs Suspension Forks

- | | |
|---|-----------|
| ☐ FrogLegs Suspension Forks <i>Only compatible with 16" and 24" rear wheels. Requires 6" soft-roll caster.</i> | \$ 995.00 |
|---|-----------|

Rear Wheels

- | | |
|--|-----------|
| ☐ Composite Rear Wheel | No charge |
| ☐ 12" ☐ 16" ☐ 20" ☐ 22" ☐ 24" | |
| ☐ Spoke Rear Wheel | \$ 215.00 |
| ☐ 20" ☐ 22" ☐ 24" | |

Rear Wheel Position: ☐ Rear ☐ Front (Default)

If left blank, default setting will be used. In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

Axles

- | | |
|---|-----------|
| ☐ Quick Release Rear Axles | No charge |
| ☐ Fixed Rear Axles | No charge |

Rear Tires

- | | |
|--|-----------|
| ☐ Urethane Tires | No charge |
| ☐ Pneumatic Tires <i>May result in a finished seat height 1/2" greater than stated.</i> | \$ 190.00 |
| ☐ Pneumatic Tires with Flat-Free Inserts <i>May result in a finished seat height 1/2" greater than stated. Not available with spoke wheels.</i> | \$ 245.00 |

Handrims | Handrims are only available with 20", 22" and 24" rear wheels.

- | | |
|--|-----------|
| ☐ No Handrims | No charge |
| ☐ Standard Aluminium Handrims | No charge |
| ☐ Plastic Coated Handrims <i>Not compatible with drum brakes.</i> | No charge |
| ☐ Projection Handrims <i>Composite wheels only. 10 projections, 30°, 1-1.8" length.</i> | \$ 845.00 |

Wheel Locks

- | | |
|---|-------------|
| ☐ User Wheel Locks | No charge |
| ☐ Push to Lock ☐ Pull to Lock | |
| ☐ Attendant Wheel Locks <i>Not compatible with wheel lock extensions.</i> | \$ 230.00 |
| ☐ Push to Lock ☐ Pull to Lock | |
| ☐ User and Attendant Wheel Locks <i>Not compatible with drum brakes on 20" rear wheels.</i> | \$ 290.00 |
| ☐ Push to Lock ☐ Pull to Lock | |
| ☐ Drum Brakes <i>Available with 12" composite or 20" spoke rear wheels only. Urethane tires only. Not compatible with plastic coated handrims or two trigger tilt setup.</i> | \$ 795.00 |
| ☐ User Activated Unilateral Wheel Lock <i>Pull to lock. Available up to 20" seat widths only. Not compatible with hill holders.</i> | \$ 1,295.00 |
| ☐ Left Activation ☐ Right Activation | |

Wheel Lock Options

- | | |
|--|-----------|
| ☐ Wheel Lock Extensions <i>Not compatible with attendant wheel lock.</i> | No charge |
| ☐ Hill Holders <i>Requires pneumatic rear tires with flat-free inserts.</i> | \$ 775.00 |

Anti-Tippers

- | | |
|--|-----------|
| ☒ Rear Anti-Tippers <i>Required safety option.</i> | No charge |
|--|-----------|

Backrest

- | | |
|---------------------|--|
| Back Post Style: | ☒ Stroller Handle Back |
| Back Post Height: | ☐ Short (22") ☐ Tall (25") |
| | <i>Measured from seat pan to handle.</i> |
| Folding Style: | ☐ Fold-Down ☐ Non-Folding |
| | <i>Fold-down back not compatible with reclining backrest or dynamic rocker back and will be substituted with a non-folding back.</i> |
| Seat to Back Angle: | ☐ Set at 90° ☐ Set at 98° ☐ Set at 106° ☐ Set at 114° ☐ Set at 122° |

Backrest Options

- | | |
|--|-------------|
| ☐ Angle/Height Adjustable Stroller Handle: | No charge |
| ☐ Button on Outside ☐ Button on Inside | |
| ☐ Endomorph Back <i>Backrest will be narrower than seat by total of 2x offset selected. Minimum backrest width is 12". Not compatible with dynamic rocker back or reclining backrest.</i> | \$ 695.00 |
| ☐ 1" Offset Per Side ☐ 1.5" Offset Per Side ☐ 2" Offset Per Side | |
| ☐ Spring Back Suspension <i>Not compatible with reclining back or dynamic rocker back.</i> | \$ 260.00 |
| ☐ Seating Dynamics Dynamic Rocker Back Interface <i>Not compatible with fold-down back, spring back suspension, endomorph back, or 30° recline. Not available with 20", 21" and 22" seat depths. Finished back post height is 4" taller than selected back post height.</i> | \$ 2,995.00 |

Back Supports

Comfort Back Supports | Backs over 20" wide or tall subject to increased pricing.

- | | |
|--|-------------|
| ☐ Comfort Unite 1 Back Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 961.00 |
| ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 1 Back - 5" Wing Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,245.00 |
| ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 1 Back w/ROHO Insert - 5" Wing Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,499.00 |
| ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 1 Back - 7" Wing Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,245.00 |
| ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 1 Back w/ROHO Insert - 7" Wing Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,499.00 |
| ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 2 Back Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,106.00 |
| ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 2 Back w/ROHO Insert Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,254.00 |
| ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 3 Back Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,287.00 |
| ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Unite 3 Back w/ROHO Insert Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,499.00 |
| ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Embrace Back Includes 2-point quick release Compass hardware. Select shell height and cover. | \$ 1,254.00 |
| ☐ 10" ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |
| ☐ Comfort-Tek Cover ☐ Diamond Spacer Cover | |
| ☐ Comfort Relief Back Includes Comfort-Tek cover and 2-point quick release Compass hardware. Select shell height. | \$ 1,329.00 |
| ☐ 10" ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 22" | |

Positioning Accessories

Lateral Supports

☐ **BodiLink Lateral Supports** *Select size, cover and side.*

☐ 3" x 5.5" ☐ 4" x 6.5" ☐ 6" x 6.5"

☐ Comfort-Tek Cover ☐ Stretch Air Cover

☐ Left ☐ Right

\$ 220.00

☐ Pair

\$ 440.00

☐ **BodiLink Lateral Support Mounting Hardware**

☐ Individual

\$ 368.00

☐ Pair

\$ 736.00

Headrests

☐ **BodiLink Headrest Pad** *Select size and cover.*

\$ 260.00

☐ 10" Wide ☐ 12" Wide ☐ 14" Wide ☐ 18" Wide

☐ Comfort-Tek Cover ☐ Stretch Air Cover

☐ **BodiLink Headrest Hardware, Removable**

☐ Mid 6 ☐ Mid 8

\$ 373.00

☐ Lat 6 ☐ Lat 8

\$ 489.00

☐ Max 8

\$ 545.00

☐ **BodiLink Headrest Hardware, Flip-Down**

☐ Mid 6 ☐ Mid 8

\$ 419.00

☐ Lat 6 ☐ Lat 8

\$ 530.00

☐ Max 8

\$ 591.00

Recline

☐ **Reclining Backrest (Manual)** *30° maximum recline. Not compatible with backrest extension, spring back suspension, fold-down back, dynamic rocker back or endomorph back. Finished back post height is 3" taller than selected back post height. Limits tilt by up to 20°.* \$ 1,445.00

Tilt Activation

Attendant Tilt Only

☐ **Attendant Tilt Only, Right Back Post**

No charge

☐ **Attendant Tilt Only, Left Back Post**

No charge

☐ **Two Trigger Setup** *A trigger mounted on each side of the stroller handle. Reduces grip force required to activate tilt. Not compatible with reclining backrest or drum brakes.* No charge

User Tilt Only | *Not available on widths greater than 22". Full length armpads only.*

☐ **User Tilt Only, Right Armrest**

\$ 250.00

☐ **User Tilt Only, Left Armrest**

\$ 250.00

Attendant & User Tilt | *Not available for 450lbs weight capacity. Not compatible with tall (25") back posts or reclining backrest. Full length armpads only.*

☐ **Attendant & User Tilt Operation**

\$ 395.00

Attendant Trigger Position: ☐ Right Back Post ☐ Left Back Post

User Trigger Position: ☐ Right Armrest ☐ Left Armrest

Tilt Limit | *Optional. If no tilt limit is selected the full tilt range will be available.*

Tilt Limit: ☐ Set at 15° ☐ Set at 25° ☐ Set at 35°

Anterior Pre-Tilt | *Add up to 5° of Anterior Tilt to the tilt range.*

Anterior Pre-Tilt ☐ Set at 0° (Default) ☐ Set at 5°

Power Tilt | 250lbs weight capacity. 45° tilt range. Includes 2 batteries for off-chair charging. Power tilt is compatible with either O2 holder or IV pole, not both.

- ☐ **Standard Power Tilt** \$ 1,795.00
- ☐ **Power Tilt with Manual Tilt Override** Allows for instant manual release of tilt in case of power tilt failure. \$ 2,095.00
- ☐ **Toggle Switch Control** No charge
- ☐ Installed on Right ☐ Installed on Left
- ☐ **Button Switch Control** No charge
- ☐ Installed in Right ☐ Installed in Left
- ☐ **Stealth Egg Switch Control** Not installed. No charge
- ☐ **Swing-Away Mounting Hardware** Only for Stealth egg switch. Not compatible with all headrest makes and models. \$ 1,040.00

Front Rigging

- ☐ **No Front Rigging** No charge

Easy-Out Front Rigging | Effortless insertion and removal. No hanger brackets remain on the frame.

- ☐ **Fixed 70°** \$ 95.00
- ☐ **Universal Adjustable Angle (0°-100°)** Select angle. Angle adjustment by loosening one bolt, in 10° increments. Tool-free leg length adjustment. Front rigging may interfere with castors in the 90°-100° settings. \$ 545.00
- ☐ 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° ☐ 50° ☐ 60° ☐ 70° ☐ 80° ☐ 90° ☐ 100°
- ☐ **High Mount Option for Easy-Out Adjustable Angle** For shorter lower leg lengths of 8"-12.5". \$ 545.00

Swing Away Front Rigging | Legacy design. Not compatible with Easy-Out.

- ☐ **Swing Away 60°** No charge
- ☐ **Swing Away 70°** No charge
- ☐ **Swing Away Elevating Legrests (ELR)** Includes calf pads. W106 \$ 375.00
- ☐ **1" Offset Hangers for Swing Away Front Rigging** \$ 95.00

Plug In Front Rigging | Legacy design. Not compatible with Easy-Out.

- ☐ **Plug In 70°** No charge

Footplates

- ☐ **Composite Footplates** No charge
- ☐ **Aluminium Angle Adjustable Footplates** W107 \$ 165.00
- ☐ **One Piece Fixed Footplate** Available on plug in front rigging only. Requires selection of composite or aluminum angle adjustable footplates. \$ 625.00
- ☐ **One Piece Flip-Up Footplate** Requires selection of composite or aluminum angle adjustable footplates. \$ 695.00
- ☐ **Interlocking Angle Adjustable Footplates** Available for seat widths up to 21" \$ 395.00

Extension Tubes | Consider the height of your seat cushion.

- ☐ **Standard Extension Tubes, Short** 8"-12.5" for Easy-Out high mount; 14"-18" for Easy-Out; 13"-17" for swing away and plug in. No charge
- ☐ **Standard Extension Tubes, Long** 11"-16" for Easy-Out high mount; 18"-24" for Easy-Out; 15"-19" for swing away and plug in. \$ 75.00

Footplate Height: ☐ Specify:

Ext	Short	8" - 13"	11" - 16"	12" - 16"	13" - 16"
	Long	N/A	14" - 22"	14" - 19"	14" - 17"
		High Mount Easy-Out	Standard Easy-Out	60°, 70°, ELR Swing-Away	Standard Plug-In
Legrest					

Front Rigging Accessories

☐ Calf Pads, Easy-Out Front Rigging	<i>Not compatible with gel padding. Includes reinforced premium calf pad mount.</i>	\$ 400.00
☐ Calf Pads, Swing Away Front Rigging	<i>Not compatible with gel padding.</i>	\$ 305.00
☐ Gel Padding	<i>Not compatible with calf pads or Easy-Out front rigging.</i>	\$ 250.00
☐ Gel Knee Pads, Easy-Out Angle Adjustable Front Rigging		\$ 400.00
☐ Gel Knee Pads, Swing Away ELR Front Rigging		\$ 250.00
☐ Length Adjustable Heel Loops		No charge
☐ Standard Calf Strap		\$ 50.00
☐ Bodypoint Padded Calf Strap	<i>Sizes greater than 22" are not padded.</i>	\$ 117.00
☐ Comfort Foot Box, Double	<i>Without separator. Select seat width</i>	
☐ 16 ☐ 18"		\$ 454.00
☐ 20" ☐ 22"		\$ 644.00
☐ 24"		\$ 776.00
☐ Comfort Foot Box, Single		
☐ Left ☐ Right		\$ 285.00
☐ Pair		\$ 570.00

Positioning Belts

☐ Bodypoint Non-Padded Center Pull Push Button Belt, Large	<i>Not compatible with gel padding. Includes reinforced premium calf pad mount.</i>	\$ 125.00
☐ Bodypoint 2 Point Padded Center Pull Push Button Belt	<i>Not compatible with gel padding.</i>	\$ 215.00
☐ Bodypoint 4 Point Padded Center Pull Push Button Belt	<i>Not compatible with calf pads or Easy-Out front rigging.</i>	\$ 175.00
☐ Bodypoint Non-Padded Chest Belt 46"		\$ 165.00
☐ Q'Straint Lap Belt	<i>Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" belt length.</i>	\$ 470.00

Miscellaneous Options

☐ Spoke Guards	<i>Available for 20"-24" composite rear wheels. Made from durable and lightweight aluminium.</i>	\$ 395.00
☐ Black ☐ Frame color		
☐ Gel Hip Guides	<i>Reduces available seat width by 2"</i>	\$ 845.00
☐ IV Pole	<i>Not compatible with attendant wheel locks.</i>	\$ 545.00
☐ Installed on Right ☐ Installed on Left		
☐ O2 Holder	<i>Not compatible with attendant wheel locks.</i>	\$ 695.00
☐ Installed on Right ☐ Installed on Left		
☐ Medical Necessities Backpack	<i>Black with Permobil logo.</i>	\$ 245.00
☐ Rubber Shroud for Caster Journals		\$ 175.00
☐ Adhesive Back Hook Strip	<i>For cushion mounting, 2"x30".</i>	\$ 15.00

General

Permobil manufactures PDG wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

Notes