Order form

Custom Comfort Unite 3 back support



Dealer Name*: Account #*:

City, Province, Post Code:

Phone: Email:

ATP: Rep Name:

P.O. Number: Quote Number:

Client Reference*: Client Weight:

***Required field**

Special considerations that need to be addressed here (e.g., diagnosis):

Notes | *Refer to reference pages at end of order form for additional information and images.*

Seating system measurements

Seating system measurements are for reference only and do not affect selections made throughout the order form.

A - Back support width

B- Back support length

C - Width between lateral trunk supports


D - Width between lateral thigh supports

E - Seat width

F - Seat depth

G - Effective seat depth

H - Lateral trunk support height



Custom Unite 3 back support

Part number: C-U3-BSXXWYYL.

Length	14”	16”	18”	20”	22”	24”
22”		☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00
20”	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00
18”	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00
16”	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	
14”	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00	☐ $ 1,800.00		

Width

14L not available with direct mount hardware. 24” wide back supports require 4 point, power mount or direct mount hardware.

Cover material selection | *Required, choose one. For back supports with custom ROHO insert, the four-way stretch cover needs to be selected.*

☐	CCD-COMFORT-TEK	**COMFORT-TEK** *For fluid protection, an easily cleaned surface*	NC
☐	CCD-DIAMOND-SPACER	**Diamond Spacer** *For comfort and heat dissipation, not a fluid resistant material*	NC
☐	CCD-GLIDEWEAR-DIAMOND	**Diamond Spacer with GlideWear** *For skin protection and shear reduction. not a fluid resistant material*	$ 85.00
☐	CCD-FOUR-WAY	**Four-Way Stretch** *For use with custom ROHO air insert only. For optimal immersion and envelopment.*	NC

Custom foam selection


Select only one type of foam per layer. | *1/4” Crosslink foundation layer will come standard on all back supports. If Foam in Place Kit is selected, a middle and top layer needs to be selected. If Custom ROHO insert is being selected, do not select foam layers. For other foam combinations, call Customer Experience at 800-736-0925.*

Standard foam configuration:


14" wide
0.25" Crosslink base layer
0.75" Comfort Medium foam

16"- 24" wide
0.25" Crosslink base layer
1.25" Comfort Medium foam


Rear layer
REQUIRED
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00



Middle layer
OPTIONAL
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00



Topper layer
OPTIONAL
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00



Foam type	Rear 1/4”	Rear 1/2”	Rear 3/4”	Rear 1”	Rear 1 1/4”	Middle 1/4”	Middle 1/2”	Middle 3/4”	Middle 1”	Middle 1 1/4”	Topper 1/4”	Topper 1/2”	Topper 3/4”	Topper 1”	Topper 1 1/4”
H.R. Medium	☐ CCD-REAR-HRM-0.25	☐ CCD-REAR-HRM-0.50	☐ CCD-REAR-HRM-0.75	☐ CCD-REAR-HRM-1.00	☐ CCD-REAR-HRM-1.25	☐ CCD-MID-HRM-0.25	☐ CCD-MID-HRM-0.50	☐ CCD-MID-HRM-0.75	☐ CCD-MID-HRM-1.00	☐ CCD-MID-HRM-1.25	☐ CCD-TOP-HRM-0.25	☐ CCD-TOP-HRM-0.50	☐ CCD-TOP-HRM-0.75	☐ CCD-TOP-HRM-1.00	☐ CCD-TOP-HRM-1.25
H.R. Soft	☐ CCD-REAR-HRS-0.25	☐ CCD-REAR-HRS-0.50	☐ CCD-REAR-HRS-0.75	☐ CCD-REAR-HRS-1.00	☐ CCD-REAR-HRS-1.25	☐ CCD-MID-HRS-0.25	☐ CCD-MID-HRS-0.50	☐ CCD-MID-HRS-0.75	☐ CCD-MID-HRS-1.0	☐ CCD-MID-HRS-1.25	☐ CCD-TOP-HRS-0.25	☐ CCD-TOP-HRS-0.50	☐ CCD-TOP-HRS-0.75	☐ CCD-TOP-HRS-1.00	☐ CCD-TOP-HRS-1.25
Comfort Medium	☐ CCD-REAR-COM-0.25	☐ CCD-REAR-COM-0.50	☐ CCD-REAR-COM-0.75	☐ CCD-REAR-COM-1.00	☐ CCD-REAR-COM-1.25	☐ CCD-MID-COM-0.25	☐ CCD-MID-COM-0.50	☐ CCD-MID-COM-0.75	☐ CCD-MID-COM-1.00	☐ CCD-MID-COM-1.25	☐ CCD-TOP-COM-0.25	☐ CCD-TOP-COM-0.50	☐ CCD-TOP-COM-0.75	☐ CCD-TOP-COM-1.00	☐ CCD-TOP-COM-1.25
Comfort Soft	☐ CCD-REAR-COS-0.25	☐ CCD-REAR-COS-0.50	☐ CCD-REAR-COS-0.75	☐ CCD-REAR-COS-1.00	☐ CCD-REAR-COS-1.25	☐ CCD-MID-COS-0.25	☐ CCD-MID-COS-0.50	☐ CCD-MID-COS-0.75	☐ CCD-MID-COS-1.00	☐ CCD-MID-COS-1.25	☐ CCD-TOP-COS-0.25	☐ CCD-TOP-COS-0.50	☐ CCD-TOP-COS-0.75	☐ CCD-TOP-COS-1.00	☐ CCD-TOP-COS-1.25
Visco Medium		☐ CCD-REAR-VIS-M-0.50		☐ CCD-REAR-VIS-M-1.00			☐ CCD-MID-VIS-M-0.50		☐ CCD-MID-VIS-M-1.00			☐ CCD-TOP-VIS-M-0.50		☐ CCD-TOP-VIS-M-1.00	
Visco Soft		☐ CCD-REAR-VIS-S-0.50		☐ CCD-REAR-VIS-S-1.00			☐ CCD-MID-VIS-S-0.50		☐ CCD-MID-VIS-S-1.00			☐ CCD-TOP-VIS-S-0.50		☐ CCD-TOP-VIS-S-1.00	
Visco X-Soft		☐ CCD-REAR-VIS-XS-0.50		☐ CCD-REAR-VIS-XS-1.00			☐ CCD-MID-VIS-XS-0.50		☐ CCD-MID-VIS-XS-1.00			☐ CCD-TOP-VIS-XS-0.50		☐ CCD-TOP-VIS-XS-1.00	
Visco XX-Soft		☐ CCD-REAR-VIS-XXS-0.50		☐ CCD-REAR-VIS-XXS-1.00			☐ CCD-MID-VIS-XXS-0.50		☐ CCD-MID-VIS-XXS-1.00			☐ CCD-TOP-VIS-XXS-0.50		☐ CCD-TOP-VIS-XXS-1.00	

Custom ROHO Insert

Optional | *Completion of the additional Custom Unite 3 ROHO insert order form diagram is required if selecting the Custom ROHO insert. Shell size on diagram must match this order form. Custom ROHO inserts include a four-way stretch cover.*

Select size range

- ☐ Custom ROHO insert, SMALL (12”-14” wide) (CCD-U3-ROHO1214) **MSRP: $1,750.00**
- ☐ Custom ROHO insert, MEDIUM (16”-20” wide) (CCD-U3-ROHO1620) **MSRP: $1,750.00**
- ☐ Custom ROHO insert, LARGE (22” - 24” wide) (CCD-U3-ROHO2224) **MSRP: $1,750.00**

Available custom ROHO insert sizes

Unite 3 Custom ROHO Insert								
LENGTH	22							
	20							
	18							
	16							
	14							
	12							
		12	14	16	18	20	22	24	26
		WIDTH							




Back support options

Moldable aluminum stays | *This back support comes standard with two patented aluminum stays that can be molded to support spinal curvature. A standard alignment of the moldable stays will be chosen based on back support width if you choose not to select a specific width between the stays.*

Note: The stays are accessible while the user is seated against the back support through the zipper located at the top of the back support.

MSRP: $0.00

- ☐ A = 1” (CCD-STAY-1.0)
- ☐ A = 1 1/2” (CCD-STAY-1.5)
- ☐ A = 2” (standard alignment) (CCD-STAY-2.0)
- ☐ A = 2 1/2” (CCD-STAY-2.5)
- ☐ A = 3” (CCD-STAY-3.0)
- ☐ A = 3 1/2” (CCD-STAY-3.5)
- ☐ A = 4” (CCD-STAY-4.0)
- ☐ A = 4 1/2” (CCD-STAY-4.5)
- ☐ Specify custom spacing (CCD-STAY-OTHER)
- ☐ None (CCD-STAY-NONE)



Mounting Hardware | *Required, choose one.*

Compass 4 Quick Release	☐ Quick Release 2 Point (CCD-Q-COMPASS) ☐ Quick Release 4 Point (CCD-Q-COMPASS4)	NC
Compass 4 Fixed	☐ Fixed 2 Point (CCD-NQ-COMPASS) ☐ Fixed 4 Point (CCD-NQ-COMPASS4)	NC
Compass Power Mount	☐ Permobil w/ Corpus 3G (CCD-PMB-PERMOBIL)	$ 125.00
	☐ Quantum w/ Tru Balance 3 or 4 (CCD-PMB-QUANTUM)	
	☐ Quickie w/ 3.7 Power (CCD-PMB-QUICKIE)	
	☐ Avid Rehab w/ Power T & R (CCD-PMB-AVID)	
	☐ ROVI w/ Motion Concepts (CCD-PMB-ROVI)	
	Using Power Mount hardware on ROVI requires mounting to the recessed planar interface plate available when ordering the Motion Concepts seating system. Drilling is required for mounting.	
Permobil Direct Mount	☐ Permobil Direct Mount (CCD-DIRECT-MOUNT)	$ 125.00
	Includes Unitrack assembly	

Color Piping | *Optional. If no color is selected, the standard silver reflective piping is used.*

Choose one	☐ Remove (CCD-REMOVE) ☐ Red (CCD-RED) ☐ Purple (CCD-PURPLE) ☐ Pink (CCD-PINK) ☐ Blue (CCD-BLUE) ☐ Green (CCD-GREEN) ☐ Orange (CCD-ORANGE)	NC

Embroidery | *Optional, not available with GlideWear or four-way stretch cover. Includes corresponding color zipper pull.*

Thread color	☐ Red (CCD-EMB-RED) ☐ Purple (CCD-EMB-PURPLE) ☐ Pink (CCD-EMB-PINK) ☐ Blue (CCD-EMB-BLUE) ☐ Orange (CCD-EMB-ORANGE) ☐ Green (CCD-EMB-GREEN) ☐ Silver (CCD-EMB-SILVER)	NC
Font	☐ Helvetica (CCD-EMB-HELVETICA) ☐ Garamond (CCD-EMB-GARAMOND) ☐ Impress (CCD-EMB-IMPRESS) ☐ Kaufmann (CCD-EMB-KAUFMANN)	NC
Word one	☐ Input is case sensitive:	NC
Word two (optional)	☐ Input is case sensitive:	NC

Font styles

HELVETICA
GARAMOND
Impress
Kaufmann

Other Accessories | *Optional*

☐ CCD-PV-SHIELD	**Privacy Shield** *Connects with hook & loop attachment*	$ 85.00

BodiLink premium head support & hardware

Optional, if selecting must choose pad size, foam selection, cover, and mounting hardware.

Pad size and foam selection

Pad size	Soft	Extra soft	
6”W x 3”L	☐ BL-HSP1-6W3L	☐ BL-HSP2-6W3L	$ 260.00
8”W x 4”L	☐ BL-HSP1-8W4L	☐ BL-HSP2-8W4L	$ 260.00
10”W x 5”L	☐ BL-HSP1-10W5L	☐ BL-HSP2-10W5L	$ 260.00
12”W x 5”L	☐ BL-HSP1-12W5L	☐ BL-HSP2-12W5L	$ 260.00
14”W x 5”L	☐ BL-HSP1-14W5L	☐ BL-HSP2-14W5L	$ 260.00
18”W x 5”L	☐ BL-HSP1-18W5L	☐ BL-HSP2-18W5L	$ 260.00

Cover options

☐ COMFORT-TEK	**COMFORT-TEK** *For fluid protection & an easily cleaned surface*	NC
☐ STRETCH-AIR	**STRETCH-AIR** *For comfort & heat dissapation*	NC
☐ GLIDEWEAR	**GlideWear** *For skin protection & shear reduction. NOT fluid resistant*	$ 87.00

PT hardware, removable

☐ BL-HS-PT1RMMID6	**Mid 6**	$ 373.00
☐ BL-HS-PT1RMLAT6	**Lat 6**	$ 489.00
☐ BL-HS-PT1RMMID8	**Mid 8**	$ 373.00
☐ BL-HS-PT1RMLAT8	**Lat 8**	$ 489.00
☐ BL-HS-PT1RMMAX8	**Max 8**	$ 545.00

Stem length option | *For removable PT hardware only*

☐	HS-STEM-7	**Standard 7” stem**	NC
☐	HS-STEM-3	**3”stem (recommended for use with power mounting where there may be constraints)**	NC

PT hardware, flip down | *Flip down hardware has 7” stem.*

☐	BL-HS-PT1FDMID6	**Mid 6**	$ 419.00
☐	BL-HS-PT1FDLAT6	**Lat 6**	$ 530.00
☐	BL-HS-PT1FDMID8	**Mid 8**	$ 419.00
☐	BL-HS-PT1FDLAT8	**Lat 8**	$ 530.00
☐	BL-HS-PT1FDMAX8	**Max 8**	$ 591.00

Mounting option

☐	HS-MB-POSTA	**Posterior A (For Compass 4 and Compass Power Mount hardware)**	NC
☐	HS-MB-PW2C	**Permobil C (For Permobil Direct Mount only)**	$ 155.00

Additional hardware options | *Priced per selection.*

Extra link for PT hardware	☐ Extra 2” link (BL-HS-PT1LINK2)	☐ Extra 3” link (BL-HS-PT1LINK3)	☐ Extra 4” link (BL-HS-PT1LINK4)	$ 114.00
☐	BL-HS-52WINGA1	**Tool-less wing lock for PT hardware** *Enter desired number.*		$ 47.00
☐	BL-HS-SPCRA	**1/4 Spacer Plate**		$ 87.00

Additional Order Instructions (for Permobil):

Notes & Comments (not for Permobil):

Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, _____, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of seating and positioning products and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____


Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.


References

Section 1 | *Hardware options*

Compass 4 quick release




Compass 4 fixed




Compass power mount


Power mount hardware has 8" of height adjustment in ½" increments without using tools.



4-point



Section 2 | *Accessories*




Privacy shield

Provides coverage between the bottom of the back support to the seat base of their wheelchair. Attaches directly to the canes of a wheelchair.


Permobil Direct Mount

For use on Permobil power wheelchairs only




UniTrack Assembly

Included with Direct Mount



Section 3 | *Bodilink head support pads*

Basic pad sizes




Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

Premium pad sizes



Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad

Section 4 | *BodiLink head support hardware options*

GT hardware, removable


Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL




GT hardware, MID-LINE



BodiLink head support hardware: PT hardware, removable

Range of motion

PT model	Total # of links	Total link length	Max anterior reach	Max posterior reach	Max lateral reach
MID 6	2	6”	5.5”	1”	N/A
LAT 6	3	6”	5.5”	1”	6”
MID 8	2	8”	7.5”	1”	N/A
LAT 8	3	8”	7.5”	1”	8”
MAX 8	4	8”	7.5”	3”	8”




PT hardware, flip down hardware, removable

Flip down hardware has 7" stem




BodiLink head support hardware: PT hardware, removable stem length option


3” stem is recommended for use with power mounting where there may be special constraints with power chair functions



Mounting options




Mounting block Posterior A
For Comfort Unite, Embrace and Visco backs as well as Comfort Relief with Compass power mount




Mounting block Permobil C
For use with Permobil Direct Mount and Unitrack assembly

Extra hardware

¼” spacer plate



Extra links: 2”, 3”, 4”



Tool-less wing lock

