

Customer and Order Information			
Purchase Order *		Tag	v.0910
Dealer/Provider Name *			
Purchaser Name and Contact Information *			
Shipping Address *			
User Information (if available)		Weight _____ lbs	Height _____ ft/in
			*required
Order Notes/Instructions			

Base Chair & Frame Options			
☒	2401000	Bentley LT 20° Manual Tilt Wheelchair	Aluminum Frame reduces the weight of the chair by over 20 lbs.
			W341 \$ 2,685
☒	2401009	Lightweight Aluminum Frame Upgrade	Required Option for the Bentley LT.
			\$ 300
Frame Type All frames offer 300 lbs Weight Capacity.			
☐	2402010	Fixed Width Frame	Select a Fixed Seat Width below.
☐	2402025	Adjustable Width Frame	Select an Adjustable Seat Width below.
			\$ 200
User Weight Range Required for setup of tilt uplift force.			
☐	2402431	75 lbs to 100 lbs	
☐	2402432	100 lbs to 115 lbs	
☐	2402433	115 lbs to 150 lbs	
☐	2402434	150 lbs to 200 lbs	
☐	2402435	200 lbs to 250 lbs	
☐	2402436	250 lbs to 300 lbs	
☐	2402300	Transit Tie Down System (TTDS)	
TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details.			
PDG Premium Colours			
☐	2405001	Black Shimmer	
☐	2405015	Sky Blue	
☐		Other Standard PDG Premium Colour	Specify Colour _____
			pdgmobility.com/colours \$ 125

Seat Width & Depth		Overall chair width is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW	
Fixed Seat Widths Order with Fixed Frame.			
☐	2403015	15" Seat Width	
☐	2403016	16" Seat Width	
☐	2403017	17" Seat Width	
☐	2403018	18" Seat Width	
☐	2403019	19" Seat Width	
☐	2403020	20" Seat Width	
☐	2403021	21" Seat Width	
☐	2403022	22" Seat Width	W111 \$ 250
☐	2403023	23" Seat Width	W111 \$ 500
☐	2403024	24" Seat Width	
Adjustable Seat Widths Order with Adjustable Frame.			
☐	2403215	15"-20" Range - Set at 15"	
☐	2403216	15"-20" Range - Set at 16"	
☐	2403217	15"-20" Range - Set at 17"	
☐	2403218	15"-20" Range - Set at 18"	
☐	2403219	15"-20" Range - Set at 19"	
☐	2403220	15"-20" Range - Set at 20"	W111 \$ 250
Seat Depths			
☐	2404016	16" Seat Depth	
☐	2404017	17" Seat Depth	
☐	2404018	18" Seat Depth	
☐	2404019	19" Seat Depth	
☐	2404020	20" Seat Depth	
☐	2404021	21" Seath Depth	
☐	2404022	22" Seat Depth	W111 \$ 250
☒	2408001	Solid Aluminum Seat Pan	

Armrests			
Single Post Height Adjustable Armrests			
☐	2406111	8"-11" Range	
☐	2406114	10"-14" Range	
☐	2406116	12"-16" Range	
Regular Armpads			
☐	2407100	Desk Length - 2" x 10"	
☐	2407101	Full Length - 2" x 14"	
☐	2407310	Clothing Guards	\$ 125

Seat Height

➤ Don't forget

Select desired Seat-to-Floor Height

STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

6" Casters	Low							High						
	RW	13"	14"	15"	16"	17"	18"	RW	15"	16"	17"	18"	19"	20"
	12"	☐	☐	☐	☐	☐	☐	12"	☐	☐	☐	☐	☐	☐
16"				☐	☐	☐	☐	16"			☐	☐	☐	☐
20"	☐	☐	☐	☐	☐			20"	☐	☐	☐	☐		
22"			☐	☐	☐	☐		22"		☐	☐	☐	☐	
24"				☐	☐	☐	☐	24"			☐	☐	☐	☐

8" Casters	Low							High						
	RW	13"	14"	15"	16"	17"	18"	RW	15"	16"	17"	18"	19"	20"
	16"			☐	☐	☐	☐	16"			☐	☐	☐	☐
24"				☐	☐	☐	☐	24"			☐	☐	☐	☐

Casters & Rear Wheels

Urethane Casters

☐ 2411061 6" x 1.25" Caster size

☐ 2411081 8" x 1.25" Caster size

2414000 Composite Wheels with Urethane Tires

☐ 2412012 12" Wheel size

☐ 2412016 16" Wheel size

☐ 2412020 20" Wheel size

☐ 2412022 22" Wheel size

☐ 2412024 24" Wheel size

☒ 2413000 Quick Release Rear Axles

Handdrims

Handdrims are only available with 20", 22", and 24" Rear Wheels.

☐ 2415010 Standard Aluminum

☐ 2415000 No Handdrims

☐ 2415020 Plastic Coated

\$ 175

Wheel Locks

☒ 2416010 Push to Lock Wheel Locks

☐ 2416100 Wheel Lock Extensions

Anti-Tippers

☒ 2417010 Rear Anti-Tippers

Required Safety Option.

Back Post

☒ 2418010 2419010

Angle/Height Adjustable Stroller Handle

Button on Outside.

Back Post Height

Measured from the Seat Pan to the Handle.

☐ 2418425 Short (22")

☐ 2418431 Tall (25")

☒ 2419090 90° Seat to Back Angle

☒ 2419220 Fold Down Back

Tilt/Recline Options

☒ 2423011 Attendant Tilt only

Trigger on Right Back Post.

Front Rigging

Plug In Front Rigging

☐ 2425410 Easy-Out Fixed 70°

Effortless insertion and removal. No Hanger Bracket remains on frame.

\$ 95

☐ 2425110 Standard Plug In 70°

Legacy Design. Not compatible with Easy-Out.

Swing Away Front Rigging

☐ 2425140 Swing Away 70°

☐ 2425200 Swing Away Elevating Legrests

Includes Calf Pads.

W106 \$ 375

☐ 2425300 1" Offset Hangers for Swing Away

\$ 95

Permobil | 318 East Kent Ave South | Vancouver BC V5X 4N6 Canada | Phone 888 858 4422 | Email sales.pdg@permobil.com

2 / 3

Footplates & Options				
Footplates				
☐	2426010	Composite		
☐	2426020	Aluminum Angle Adjustable	W107	\$ 165
☒	2427040	Length Adjustable Heel Loops		
Front Rigging Extension Tubes				
☐	2428010	Short	14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging	
☐	2428020	Long	18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging	\$ 75

Please send your completed order form by email to sales.pdg@permobil.com.