





* Indicates a Required Field



<u>Dealer Information</u>
* Contact:
Company Code:
* Shipping Location:
Address:
* City:
* State:
* Phone#:
* Fax#:
PO#:
Email Address:
Client Information Permobil recommends that the client is evaluated by a certified rehab specialist.
* First Name:
* Last Name:
Diagnosis:
Funding Source:
Client Age:
Client Measurements
* Weight:
*Height:
A) Top of Shoulders:
B) Chest Depth:
C) Chest Width:
D) Seat Depth:
E) Top of Head:
F) Elbow to Hand:
G) Seat Pan to Elbow:
H) Hip Width:

*I) Knee to Foot:_____

Permobil New Zealand Ltd. 181A McLeod Rd, Te Atatu South Auckland, 0610, New Zealand P: 0800 115 222

www.permobil.co.nz

Chair Model and Colors

CHOOSE BASE: Part Number In 105799-99-0 Description M300 Base Corpus HD - MPO Price Includes: M300 HD Power Base, Shock Absorbing Suspension System, R-net Controller, Tie-Down Hardware For Strap Systems, Charger, Flat Free Tires, and Standard Positioning Belt. Must Choose Flat Free or Pneumatic Tires Below. Max Speed = 8kmh, Weight Capacity = 204kg.	
CHOOSE WHEEL PACKAGE:	
Part Number Description Grey Wheel Package - MWD Includes grey tires on 8" silver casters and drive wheel rims. Hub cap color is selected below. Please select drive wheel type: Flot free drive tires:	No Charge
Flat free drive tires: Pneumatic drive tires: Black Wheel Package - MWD Includes black tires on 8" silver casters and drive wheel rims. Hub cap color is selected below. Please select drive wheel type: Flat free drive tires: Pneumatic drive tires:	No Charge
Blackout Wheel Package - MWD Custom Option. Includes black tires and custom matte black 8" casters, drive wheels and hub caps. Please select drive wheel type: Flat free drive tires: Pneumatic drive tires:	
OPTIONAL DRIVE TIRES:	
Part Number Description	
Tri-Spoke Split Rim w/ Snow Tire Pneumatic 3x8" Snow tires are designed for use in cold weather conditions. The nylon compound in these tires remains flexible at low temperatures, but wears more easily. Therefore, the snow tires (sold as wheel assemblies) are not recommended for year-long use and must be ordered along with standard drive wheels. Not available with black tires or black rims.	
CHOOSE SHROUD COLOR:	
Part Number Description	
[I105885-99-0 M300 HD Shroud - Onyx Black	No Charge
I105881-99-0 M300 HD Shroud - Platinum Silver	No Charge
I105887-99-0 M300 HD Shroud - Sublime Green	No Charge
I106169-99-0 M300 HD Shroud - Cobalt Blue	No Charge
I106171-99-0 M300 HD Shroud - Phantom Grey	No Charge
☐ I106159-99-0 M300 HD Shroud - Pop Star Pink	No Charge
☐ I106170-99-0 M300 HD Shroud - Purple Rain	No Charge
☐ I106160-99-0 M300 HD Shroud - Volcano Red	No Charge
CHOOSE HUBCAP COLOR: Part Number Description Match Hubcap Color to Shroud: Note: Hub caps will be matched to shroud color if no selection is made.	
Note: Hub caps will be matched to shroud color if no selection is made. Solid Color Hub Cap - Pair Platinum Silver: Onyx Black: Cobalt Blue: Phantom Gray: Pop Star Pink: Volcano Red: Purple Rain: Titan Blue: Sublime Green: Crystal Blue: Vintage Wine: Extreme Yellow: Chili Pepper Red:	No Charge
Base Options	

MUST CHOOSE EIT	HER SEAT ELEVATOR OR FIXED	SEAT TUBE.
Part Number	Description	
140E07E 00 0	LID Dawar Adivatable Coet Height	O" Traval

I105875-99-0 HD Power Adjustable Seat Height - 8" Travel

Please Note: Drive is restricted when seat is in an elevated position.

Base Options MUST CHOOSE EITHER SEAT ELEVATOR OR FIXED SEAT TUBE: Part Number Description T 1105880-99-0 **HD Seat Tube Fixed** No Charge MUST CHOOSE BATTERIES: **Part Number** Description **BATTERY OPTIONS:** Permobil Batteries, MK Battery G24 Pair. Comes with Power First Charger 1107031-99-0 CHOOSE SEAT PAN TO FLOOR HEIGHT: Part Number Description 1105878-99-0 Set Seat to Floor Height at 18" No Charge 1105877-99-0 Set Seat to Floor Height at 19" No Charge 1105876-99-0 Set Seat to Floor Height at 20" No Charge **OPTIONAL ITEMS: Part Number** Description 1105428-99-0 Enhanced Steering Perform Unit (ESP), R-net Recommended item with switched drive inputs for improved tracking. 1105297-99-0 LED Light Kit for M300 / M400 w/ R-net Electronics 110715 Compact Laptop Ventilator Tray - Corpus Seat Accommodates Pulmonetics LTV Series and similar sized Laptop Ventilators. The tray is 13"T, adjustable in width from 8" - 13", and adjustable in depth from 2" - 6.5". Overall backrest angle limited to 150° when mounting this ventilator tray. Custom Option. Additional drive restrictions may apply. **│** 110787 Battery Tray for Laptop Ventilator Tray Measures 11 3/8" W x 6 1/2" H x 1 5/8" D. Accomodates Pulmonetic Systems Lithium-Ion Battery Pack, CareFusion SprintPack Battery System, or Richardson PowerTech Vent Power Center. Custom Option. □ I10788 O2 Holder for Laptop Ventilator Tray Mounts to Left or Right Side of Laptop Vent Tray. O2 Holder is 7" Tall. Width infinitely adjustable from 3.5" - 7". Depth infinitely adjustable from 3.75" - 5". Custom Option. □ ID51113 Programming Key for R-net - Permobil Version Joystick Options PLEASE NOTE: For additional input devices, refer to Alterative Drive Systems section. □ I107779-99-0 Color Joystick Module, (CJSM) This R-net color joystick features: A Large High-Resolution 3.5" VGA color display, control of up to 4 Bluetooth devices, Infrared control, programmable buttons and a programmable switch jack; all in a compact, durable Aluminum housing. 1107778-99-0 Permobil Joystick Module Designed exclusively for Permobil, this R-net color joystick features: a 2.8" color display, control of up to 4 Bluetooth devices, Infrared control, programmable buttons and a programmable switch jack; all in a compact, durable Aluminum housing. ╗ 1107829-99-0 3.5mm Y-Splitter Cable for PJSM/CJSM For use with the PJSM or CJSM Mode/Profile jack. Allows 2 mechanical switches to control 4 separate functions. Requires PC Programming to assign the short hold and long hold commands to each switch. Switches sold separately. 1105246-99-0 R-net LED Remote Joystick - No Display No Charge This Joystick does NOT have a Display Screen, does NOT contain mono jack ports, and does NOT include Bluetooth or Assignable Buttons. PC Programming required and profiles limited to five.

M300 Corpus HD		
Joystick Options		
☐ I105700-99-0	R-net Remote Color JS w/ Lights, Heavy Duty Gimbal Heavy-Duty modification enables gimbal to hold up to extreme operating forces. Reinforced housing is attached to a standard Color LCD R-net Joystick. 3" long joystick knob has 3/4" diameter. Not compatible with alternative joystick handles.	
☐ I10045 ☐ I100960-99-0 ☐ I100961-99-0 ☐ I100962-99-0 ☐ I100963-99-0 ☐ I100964-99-0 ☐ I105442-99-0 ☐ I105846-99-0 ☐ I105847-99-0	Cone Shaped Joystick Knob - Standard Chin Cup For Joystick Knob "T" Handle For Joystick Knob "Large Ball" For Joystick Knob "Softball" For Joystick Knob "Mushroom" For Joystick Knob "Stick" For Joystick Knob 1.75" Black Foam Ball For Joystick Knob Bodypoint J/S Handle 3" U-Shaped w/ Flex-Shaft Bodypoint J/S Handle 4" U-Shaped w/ Flex-Shaft	No Charge
☐ 1105848-99-0 CHOOSE JOYSTICK M		
Part Number 110664 110665 1102537-99-0 1102538-99-0 1108037-99-0 1108038-99-0 111232 1105210-99-0 1105408-99-0 1107350-99-0	Joystick Mount Right - Fixed Joystick Mount Left - Fixed Joystick Mount Right - Swing Away Joystick Mount Left - Swing Away Slimline Retractable Joystick Mount - Right Slimline Retractable Joystick Mount - Left Adjustable Height Panel Bracket Provides 1.77" of vertical adjustment below the armrest and 25° of angle adjustment. Compatible with all Permobil joystick mounts except for the M1 Fixed Joystick Mount. Mount Standard Joystick on Corpus Back Hinge Standard R-net Joystick is mounted to backrest hinge. Can be chosen instead of PN I105408-99-0. Mount on Left: Mount on Right: Co-Pilot Attendant Control R-net - Corpus Attendant Control R-net R-net Bluetooth iDevice Module Allows input device commands (such as joystick nudges or switch clicks) to be used to operate	No Charge No Charge
☐ I107367-99-0	an iPhone, iPad or iPod. By assigning each input to an iOS function, users can make phone calls, send texts and emails and access applications. Kit includes a Bluetooth iDevice Module, an R-net Bus Cable, and two mono jack cables for direct switch inputs (switches not included). Must be ordered with a Color JSM or Omni for mode display. R-net Bluetooth Mouse Module Enables mouse control through any R-net input device. It can operate the mouse on a computer and on select Android devices (with R-net for Android app). Kit includes a Bluetooth Mouse Module, an R-net Bus Cable, two mono jack cables for L/R click (switches not included) and a USB BT Adapter for user's computer. Note: BT Adapter may not work with all computers. Must be ordered with a Color JSM or Omni for mode display.	
☐ I107368-99-0 ☐ I10582	Add a second Bluetooth Mouse Module Allows R-net to simultaneously pair to a second compatible computer or Android device. Each module is accessible through a separate R-net mode. Kit includes a unique Bluetooth Mouse Module, an R-net Bus Cable, two mono jack cables for L/R click and a USB BT Adapter. Output Module (IOM) for R-net Control System This allows a user to control an external device (ex: Communication Device, ECU, Door Opener, etc.) through the drive input (JSM, Head Array, etc.). Each module can provide up to 4 switch closures. May require specialty cable or wiring. Up to three output modules can be installed on one wheelchair.	

Seating System

CHOOSE SEATING S Part Number	Description PLEASE NOTE: Weight Limit 204kg. For the Corpus HD Seat on the M300, there is a half speed drive limit when the Total Backrest Angle (TBA) > 135° and a drive inhibit at 150° of TBA. There is also a	
□ 110010	drive inhibit at 20° of tilt.	
☐ I10910	HD Seat w/ No Tilt & Manual Recline	
☐ I10911	HD Seat w/ No Tilt & 150° Power Recline HD Seat w/ 45° DuraCore Tilt & Manual Recline	
☐ I10912		
☐ I10913	HD Seat w/ 45° DuraCore Tilt & 150° Power Recline	
Seating System O	ptions	
√ I10585	Seat Function Control Kit for R-net	
_	Please indicate below if you would like push buttons or toggles on the ICS Switchbox.	
CHOOSE PUSH BUTT	TONS OR TOGGLES: Description	
☐ I102798-99-0	Push Buttons on ICS Switchbox	No Charge
 1102799-99-0	Toggle Switches on ICS Switchox	J
☐ I105409-99-0	Do Not Install ICS Switchbox, Send as Part	No Charge
CHOOSE MOUNTING Part Number	POSITION OF ICS SWITCHBOX: Description	
110626	Mount ICS Switchbox onto R-net Joystick Bracket	No Charge
	ICS Switchbox will be mounted to the same bracket as the R-net Joystick Module. If this item is selected, the ICS Switchbox will swing away with the Joystick Module.	rio Ghargo
	Mount ICS Switchbox onto Armrest	No Charge
	Mount on Left: Mount on Right:	
☐ I106256-99-0	Mount ICS Switchbox on Backrest	
	Mount on Left: Mount on Right:	
OPTIONAL ITEMS:		
Part Number	Description	
☐ I104196-99-0	ICS Alternative Switchbox for R-net Electronics	
☐ I108526-99-0	Seat function interface box that accommodates up to 8 momentary switches. Provides an additional method for accessing the seat functions. 1/8" mini-mono switches not included. Remote Stop System - AUS/NZ/EU	
	Consists of a 433MHz Radio Frequency (RF) handheld transmitter and an RF receiver mounted on the wheelchair.	
☐ I10750	Memory Seat Program, Corpus w/ R-net	
☐ I106209-99-0	Legrest Movement Linked to Recline Electronically	
	Power Legrest will raise when Power Recline moves backward and will lower when back	
	moves forward. If Power Legrest is operated, Power Recline will NOT automatically reposition.	
— 140000	Feature works through ICS Switchbox and Driver Control.	N. Observer
	Enable Independent Repositioning Mode	No Charge
	IRM allows for sequential movement of power seat functions into a posterior position (35° tilt, 115° recline, 135° legrest) and returns to upright position (5° tilt, 100° recline, 110° legrest). This can be accessed using a standard drive control or a single switch. On the Permobil Joystick Module, IRM is accessible through the mode/profile jack (long switch hold). Please see the Alt Drive Accessories section for switch options.	
✓ 1107706-99-0	Virtual Seating Coach Package	No Charge
_	The Virtual Seating Coach (VSC) Package includes a Bluetooth dongle which enables access to VSC coaching and regimen management. The VSC app can be downloaded for free from the App Store or Google Play. Requires an iPhone (iOS 9 or higher) or an Android phone (OS 4. 1. 2 or higher). USB Charger and RAM X Grip Phone or Tablet Holder recommended.	Š

Backrest Options CHOOSE FIXED OR SLIDING BACKREST KIT: Part Number Description Sliding Backrest Kit - 5" Mechanical Shear 1105871-99-0 No Charge 1105869-99-0 Fixed Backrest Kit - No Mechanical Shear CHOOSE BACKREST TYPE: **Part Number** Description **BACKREST HEIGHT NOTE:** Backrest heights are measured from the seat pan to the top of the backrest shell with the backrest set at 90°. 1106016-99-0 Corpus 3G Ergo Backrest - 20"W x 21"T (C3GERGBCA) 1106017-99-0 Corpus 3G Ergo Backrest - 22"W x 21"T 1106018-99-0 Corpus 3G Ergo Backrest - 24"W x 21"T PLEASE NOTE: Taller backrests listed below include: foam lumbar pads*, a UT rail mounted at the top for lateral adjustment of the headrest, and split backrest feature with height adjustment in 1" increments. Please indicate below where you want the height set at so that a properly sized backrest cushion can be provided. * Foam lumbar pads not included with Solid Backs. Corpus 3G Ergo Back -20"W x 24 - 29"T (C3GERGBCA) 1106019-99-0 1106020-99-0 Corpus 3G Ergo Back -22"W x 24 - 29"T 1106021-99-0 Corpus 3G Ergo Back -24"W x 24 - 29"T Set Backrest at 24" Set Backrest at 25" Set Backrest at 26" Set Backrest at 27" Set Backrest at 28" Set Backrest at 29" CHOOSE BACKREST CUSHION: Part Number Description Leatherette Cushion - Corpus Ergo Back 110659 No Charge 110660 Black Mesh Cushion - Corpus Ergo Back OPTIONAL ITEMS: **Part Number** Description 110725 Split Backrest Cushion - Corpus Custom Option. Seat Sizing CHOOSE SEAT WIDTH SETTING: **Part Number** Description 1105859-99-0 Set Seat Width at 19" No Charge 1105860-99-0 Set Seat Width at 21" No Charge Set Seat Width at 23" 1105861-99-0 No Charge 1105862-99-0 Set Seat Width at 25" No Charge CHOOSE SEAT DEPTH: **Part Number** Description PLEASE NOTE: Odd numbered seat depths can be made 1" shorter without any additional parts. For example, a 21"D Seat can also be set at 20"D. 1105863-99-0 Corpus HD Seat Depth 19" No Charge Corpus HD Seat Depth 20" 1105864-99-0 No Charge 1105865-99-0 Corpus HD Seat Depth 21" No Charge

Seat Sizing CHOOSE SEAT DEPTH: Part Number Description Corpus HD Seat Depth 22" 1105866-99-0 No Charge 1105868-99-0 Corpus HD Seat Depth 23" No Charge 1105856-99-0 Corpus HD Seat Depth 24" No Charge Corpus HD Seat Depth 25" No Charge 1105857-99-0 CHOOSE SEAT CUSHION: Part Number Description 110651 Corpus Ergo Cushion - Leatherette (C3GERGSCA) 110652 Corpus Ergo Cushion - Black Fabric 111113 Incontinence Cover for Ergo Cushion Made from a stretch Dartex fabric and suitable for all Ergo cushions including the Corpus Ergo Air. The cover is cut to the contours of the Ergo cushion and is designed to be used as an outer layer of protection. Cover size will be matched to cushion size. Sent as a part. **Omit Seat Cushion** No Charge 1105118-99-0 **Armrest Options** CHOOSE ARMBAR MOUNTING POSITION: **Part Number** Description 1106022-99-0 Set Armbar at 20"W Between Armrests: No Charge 1106023-99-0 Set Armbar at 21"W Between Armrests: No Charge 1106024-99-0 Set Armbar at 22"W Between Armrests: No Charge 1106025-99-0 Set Armbar at 23"W Between Armrests: No Charge 1106026-99-0 Set Armbar at 24"W Between Armrests: No Charge **1** 1106027-99-0 Set Armbar at 25"W Between Armrests: No Charge CHOOSE ARMREST HEIGHT MOUNTING POSITION: **Part Number** Description 110923 Height Adjustable Amrests 110924 Height Adjustable Amrests - NC No Charge SET ARMREST HEIGHT AT: Corpus HD Armrests are infinitely adjustable from 8" - 16", measured from the seat pan to the top of the arrmrest pad. No additional parts are needed to get this full range of adjustment. In one inch increments (ex: 8", 9", etc.), please indicate where you would like the armrests set. CHOOSE ARMREST PAD RIGHT: Part Number Description 1105104-99-0 4"x13" Corpus Armrest Pad Right - Leatherette No Charge 1105997-99-0 4"x16" Corpus HD Armrest Pad Right - Leatherette No Charge 1105999-99-0 4"x18" Corpus HD Armrest Pad Right - Leatherette No Charge 1106047-99-0 4"x13" Corpus Armrest Pad Right - Black Fabric No Charge 1105993-99-0 4"x16" Corpus HD Armrest Pad Right - Black Fabric No Charge 1105995-99-0 4"x18" Corpus HD Armrest Pad Right - Black Fabric No Charge 1107593-99-0 4"x13" Corpus Arm w/ Permobil Gel Pad - Right 1108246-99-0 4"x16" Corpus HD Arm w/ Permobil Gel Pad - Right 4"x18" Corpus HD Arm w/ Permobil Gel Pad - Right 1107597-99-0 Moldable Forearm Support - Right 1108861-99-0 11.3"L x 5"W. Not compatible with armrest pouch, trays (except Small Tray) or the VS Chest Support. T 1108863-99-0 Contoured Hand Pad Medium - Right 6.4"L x 5.5" W. For use with Moldable Forearm Supports only. Not compatible with Slimline or Fixed joystick mounts or Adjustable Height Panel Bracket.

Armrest Options

CHOOSE ARMREST	PAD RIGHT:	
Part Number	Description	
☐ I108865-99-0	Contoured Hand Pad Large - Right	
	7.7"L x 6.1" W. For use with Moldable Forearm Supports only. Not compatible with Slimline or Fixed joystick mounts or Adjustable Height Panel Bracket.	
	Pixeu joystick mounts of Aujustable Height Panel Bracket.	
CHOOSE ARMREST		
Part Number ☐ 1105102-99-0	Description 4"x13" Corpus Armrest Pad Left - Leatherette	No Charge
☐ 1105102-99-0 ☐ 1105996-99-0	4"x16" Corpus HD Armrest Pad Left - Leatherette	No Charge
1105998-99-0	4"x18" Corpus HD Armrest Pad Left - Leatherette	No Charge
☐ I106046-99-0	4"x13" Corpus Armrest Pad Left - Black Fabric	No Charge
1105992-99-0	4"x16" Corpus HD Armrest Pad Left - Black Fabric	No Charge
☐ I105994-99-0	4"x18" Corpus HD Armrest Pad Left - Black Fabric	No Charge
☐ I107592-99-0	4"x13" Corpus Arm w/ Permobil Gel Pad - Left	i vo Ghango
☐ I108247-99-0	4"x16" Corpus HD Arm w/ Permobil Gel Pad - Left	
☐ I107596-99-0	4"x18" Corpus HD Arm w/ Permobil Gel Pad - Left	
☐ I108860-99-0	Moldable Forearm Support - Left	
	11.3"L x 5"W. Not compatible with armrest pouch, trays (except Small Tray) or the VS Chest	
—	Support.	
☐ I108862-99-0	Contoured Hand Pad Medium - Left	
	6.4"L x 5.5" W. For use with Moldable Forearm Supports only. Not compatible with Slimline or Fixed joystick mounts or Adjustable Height Panel Bracket.	
	Contoured Hand Pad Large - Left	
	7.7"L x 6.1" W. For use with Moldable Forearm Supports only. Not compatible with Slimline or	
	Fixed joystick mounts or Adjustable Height Panel Bracket.	
OPTIONAL ITEMS:		
Part Number	Description	
☐ I105463-99-0	Corpus Arm Trough Adapter 1" - Pair	
	For aftermarket armrest pads. Please indicate below if they should be installed or on chair sent as parts. Please Note: Medial Swivel must be must be locked (I10645 & I10646) when	
	selecting this option.	
☐ I105462-99-0	Corpus Arm Trough Adpater 7/8" - Pair	
	For aftermarket armrest pads. Please indicate below if they should be installed or on chair sent as parts. Please Note: Medial Swivel must be must be locked (I10645 & I10646) when	
	selecting this option.	
	Install Arm Trough Adapters:	
	Send Arm Trough Adapters as Parts:	
☐ I107339-99-0	Armrest Pouch - Right	
I107338-99-0	Armrest Pouch - Left	
☐ I107840-99-0	UT Armrest Side Support - Right Outer	
□ 1407962 00 0	Includes 2"T x 6.5"W tapered pad.	
☐ I107863-99-0	UT Armrest Side Support - Left Outer Includes 2"T x 6.5"W tapered pad.	
☐ I107864-99-0	UT Armrest Side Support - Right Inner	
	Includes 2"T x 6.5"W tapered pad. May require an increase to the width between the armrests	
	to ensure armrests will flip-up.	
☐ I107865-99-0	UT Armrest Side Support - Left Inner	
	Includes 2"T x 6.5"W tapered pad. May require an increase to the width between the armrests to ensure armrests will flip-up.	
☐ I107839-99-0	UT Elbow Support - Right	
_	Must also select PN I10881.	
	UT Elbow Support - Left	
	Must also select PN I10882.	
☐ I10881	Adjustable Elbow Support Hardware - Right	

Armrest Options **OPTIONAL ITEMS: Part Number** Description □ I10882 Adjustable Elbow Support Hardware - Left **Legrest Options** CHOOSE LEGREST TYPE: **Part Number** Description 1106053-99-0 Corpus HD Manual Adj Legrest Elevation No Charge 1106052-99-0 Power Elevating Center Mount Legrests - 175° Includes mechanical articulation. CHOOSE FOOTPLATE STYLE: Part Number Description 1106008-99-0 2pc Wide Corpus Footplates - 9"D x 7.5"W No Charge 1106009-99-0 2pc Extra Wide Corpus Footplates - 10"D x 9"W FOOTPLATE HEIGHT POSITION: **Part Number** Description SET FOOTPLATE HEIGHT AT: This is measured from the SEAT PAN to the top of the FOOTPLATE, when the legrest assembly is at 90° DO NOT INCLUDE CUSHION THICKNESS IN YOUR MEASUREMENT. In one inch increments, please indicate desired footplate height. NOTE: Standard footplate height range is 6" - 18"; however, height may need to be reduced for shipping. Calf Pads are not available at heights less than 10". CHOOSE LATERAL FOOTPLATE ROTATION OPTIONS: **Part Number** Description 1106006-99-0 Lateral Footplate Rotation - Fixed No Charge 1106007-99-0 Lateral Footplate Rotation - Enabled **OPTIONAL ITEMS:** Description Part Number 1106190-99-0 VS Calf Support Kit (A) w Mesh Cover & Adj Hardware No Charge 5.5"W x 6"T Pad. Compatible with footplate heights of 10" - 18". ╗ 1106188-99-0 VS Calf Support Kit (H) w Mesh Cover & Adj Hardware 7"W x 7"T Curved Pad. Compatible with footplate heights of 11" - 18". 1106186-99-0 VS Calf Support Kit (D) w Mesh Cover & Adj Hardware 8"W x 8"T Pad. Compatible with footplate heights of 12" - 18". 1106225-99-0 Stealth Gel Pads - Wide Footplates (Pair) 1106224-99-0 Stealth Gel Pads - Extra Wide Footplates (Pair) Accessories MUST CHOOSE POSITIONING BELT: **Part Number** Description See supplemental order form for more Bodypoint options. **✓** 1104518-99-0 Bodypoint Non-Padded Hip Belt - Medium No Charge CHOOSE ONE OF THE FOLLOWING: **Part Number** Description 1107470-99-0 Permobil 7"W Headrest w/ Link Hardware

Must also select I107480-99-0 or I107481-99-0.

Accessories

CHOOSE ONE OF	THE FOLLOWING: Description
I107469-99-0	Permobil 10"W Headrest w/ Link Hardware
—	Must also select I107480-99-0 or I107481-99-0.
☐ I107468-99-0	Permobil 14"W Headrest w/ Link Hardware Must also select I107480-99-0 or I107481-99-0.
☐ I107480-99-0	Adj/Removable Headrest Link Hardware - Standard
T 1108721-99-0	Adj/Removable BodiLink Headrest Hardware Max8
_	Must be selected when ordering any of the Swing Away Chin Boom assemblies.
☐ I11305	Swing Away Egg Switch Assembly
	Mount on Upper Left: Mount on Upper Right:
☐ I11306	Swing Away Microlight Assembly
—	Mount on Upper Left: Mount on Upper Right:
☐ I11307	Swing Away Facial Pad Assembly 4"L x 2"T
□ 144200	Mount on Upper Left: Mount on Upper Right:
☐ I11308	Swing Away Facial Pad Assembly 6"L x 2"T Mount on Upper Left: Mount on Upper Right:
☐ I106331-99-0	Permobil 10"W Headrest, Leatherette
	Not available with ROHO AGILITY Back Systems. Must also select PN I10552.
☐ I10552	Adj/Removable Headrest Hardware
1107499-99-0	Universal Headrest Adapter
	Please Note: Recline is limited to 160° or less (depending on backrest height) when ordering a
	Universal Headrest Adapter on a 23" or 24" tall Corpus backrest.
OPTIONAL ITEMS:	
Part Number	Description
☐ I103070-99-0	UT Amp. Support Pad (H) w/ Mesh Cover - (1 Each)
—	7"W x 7"T Curved Pad. Must also select PN I10553.
☐ I103071-99-0	UT Amp. Support Pad (D) w/ Mesh Cover - (1 Each)
□ 140EE2	8"W x 8"T Flat Pad. Must also select PN I10553.
☐ I10553	Adj Removable - Amp Support Hardware (1 Each) Please indicate if you would like the amputation support mounted on the right or left side of the
	seat frame:
	Mount Amp Suppt on Left: Mount Amp Suppt on Right:
☐ I109040-99-0	BodiLink Premium LPTS Pad (B), Stretch-Air - Pair
	4.5"W x 3.5"T Pad w/additional foam insert and Stretch-Air cover. Must also select BodiLink LPTS Mounting Hardware.
☐ I109043-99-0	BodiLink Premium LPTS Pad (A), Stretch-Air - Pair
	6"W x 5.5"T Pad w/additional foam insert and Stretch-Air cover. Must also select BodiLink
	LPTS Mounting Hardware.
☐ I109041-99-0	BodiLink Premium LPTS Pad (C), Stretch-Air - Pair
	8"W x 3.5"T Pad w/additional foam insert and Stretch-Air cover. Must also select BodiLink LPTS Mounting Hardware.
☐ I109042-99-0	BodiLink Premium LPTS Pad (G), Stretch-Air - Pair
<u>—</u>	12"W x 3.5"T Pad w/additional foam insert and Stretch-Air cover. Must also select BodiLink
— 1400044 00 0	LPTS Mounting Hardware.
☐ I109044-99-0	Adj/Removable BodiLink LTPS Hdwr Med Corpus Pair
☐ I109194-99-0	Medium TT Power Mount hardware can be extended upward to clear cushions of 3-5.5" thick. Adj/Removable Lateral Thigh/Hip Hardware - Pair
☐ I109194-99-0 ☐ I105260-99-0	Transfer Handles, Corpus Seat
☐ I105290-99-0 ☐ I105292-99-0	Push Handles, Corpus Seat
☐ I106210-99-0	RAM Self-Leveling Cup Holder
☐ 1106210-99-0 ☐ 1106806-99-0	
П 1100000-аа-0	RAM X-Grip Phone Holder

Accessories **OPTIONAL ITEMS:** Description **Part Number** 1107100-99-0 RAM X-Grip 10" Tablet Holder w/Swing Away Mount Compatible with most 10" screen tablets with or without a protective case. Includes adjustable swing away mount (I103476-99-0). Note: Customization may be required if ordered along with an Omni. 1107222-99-0 USB Charger Provides up to 1.5A (at 5V) to charge most smartphones and tablets. The charger features an isolated circuit design for improved safety; and by pulling power from the ICS, prevents battery drainage when the chair is powered off. Includes mounting hardware and ICS connector. Keep in mind charger may need to be relocated with some configurations. Mount on left armrest: Mount on right armrest: ╗ 1105805-99-0 Medical Necessities Bag Hooks Please Note: Recline is limited to 165° or less (depending on backrest height) when ordering with 23" or 24" tall Ergo backrest. Custom required if ordered with a ROHO AGILITY backrest. May ship as a part at shorter backrest heights. ☐ I102059-99-0 Medical Necessities Bag Includes hardware to attach bag to backrest. Please Note: Recline is limited to 165° or less (depending on backrest height) when ordering with a 23" or 24" tall Ergo backrest. Custom required if ordered with a ROHO AGILITY backrest. **7** 110556 Adj Removable - Tray Hardware (1 Each) Permobil Adjustable Tray - 17"W 1108227-99-0 1108229-99-0 Permobil Adjustable Tray - 19"W 1108232-99-0 Permobil Tray Hardware Right Side Adjustable 1108233-99-0 Permobil Tray Hardware Left Side Adjustable 1105224-99-0 Oxygen Holder, Corpus 1105223-99-0 Crutch Holder, Corpus Stealth Accessories **OPTIONAL ITEMS:** Part Number Description 1106221-99-0 Stealth 4" x 6" Lateral Spprts, Original Hdwr, HD Must also select I10723. Kit contains the thin, Stealth hardware with swing away brackets and two height adjustment rails. The rails are bolted to the backrest to provide mounts for the lateral hardware. PLEASE NOTE: The spacing between the armrests must be at least 1" wider than the backrest width when ordering these laterals. **110723** Adj Removable Stealth Lateral Hardware (Pair) Alternative Drive Systems ALTERNATIVE PROPORTIONAL JOYSTICK SYSTEMS: Part Number Description ☐ I10751 Mini-Joystick for Omni - (9-pin connector) Operating Force = 13 g Neutral to Full Deflection = 5mm 1103893-99-0 Compact Joystick for Omni - (9-pin connector) Operating Force = 220 g Neutral to Full Deflection = 28mm Joystick includes two 3.5mm mono jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob. T1103894-99-0 Compact Joystick LITE for Omni - (9-pin connector) Operating Force = 50 g Neutral to Full Deflection = 17mm Joystick includes two 3.5mm mono jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob.

Alternative Drive Systems

	AL JOYSTICK MOUNTING HARDWARE:
Part Number	Description
	NOTE: Please see the PERMOfix Mounting Solutions, within the Alt Drive Accessories section, for additional mounting options. The Swing Away Chin Boom Assemblies are Compatible with Permobil Headrests I107470-99-0, I107469-99-0 or I107468-99-0 and must be selected with
— 140 — 040 00 0	I108721-99-0.
I107946-99-0	Swing Away Chin Boom Assm for Compact Lite - Left
I107948-99-0	Swing Away Chin Boom Assm for Compact Lite - Right
1107857-99-0	Swing Away Chin Boom Assm for Mini Joystick - Left
I107947-99-0	Swing Away Chin Boom Assm for Mini Joystick - Right
☐ I104690-99-0	Alt. JS Swing Away Mount Kit - Armrest
— 1407405 00 0	Mount in front of Left Arm: Mount in front of Right Arm:
☐ I107135-99-0	Alt JS/Omni Combo Swing Away Mount Kit - Armrest
☐ I104143-99-0	Used to mount Omni and Alternative Proportional Joystick to the same armrest. Includes Swing Away Omni/Tablet Mount, with a longer mounting rod, two PERMOfix modules, one 3" rod and one 4" rod. Mount in front of Left Arm: Mount in front of Right Arm: Alt. JS Adjustable Mount Kit - Chin Boom
	Swing-Away / Removable Chin Boom mounted on right of backrest shell. Custom charge may
	be applied if ordering lower backrest heights.
☐ I10752	Haims Harness for Chin Control Mount, Large
	For neck width up to 19cm.
☐ I10753	Haims Harness for Chin Control Mount, Small
	For neck width up to 14cm.
	AL JOYSTICK ACCESSORIES:
Part Number	Description
☐ I104904-99-0	Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/ Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick:
☐ I104641-99-0	Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off
	function. Switch operation force = 130 g
SIP & PUFF SYSTE	TAMO:
Part Number	Description
☐ I10573	Sip & Puff System for Omni
_	Requires Omni Control Module. Includes breath tube kit.
☐ I10574	Sip & Puff System with Fiber Optic Opti-Stop
	Requires Omni Control Module. Includes breath tube kit.
	Sip & Puff Kit for Total Control Head Array
	For use with Total Control Head Array. Requires Omni Control Module. Includes breath tube
☐ I10762	<i>kit.</i> Adjustable Mounting Hrdw - Sip & Puff
L 110702	Required when selecting PN I10573, I10574 or I106807-99-0.
	Required when selecting FN 110373, 110374 of 1100007-99-0.
PROPORTIONAL FO	
Part Number	Description
	Proportional Foot Control
	Not available with Active Reach Packages. Mount on Left: Mount on Right:
☐ I10766	Adjustable Mounting Hrdw - Foot Control
	Required when selecting PN I10767.
	,

Total Control Head Array

CONFIGURE HEAD A		
Part Number ☐ 1106805-99-0	Description Permobil Head Array - 3-Switch System	
	Features an occipital pad sensor and two stainless steel arms configured with proximity sensors. The arms are mounted to the upper attachment points on the head array. Longer arms are also included to extend the sensor adjustment range. ESP recommended. Choose Omni Control Module separately.	
☐ I11072	Program Head Array as a 5-Switch System	No Charge
	Select additional arms/sensors below and indicate the intended use of each sensor in the Notes & Comments section. Choose Omni Control Module separately.	
	CHOOSE OCCIPITAL PAD SIZE (REQUIRED):	
I105920-99-0	Small Occipital Pad for Head Array - 4.25"W x 3"H	No Charge
☐ I105921-99-0	Large Occipital Pad for Head Array - 6"W x 4"H	No Charge
	CHOOSE OCCIPITAL PAD MOUNT (REQUIRED):	
☐ I10847	Fixed Mount for Occipital Pad - Head Array	No Charge
☐ I105936-99-0	Adj. Swivel Mount for Head Array Occipital Pad	
	Enables Occipital Pad to be angled up/down and left/right independent of the lateral arms.	
	CHOOSE HEAD ARRAY MOUNT HARDWARE (REQUIRED):	
☐ I105927-99-0	Stealth TWB480 Backrest Mounting Hdwr with Links	
	Please select the length of the vertical stem below:	
☐ I105941-99-0	Standard length (10"): Short length (6"): Stealth TWB480 Backrest Mtng Hdwr with Flipback	
1105925-99-0	Stealth HMO475 Backr Mtng Hdwr w 17mm Ball	
	_	
□ 110076	SELECT ADDITIONAL LEFT ARM PACKAGE (OPTIONAL):	
☐ I10976	Add Left Lateral Arm w Proximity Sensor Choose Lateral Arm Adjustment Range:	
	Short (5.5" - 10"): Long (5.5" - 14"):	
□ I10977	Add Left Lateral Arm w Egg Switch	
	Choose Lateral Arm Adjustment Range:	
— 140070	Short (5.5" - 10"): Long (5.5" - 14"):	
☐ I10978	Add Left Lateral Arm w Pad (No Sensor or Switch)	
	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):	
	SELECT ADDITIONAL RIGHT ARM PACKAGE (OPTIONAL):	
☐ I10979	Add Right Lateral Arm w Proximity Sensor	
	Choose Lateral Arm Adjustment Range:	
— 140000	Short (5.5" - 10"): Long (5.5" - 14"):	
☐ I10980	Add Right Lateral Arm w Egg Switch	
	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):	
☐ I10981	Add Right Lateral Arm w Pad (No Sensor or Switch)	
_	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):	
	· · · · · · · · · · · · · · · · · · ·	

Alt Drive Systems Setup

CHOOSE OMNI (RE	EQUIRED):
Part Number	Description
	Omni2 Control Module for R-net - Corpus
	Two section design feetures 2 F" VCA high re

Two-section design features 3.5" VGA high resolution display, USB charger port, built in IR control and integrated Bluetooth technology for control of up to 4 Bluetooth devices. Must also select mounting hardware below. Please specify which type of alternative drive input device

you will be using. Input Device:_____

Alt Drive Systems Setup CHOOSE OMNI (REQUIRED): Part Number Description ☐ I103476-99-0 Adjustable Swing-Away Hardware - Omni/Tablet Mount in front of Left Arm: _____ Mount in front of Right Arm: CHOOSE MOUNTING POSITION OF SEAT CONTROL SWITCHBOX: Part Number Description 110080 Mount Seat Control Switchbox on Backrest No Charge **Alt Drive Accessories** PERMOFIX MOUNTING SOLUTIONS: Part Number Description **□** 1106655-99-0 PERMOfix UniTrack Fixed Mount Kit Includes two base joints, two 4" rods and one 8" rod. 1106656-99-0 PERMOfix UniTrack Removable Mount Kit Includes quick release mount and thigh support hardware, two base joints and three different length rods. 1106657-99-0 PERMOfix UniTrack Swing Away Mount Kit Includes PERMOfix Swing Away module, two base joints, one 2" rod and one 4" rod. 1105907-99-0 Proximity Sensor + Swivel Assm - Not Mounted Only available with the Total Control Head Array. Swivel assembly allows sensor to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. Since Proximity Sensors require power, they CANNOT be used as On/Off switches. Egg Switch + Swivel Mount Assm - Not Mounted | 1105919-99-0 Swivel assembly allows switch to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. □ I105912-99-0 Solid Lateral Pad+Swivel Joint - Not Mounted Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. ☐ I106675-99-0 Oval Plate + Swivel Assm - No Switch - Not Mounted Blank plate provides mounting option for Micro Lite, Buddy Button or other switch options. Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. **OPTIONAL ITEMS: Part Number** Description 1101769-99-0 Microlight Switch Qty:____ 1101767-99-0 Buddy Button Qty: 1106293-99-0 Egg Switch Black Qty: 1101771-99-0 Mini Cup Switch Qty: 1107500-99-0 Proximity Switch Qty: 1107495-99-0 Mini Joyswitch 5 Switch OC for Omni - (9-pin) 110772 Dome Switch, Backrest Mnt w Gooseneck Qty: Mount on Left: Mount on Right: Mounts at top of backrest shell. Custom charge may be applied if ordering with short backrest heights. Kit Includes: One PERMOfix joint with Flat Plate, two PERMOfix joints with 45° swivel adjustment, one 150mm rod, one 200mm rod and one 225mm gooseneck switch with 1.2m cable and mounting clamp. 110846 Dome Switch, Backrest Swg Awy Mnt w Gsneck Qty:_ Mount on Right: w 90° Swing-Away Function. Mounts at top of back. Custom charge applies if ordered with short back. Kit Includes: One PERMOfix joint with Flat Plate, one PERMOfix joint with 45° swivel adjustment, two 6" rods, one 90° Swing-Away joint, one 9" 1105935-99-0 3.5mm Ext. Cable for Sensor/Switch, 0.3m Long 1105931-99-0 3.5mm Ext. Cable for Sensor/Switch, 1m Long 3.5mm Ext. Cable for Sensor/Switch, 2m Long 1105932-99-0

Alt Drive Accesso	ries
OPTIONAL ITEMS:	Description 3.5mm Ext. Cable for Sensor/Switch, 3m Long 3.5mm Y-splitter Cable for Sensor/Switch Allows two Proximity Sensors/Mechanical Switches to connect to the same direction jack.
Additional Order Instru	ctions:
	pattery and Power First charger are supplied. (I107031-99-0 and I106583-99-0) E PERMOBIL G24 BATTERY AND VOLTPRO BATTERY.
Chair Order Policy:	
	contact Permobil Sales with ANY questions regarding proper completion of our order forms. The order cannot be processed
 -A client name or code, the order form must also responsible for configurations will -Order confirmations will 	ne client's measurements, the client's weight to be signed by a person authorized by your company to acknowledge the items selected. Permobil is not action or size discrepancies resulting from customer errors on the order form. be provided by Permobil summarizing the items selected. Please review this carefully. and the returns policy and may be prohibited.
Order Acknowledgen	nent:
purchase of powered wheeld	, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the hairs and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and nowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy arges. Signed:
	Printed Name:
	Title:

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty.

Date: _