



permobil

Case report – Scott, F5 VS Client, Multiple Sclerosis

Scott has used a Permobil F5VS since November 2019

APPENDIX: Reference list

References by group

1. Groah SL, Schladen M, Pineda CG, Hsieh CH. (2015) Prevention of Pressure Ulcers Among People With Spinal Cord Injury: A Systematic Review. *PM R*. Jun;7(6):613-36. doi: 10.1016/j.pmrj.2014.11.014.; Giesbrecht, E. M., Ethans, K. D., & Staley, D. (2011).

Measuring the effect of incremental angles of wheelchair tilt on interface pressure among individuals with spinal cord injury. *Spinal Cord*, 49(7), 827–831. ; Michael, S. M., Porter, D., & Pountney, T. E. (2007). Tilted seat position for non-ambulant individuals with neurological and neuromuscular impairment: A systematic review. *Clinical Rehabilitation*, 21(12), 1063–1074;

Sonenblum, Sharon E., & Sprigle, S. H. (2011). The impact of tilting on blood flow and localized tissue loading. *Journal of Tissue Viability*, 20(1), 3–13.

2. Chen, Y., Wang, J., Lung, C. W., Yang, T. D., Crane, B. A., & Jan, Y. K. (2014). Effect of tilt and recline on ischial and coccygeal interface pressures in people with spinal cord injury. *American Journal of Physical Medicine and Rehabilitation*, 93(12), 1019–1026.;

Dicianno, B. E., Lieberman, J., Schmeler, M. R., Souza, A. E., Cooper, R., Lange, M., Liu, H., & Jan, Y. K. (2015). RESNA Position on the Application of Tilt, Recline, and Elevating Legrests for Wheelchairs Literature Update. *Assistive Technology*, 27(703), 193–198.

Groah SL, Schladen M, Pineda CG, Hsieh CH. (2015) Prevention of Pressure Ulcers Among People With Spinal Cord Injury: A Systematic Review. *PM R*. Jun;7(6):613-36. doi: 10.1016/j.pmrj.2014.11.014.

Jan, Y. K., Jones, M. A., Rabadi, M. H., Foreman, R. D., & Thiessen, A. (2010). Effect of wheelchair tilt-in-space and recline angles on skin perfusion over the ischial tuberosity in people with spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 91(11), 1758–1764. ; Jan YK, Crane BA, Liao F, Woods JA, Ennis WJ. (2013A) Comparison of muscle and skin perfusion over the ischial tuberosities in response to wheelchair tilt-in-space and recline angles in people with spinal cord injury. *Arch Phys Med Rehabil*. Oct;94(10):1990-6. doi: 10.1016/j.apmr.2013.03.027.

Jan YK, Liao F, Jones MA, Rice LA, Tisdell T. (2013B) Effect of durations of wheelchair tilt-in-space and recline on skin perfusion over the ischial tuberosity in people with spinal cord injury. *Arch Phys Med Rehabil*. 2013 Apr;94(4):667-72. doi: 10.1016/j.apmr.2012.11.019.

Jan YK, Crane BA. (2013C) Wheelchair tilt-in-space and recline does not reduce sacral skin perfusion as changing from the upright to the tilted and reclined position in people with spinal cord injury. *Arch Phys Med Rehabil*. Jun;94(6):1207-10. doi: 10.1016/j.apmr.2013.01.004.

Li, C. T., Peng, Y. Te, Tseng, Y. T., Chen, Y. N., & Tsai, K. H. (2016). Comparing the effects of different dynamic sitting strategies in wheelchair seating on lumbar-pelvic angle. *BMC Musculoskeletal Disorders*, 17(1), 1–9. ;

Li, C. T., Huang, K. Y., Kung, C. F., Chen, Y. N., Tseng, Y. T., & Tsai, K. H. (2017). Evaluation of the effect of different sitting assistive devices in reclining wheelchair on interface pressure. *BioMedical Engineering Online*, 16(1), 1–10. <https://doi.org/10.1186/s12938-017-0398-8>;

References by group

2. continued:

Lung, C. W., Yang, T. D., Crane, B. A., Elliott, J., Dicianno, B. E., & Jan, Y. K. (2014). Investigation of peak pressure index parameters for people with spinal cord injury using wheelchair tilt-in-space and recline: Methodology and preliminary report. *BioMed Research International*, 2014.

Lung, C. W., Yang, T. D., Liao, B. Y., Cheung, W. C., Jain, S., & Jan, Y. K. (2020). Dynamic changes in seating pressure gradient in wheelchair users with spinal cord injury. *Assistive Technology*, 32(5), 277–286. <https://doi.org/10.1080/10400435.2018.1546781>

Sprigle, S., Maurer, C., & Sorenblum, S. E. (2010). Load redistribution in variable position wheelchairs in people with spinal cord injury. *Journal of Spinal Cord Medicine*, 33(1), 58–64.

Zemp, R., Rhiner, J., Plüss, S., Togni, R., Plock, J. A., & Taylor, W. R. (2019). Wheelchair Tilt-in-Space and Recline Functions: Influence on Sitting Interface Pressure and Ischial Blood Flow in an Elderly Population. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/4027976>

3.

Cotie LM, Geurts CLM, Adams MME, MacDonald MJ. Leg skin temperature with body-weight-supported treadmill and tilt-table standing training after spinal cord injury. *Spinal Cord*. 2010;49(1):149–53.

Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd;

Sprigle S, Maurer C, Soneblum SE, Sorenblum SE. Load redistribution in variable position wheelchairs in people with spinal cord injury. *J Spinal Cord Med*. 2010;33(1):58–64.

4.

Adams MM, Hicks AL. Comparison of the effects of body-weight-supported treadmill training and tilt-table standing on spasticity in individuals with chronic spinal cord injury. *J Spinal Cord Med*. 2011;34(5):488–94

Freeman J, Hendrie W, Jarrett L, Hawton A, Barton A, Dennett R, Jones B, Zajicek J, Creanor S. Assessment of a home-based standing frame programme in people with progressive multiple sclerosis (SUMS): a pragmatic, multi-centre, randomised, controlled trial and cost-effectiveness analysis. *Lancet Neurol*. 2019 Aug;18(8):736-747

Glickman, L. B., Geigle, P. R., & Paleg, G. S. (2010). A systematic review of supported standing programs. *Journal of Pediatric Rehabilitation Medicine*, 3(3), 197–213. <https://doi.org/10.3233/PRM-2010-0129>

Leung, J., Harvey, L. A., Moseley, A. M., Whiteside, B., Simpson, M., & Stroud, K. (2014). Standing with electrical stimulation and splinting is no better than standing alone for management of ankle plantarflexion contractures in people with traumatic brain injury: A randomised trial. *Journal of Physiotherapy*, 60(4), 201–208; Newman, M., & Barker, K. (2012). The effect of supported standing in adults with upper motor neuron disorders: A systematic review. *Clinical Rehabilitation*, 26(12), 1059–1077.

References by group

4. Continued

Ofori, J., Freeman, J., Logan, A., Rapson, R., Zajieck, J., Hobart, J., & Marsden, J. (2016). An investigation of commonly prescribed stretches of the ankle plantarflexors in people with Multiple Sclerosis. *Clinical Biomechanics*, 37, 22–26. <https://doi.org/10.1016/j.clinbiomech.2016.05.013>;

Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd.

Robinson, W., Smith, R., Aung, O., & Ada, L. (2008). No difference between wearing a night splint and standing on a tilt table in preventing ankle contracture early after stroke: A randomised trial. *Australian Journal of Physiotherapy*, 54(1), 33–38.;

Townsend, PT, DPT, PhD, PCS, Christine Bibeau, DPT, and Tara M. Holmes, RD, CSP, LDN, C. (2016). Supported Standing in Boys With Duchenne Muscular Dystrophy. *Pediatr Phys Ther.*, 139.

5.

Dicianno, B. E., Lieberman, J., Schmeler, M. R., Souza, A. E., Cooper, R., Lange, M., Liu, H., & Jan, Y. K. (2015). RESNA Position on the Application of Tilt, Recline, and Elevating Legrests for Wheelchairs Literature Update. *Assistive Technology*, 27(703), 193–198.

Giesbrecht, E. M., Ethans, K. D., & Staley, D. (2011). Measuring the effect of incremental angles of wheelchair tilt on interface pressure among individuals with spinal cord injury. *Spinal Cord*, 49(7), 827–831.

Lacoste M, Weiss-Lambrou R, Allard M, Dansereau J. (2003) Powered tilt/recline systems: why and how are they used? *Assist Technol.* Summer;15(1):58-68.

6.

Arva, J., Schmeler, M. R., Lange, M. L., Lipka, D. D., & Rosen, L. E. (2009). RESNA position on the application of seat-elevating devices for wheelchair users. *Assistive Technology*, 21(2), 69–72. ; RESNA. (2019). Position paper seat elevation. <http://www.resna.org/knowledge-center>;

Ding, D., Leister, E., Cooper, R. A., Cooper, R., Kelleher, A., Fitzgerald, S. G., & Boninger, M. L. (2008). Usage of tilt-in-space, recline, and elevation seating functions in natural environment of wheelchair users. *Journal of Rehabilitation Research and Development*, 45(7), 973–984.;

Sprigle, S., Maurer, C., & Sorenblum, S. E. (2010). Load redistribution in variable position wheelchairs in people with spinal cord injury. *Journal of Spinal Cord Medicine*, 33(1), 58–64.

Vance, D., Blanchard, M., Pendleton, S., Richardson, S., Moran, J., Baker, J., & Benton, H. (2021). Creating a consumer-friendly resource to assist persons with Amyotrophic Lateral Sclerosis (ALS) in navigating the power wheelchair selection process. *Assistive Technology*, 00(00), 1–6. <https://doi.org/10.1080/10400435.2021.1915899>

References by group

7.

Conty L, George N, & Heitanan J. (2016). Watching Eyes effects: When others meet the self. *Consciousness and Cognition*. 45, 184-197

Dicianno, B. E., Morgan, A., Lieberman, J., & Rosen, L. (2016). Rehabilitation Engineering & Assistive Technology Society (RESNA) position on the application of wheelchair standing devices: 2013 current state of the literature. In *Assistive Technology* (Vol. 28, Issue 1, pp. 57–62). Taylor and Francis Inc.

Nordström, B., Näslund, A., Ekenberg, L., & Zingmark, K. (2014). The ambiguity of standing in standing devices: A qualitative interview study concerning children and parents experiences of the use of standing devices. *Physiotherapy Theory and Practice*, 30(7), 483–489.

Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd

Vorster, N., Evans, K., Murphy, N., Kava, M., Cairns, A., Clarke, D., Ryan, M. M., Siafarikas, A., Rowe, P. W., Parkinson, S., Gaynor, O., Chiu, L., Anderson, J., Bayley, K., Jacoby, P., Cross, D., & Downs, J. (2019). Powered standing wheelchairs promote independence, health and community involvement in adolescents with Duchenne muscular dystrophy. *Neuromuscular Disorders*, 29(3), 221–230.

8.

Davies, De Souza, F. (2003). Changes in the quality of life in severely disabled people following provision of powered indoor / outdoor chairs Changes in the quality of life in severely disabled people following provision of powered indoor / outdoor chairs. April. <https://doi.org/10.1080/0963828021000043734>

Edwards, K., & McCluskey, A. (2010). A survey of adult power wheelchair and scooter users. *Disability and Rehabilitation: Assistive Technology*, 5(6), 411–419. <https://doi.org/10.3109/17483101003793412>

Salatino, C., Andrich, R., Converti, R. M., & Saruggia, M. (2016). An observational study of powered wheelchair provision in Italy. *Assistive Technology*, 28(1), 41–52. <https://doi.org/10.1080/10400435.2015.1074631>

Ward, Amber Lea, Hammond, S., Holsten, S., Bravver, E., & Brooks, B. R. (2015). Power Wheelchair Use in Persons with Amyotrophic Lateral Sclerosis: Changes over Time. *Assistive Technology*, 27(4), 238–245. <https://doi.org/10.1080/10400435.2015.1040896>

References by group

9.

Auger, C., Rushton, P. W., Jutai, J. W., & Miller, W. C. (2018). Reliability, convergent validity and applicability of the Assistive Technology Outcome Profile for Mobility for middle-aged and older power wheelchair users. *Australian Occupational Therapy Journal*, 65(5), 439–448. <https://doi.org/10.1111/1440-1630.12515>

Edwards, K., & McCluskey, A. (2010). A survey of adult power wheelchair and scooter users. *Disability and Rehabilitation: Assistive Technology*, 5(6), 411–419. <https://doi.org/10.3109/17483101003793412>

Löfqvist, C., Pettersson, C., Iwarsson, S., & Brandt, A. (2012). Mobility and mobility-related participation outcomes of powered wheelchair and scooter interventions after 4-months and 1-year use. *Disability and Rehabilitation: Assistive Technology*, 7(3), 211–218. <https://doi.org/10.3109/17483107.2011.619224>

Pettersson, T (2006). The effect of an outdoor powered wheelchair on activity and participation in users with stroke The effect of an outdoor powered wheelchair on activity and participation in users with stroke. October. <https://doi.org/10.1080/17483100600757841>

Pettersson, C., Iwarsson, S., & Månsson Lexell, E. (2015). Experiences of using powered wheelchair or powered scooter and accessibility in housings. *Studies in Health Technology and Informatics*, 217, 1017–1023. <https://doi.org/10.3233/978-1-61499-566-1-1017>

Ripat, J., Verdonck, M., & Carter, R. J. (2018). The meaning ascribed to wheeled mobility devices by individuals who use wheelchairs and scooters: a metasynthesis. *Disability and Rehabilitation: Assistive Technology*, 13(3), 253–262. <https://doi.org/10.1080/17483107.2017.1306594>

Rossen, C., Sørensen, B., Würtz Jochumsen, B., & Wind, G. (2012). Everyday life for users of electric wheelchairs - A qualitative interview study. *Disability and Rehabilitation: Assistive Technology*, 7(5), 399–407. <https://doi.org/10.3109/17483107.2012.665976>

Sund, T., Iwarsson, S., Anttila, H., & Brandt, Å. (2015). Effectiveness of Powered Mobility Devices in Enabling Community Mobility-Related Participation: A Prospective Study Among People With Mobility Restrictions. *PM and R*, 7(8), 859–870. <https://doi.org/10.1016/j.pmrj.2015.02.001>

10.

Edwards, K., & McCluskey, A. (2010). A survey of adult power wheelchair and scooter users. *Disability and Rehabilitation: Assistive Technology*, 5(6), 411–419. <https://doi.org/10.3109/17483101003793412>

Frank, A., Neophytou, C., Frank, J., & De Souza, L. (2010). Electric-powered indoor/outdoor wheelchairs (EPIOCs): Users' views of influence on family, friends and carers. *Disability and Rehabilitation: Assistive Technology*, 5(5), 327–338. <https://doi.org/10.3109/17483101003746352>

Pettersson, C., Iwarsson, S., Brandt, Å., Norin, L., & Lexell, E. M. (2014). Men's and women's perspectives on using a powered mobility device: Benefits and societal challenges. *Scandinavian Journal of Occupational Therapy*, 21(6), 438–446. <https://doi.org/10.3109/11038128.2014.905634>

Stenberg, G., Henje, C., Levi, R., & Lindström, M. (2016). Living with an electric wheelchair - The user perspective. *Disability and Rehabilitation: Assistive Technology*, 11(5), 385–394. <https://doi.org/10.3109/17483107.2014.968811>

References by group

11.

Arva, J., Schmeler, M. R., Lange, M. L., Lipka, D. D., & Rosen, L. E. (2009). RESNA position on the application of seat-elevating devices for wheelchair users. *Assistive Technology*, 21(2), 69–72.

RESNA. (2019). Position paper seat elevation. <http://www.resna.org/knowledge-center>

Ding, D., Leister, E., Cooper, R. A., Cooper, R., Kelleher, A., Fitzgerald, S. G., & Boninger, M. L. (2008). Usage of tilt-in-space, recline, and elevation seating functions in natural environment of wheelchair users. *Journal of Rehabilitation Research and Development*, 45(7), 973–984.

12.

Bayley, K., Parkinson, S., Jacoby, P., Cross, D., Morris, S., Vorster, N., Schofield, C., Kava, M., Siafarikas, A., Evans, K., Gaynor, O., Chiu, L., Ryan, M., Cairns, A., & Clark, D. (2020). Benefits of powered standing wheelchair devices for adolescents with Duchenne muscular dystrophy in the first year of use. *Journal of Paediatrics and Child Health*, 1–7.

Dicianno, B. E., Morgan, A., Lieberman, J., & Rosen, L. (2016). Rehabilitation Engineering & Assistive Technology Society (RESNA) position on the application of wheelchair standing devices: 2013 current state of the literature. In *Assistive Technology* (Vol. 28, Issue 1, pp. 57–62). Taylor and Francis Inc.

Hendrie, W. A., Watson, M. J., & McArthur, M. A. (2015). A pilot mixed methods investigation of the use of Oswestry standing frames in the homes of nine people with severe multiple sclerosis. *Disability and Rehabilitation*, 37(13), 1178–1185

Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd

Vorster, N., Evans, K., Murphy, N., Kava, M., Cairns, A., Clarke, D., Ryan, M. M., Siafarikas, A., Rowe, P. W., Parkinson, S., Gaynor, O., Chiu, L., Anderson, J., Bayley, K., Jacoby, P., Cross, D., & Downs, J. (2019). Powered standing wheelchairs promote independence, health and community involvement in adolescents with Duchenne muscular dystrophy. *Neuromuscular Disorders*, 29(3), 221–230.

13.

Goodwin, J., Lecouturier, J., Smith, J., Crombie, S., Basu, A., Parr, J. R., Howel, D., McColl, E., Roberts, A., Miller, K., & Cadwgan, J. (2019). Understanding frames: A qualitative exploration of standing frame use for young people with cerebral palsy in educational settings. *Child: Care, Health and Development*, 45(3), 433–439.

Nordström, B., Näslund, A., Ekenberg, L., & Zingmark, K. (2014). The ambiguity of standing in standing devices: A qualitative interview study concerning children and parents experiences of the use of standing devices. *Physiotherapy Theory and Practice*, 30(7), 483–489.

Vorster, N., Evans, K., Murphy, N., Kava, M., Cairns, A., Clarke, D., Ryan, M. M., Siafarikas, A., Rowe, P. W., Parkinson, S., Gaynor, O., Chiu, L., Anderson, J., Bayley, K., Jacoby, P., Cross, D., & Downs, J. (2019). Powered standing wheelchairs promote independence, health and community involvement in adolescents with Duchenne muscular dystrophy. *Neuromuscular Disorders*, 29(3), 221–230.

References by group

14.

Dicianno, B. E., Lieberman, J., Schmeler, M. R., Souza, A. E., Cooper, R., Lange, M., Liu, H., & Jan, Y. K. (2015). RESNA Position on the Application of Tilt, Recline, and Elevating Legrests for Wheelchairs Literature Update. *Assistive Technology*, 27(703), 193–198.

Frank, A. O., De Souza, L. H., Frank, J. L., & Neophytou, C. (2012). The pain experiences of powered wheelchair users. *Disability and Rehabilitation*, 34(9), 770–778.

Harrand, J., & Bannigan, K. (2016). Do tilt-in-space wheelchairs increase occupational engagement: A critical literature review. *Disability and Rehabilitation: Assistive Technology*, 11(1), 3–12.

Lacoste M, Weiss-Lambrou R, Allard M, Dansereau J. (2003) Powered tilt/recline systems: why and how are they used? *Assist Technol*. Summer;15(1):58-68.

Shankar, S., Mortenson, W. Ben, & Wallace, J. (2015). Taking control: An exploratory study of the use of tilt-in-space wheelchairs in residential care. *American Journal of Occupational Therapy*, 69(2).

Titus, L. C., & Miller Polgar, J. (2018). Reasons for using power tilt: perspectives from clients and therapists. *Disability and Rehabilitation: Assistive Technology*, 13(2), 132–139.

Vance, D., Blanchard, M., Pendleton, S., Richardson, S., Moran, J., Baker, J., & Benton, H. (2021). Creating a consumer-friendly resource to assist persons with Amyotrophic Lateral Sclerosis (ALS) in navigating the power wheelchair selection process. *Assistive Technology*, 00(00), 1–6. <https://doi.org/10.1080/10400435.2021.1915899>

Wu, Y. K., Liu, H. Y., Kelleher, A., Pearlman, J., Ding, D., & Cooper, R. A. (2017). Power seat function usage and wheelchair discomfort for power wheelchair users. *Journal of Spinal Cord Medicine*, 40(1), 62–69. <https://doi.org/10.1080/10790268.2016.1192360>

15. Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd

16 Vorster, N., Evans, K., Murphy, N., Kava, M., Cairns, A., Clarke, D., Ryan, M. M., Siafarikas, A., Rowe, P. W., Parkinson, S., Gaynor, O., Chiu, L., Anderson, J., Bayley, K., Jacoby, P., Cross, D., & Downs, J. (2019). Powered standing wheelchairs promote independence, health and community involvement in adolescents with Duchenne muscular dystrophy. *Neuromuscular Disorders*, 29(3), 221–230.

17.

Mattie, J., Aitken-Mundhenk, L., Bicknell, L., Mortenson, W. B., & Borisoff, J. (2019). Exploring the lived experience of people using ultralight wheelchairs with on-the-fly adjustable seating function. *Disabil Rehabil Assist Technol*, 1–7.

Rice, L. A., Yarnot, R., Mills, S., & Sonsoff, J. (2019). A pilot investigation of anterior tilt use among power wheelchair users. *Disability and Rehabilitation: Assistive Technology*, 1–8.

References by group

18. Arva, J., Schmeler, M. R., Lange, M. L., Lipka, D. D., & Rosen, L. E. (2009). RESNA position on the application of seat-elevating devices for wheelchair users. *Assistive Technology*, 21(2), 69–72.

RESNA. (2019). Position paper seat elevation. <http://www.resna.org/knowledge-center>

Sabari, J., Shea, M., Chen, L., Laurenceau, A., & Leung, E. (2016). Impact of wheelchair seat height on neck and shoulder range of motion during functional task performance. *Assistive Technology*, 28(3), 183–189.

Vance, D., Blanchard, M., Pendleton, S., Richardson, S., Moran, J., Baker, J., & Benton, H. (2021). Creating a consumer-friendly resource to assist persons with Amyotrophic Lateral Sclerosis (ALS) in navigating the power wheelchair selection process. *Assistive Technology*, 00(00), 1–6. <https://doi.org/10.1080/10400435.2021.1915899>

19

Bayley, K., Parkinson, S., Jacoby, P., Cross, D., Morris, S., Vorster, N., Schofield, C., Kava, M., Siafarikas, A., Evans, K., Gaynor, O., Chiu, L., Ryan, M., Cairns, A., & Clark, D. (2020). Benefits of powered standing wheelchair devices for adolescents with Duchenne muscular dystrophy in the first year of use. *Journal of Paediatrics and Child Health*, 1–7.

Freeman J, Hendrie W, Jarrett L, Hawton A, Barton A, Dennett R, Jones B, Zajicek J, Creanor S. Assessment of a home-based standing frame programme in people with progressive multiple sclerosis (SUMS): a pragmatic, multi-centre, randomised, controlled trial and cost-effectiveness analysis. *Lancet Neurol*. 2019 Aug;18(8):736-747

Nordström B, Näslund A, Eriksson M, Nyberg L, Ekenberg L. The impact of supported standing on well-being and quality of life. *Physiother Can*. 2013 Fall;65(4):344-52.

Paleg, G., & Livingstone, R. (2015). Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. In *BMC Musculoskeletal Disorders* (Vol. 16, Issue 1). BioMed Central Ltd

Vorster, N., Evans, K., Murphy, N., Kava, M., Cairns, A., Clarke, D., Ryan, M. M., Siafarikas, A., Rowe, P. W., Parkinson, S., Gaynor, O., Chiu, L., Anderson, J., Bayley, K., Jacoby, P., Cross, D., & Downs, J. (2019). Powered standing wheelchairs promote independence, health and community involvement in adolescents with Duchenne muscular dystrophy. *Neuromuscular Disorders*, 29(3), 221–230.

20

Löfqvist, C., Pettersson, C., Iwarsson, S., & Brandt, A. (2012). Mobility and mobility-related participation outcomes of powered wheelchair and scooter interventions after 4-months and 1-year use. *Disability and Rehabilitation: Assistive Technology*, 7(3), 211–218. <https://doi.org/10.3109/17483107.2011.619224>

Sund, T., Iwarsson, S., Anttila, H., & Brandt, Å. (2015). Effectiveness of Powered Mobility Devices in Enabling Community Mobility-Related Participation: A Prospective Study Among People With Mobility Restrictions. *PM and R*, 7(8), 859–870. <https://doi.org/10.1016/j.pmrj.2015.02.001>