

## Order form

# ACTA-RELIEF® Back Support

HCPCS coding: E2615 / Positioning back, Posterior lateral



Shown with Compass® 4 Quick Release 2 Point Hardware.  
Cover appearance may vary with hardware selection.

This back support is also  
available through CUSTOM

\*Since U.S. Medicare coding is subject to change, the provider should always confirm the HCPCS code and coverage criteria as part of the client assessment process.\*

Company Name/ACCT #: \_\_\_\_\_

P.O. Number: \_\_\_\_\_

Requested By: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

Ship To: \_\_\_\_\_

Client Reference: \_\_\_\_\_

## 1 Size selection (required)

### Base MSRP

| Length* | 22" | <b>\$846.00</b> |     |     |     |
|---------|-----|-----------------|-----|-----|-----|
|         | 20" |                 |     |     |     |
|         | 18" |                 |     |     |     |
|         | 16" |                 |     |     |     |
|         | 14" |                 |     |     |     |
|         | 12" |                 |     |     |     |
|         | 10" |                 |     |     |     |
|         |     | 14"             | 16" | 18" | 20" |
|         |     | Frame width     |     |     |     |

Sizes available are subject to hardware being used.

## AR-BS \_\_\_\_\_

Please fill in one of the above with dimensions from the size charts to the right.

Example Part: **AR-BS14W16L**

Hardware will be selected in Section 2.

|        |        |        |        |
|--------|--------|--------|--------|
| 14W10L | 16W10L | 18W10L | 20W10L |
|--------|--------|--------|--------|

Please note these sizes are not available with lateral trunk supports or a head support.

|        |        |        |        |
|--------|--------|--------|--------|
| 14W12L | 16W12L | 18W12L | 20W12L |
|--------|--------|--------|--------|

Please note these sizes are not available with 4 POINT when using lateral trunk supports.

IF DESIRED SIZE IS NOT LISTED, PLEASE CONTACT  
CUSTOMER SUPPORT FOR ASSISTANCE. | 800.736.0925

\*Length (L) refers to the actual size dimension of the support from bottom to top edge.

### Sizes available with 2 POINT mounting hardware

| Length* | 22" | 14W22L      | 16W22L | 18W22L | 20W22L |
|---------|-----|-------------|--------|--------|--------|
|         | 20" | 14W20L      | 16W20L | 18W20L | 20W20L |
|         | 18" | 14W18L      | 16W18L | 18W18L | 20W18L |
|         | 16" | 14W16L      | 16W16L | 18W16L | 20W16L |
|         | 14" | 14W14L      | 16W14L | 18W14L | 20W14L |
|         | 12" | 14W12L      | 16W12L | 18W12L | 20W12L |
|         | 10" | 14W10L      | 16W10L | 18W10L | 20W10L |
|         |     | 14"         | 16"    | 18"    | 20"    |
|         |     | Frame width |        |        |        |

### Sizes available with 4 POINT mounting hardware

| Length* | 22" | 14W22L      | 16W22L | 18W22L | 20W22L |
|---------|-----|-------------|--------|--------|--------|
|         | 20" | 14W20L      | 16W20L | 18W20L | 20W20L |
|         | 18" | 14W18L      | 16W18L | 18W18L | 20W18L |
|         | 16" | 14W16L      | 16W16L | 18W16L | 20W16L |
|         | 14" | 14W14L      | 16W14L | 18W14L | 20W14L |
|         | 12" | 14W12L      | 16W12L | 18W12L | 20W12L |
|         | 10" |             |        |        |        |
|         |     | 14"         | 16"    | 18"    | 20"    |
|         |     | Frame width |        |        |        |

### Sizes available with POWER mounting hardware


| Length* | 22" | 14W22L      | 16W22L | 18W22L | 20W22L |
|---------|-----|-------------|--------|--------|--------|
|         | 20" | 14W20L      | 16W20L | 18W20L | 20W20L |
|         | 18" | 14W18L      | 16W18L | 18W18L | 20W18L |
|         | 16" | 14W16L      | 16W16L | 18W16L | 20W16L |
|         | 14" | 14W14L      | 16W14L | 18W14L | 20W14L |
|         | 12" | 14W12L      | 16W12L | 18W12L | 20W12L |
|         | 10" |             |        |        |        |
|         |     | 14"         | 16"    | 18"    | 20"    |
|         |     | Frame width |        |        |        |

## 2 Cover selection (required)


### 2.1 Cover selection

MSRP \$0.00

Both fabrics are made without latex. Fabric selection is for the support surface only. Other fabrics used in cover construction remain the same.



**COMFORT-TEK®** is a smooth, easily cleaned surface. The fluid protection aids in infection control.



**STRETCH-AIR®** has comfortable stretch, air transmission and heat dissipation. It is not fluid resistant.


**COMFORT-TEK Cover**  
(COMFORT-TEK)

**STRETCH-AIR Cover**  
(STRETCH-AIR)

### 2.2 Hardware style

#### COMPASS 4 QUICK RELEASE


Price included in back support purchase



**QUICK RELEASE 2 POINT**  
(Q-COMPASS)


**QUICK RELEASE 4 POINT**  
(Q-COMPASS4)

**4 POINT** hardware is required on all 24"W back supports using Compass 4 hardware.



#### COMPASS 4 FIXED

Price included in back support purchase




**FIXED** fully adjustable hardware requires tools for back support removal

**FIXED 2 POINT**  
(NQ-COMPASS)

**FIXED 4 POINT**  
(NQ-COMPASS4)

#### COMPASS POWER MOUNT

MSRP add \$52.00



**POWER MOUNT** hardware has 8" of height adjustment in ½" increments without using tools.

**QUANTUM w/ TRU BALANCE 3**  
(PMB-QUANTUM)

**PERMOBIL w/ CORPUS 3G**  
(PMB-PERMOBIL)

**QUICKIE w/ 3.7 POWER**  
(PMB-QUICKIE)

**AVID REHAB w/ POWER T & R**  
(PMB-AVID)

**ROVI w/ MOTION CONCEPTS\***  
(PMB-ROVI)

**\*Using Power Mount Hardware on ROVI** requires mounting to the RECESSED PLANAR INTERFACE PLATE available when ordering the Motion Concepts Seating System. Drilling is required for mounting.

### 3 Back support add-on selection

#### 3.1 Color

MSRP \$30.00

Accent colors are applied via colored piping. Placement of the piping may vary by back support size and mounting hardware. If no colors are selected, our standard silver reflective piping is used at no additional cost.



Color Location

|               |          |
|---------------|----------|
| <b>RED</b>    | (RED)    |
| <b>PURPLE</b> | (PURPLE) |
| <b>PINK</b>   | (PINK)   |
| <b>BLUE</b>   | (BLUE)   |
| <b>GREEN</b>  | (GREEN)  |
| <b>ORANGE</b> | (ORANGE) |
| <b>REMOVE</b> | (REMOVE) |

#### 3.2 Embroidery

MSRP \$30.00

A.

##### Thread color options

|               |              |               |              |
|---------------|--------------|---------------|--------------|
| <b>RED</b>    | (EMB-RED)    | <b>BLUE</b>   | (EMB-BLUE)   |
| <b>PURPLE</b> | (EMB-PURPLE) | <b>GREEN</b>  | (EMB-GREEN)  |
| <b>PINK</b>   | (EMB-PINK)   | <b>SILVER</b> | (EMB-SILVER) |

B.

##### Font options

|                  |                 |                 |                |
|------------------|-----------------|-----------------|----------------|
| <b>Helvetica</b> | (EMB-Helvetica) | <b>Twilight</b> | (EMB-Twilight) |
| <b>Garamond</b>  | (EMB-Garamond)  | <b>Script</b>   | (EMB-Script)   |

C.

##### Word one

(Input is case sensitive. Please enter exactly as you want the words to look. Example: Marcus or marcus or MARCUS)

##### Word two (optional)


(Input is case sensitive. Please enter exactly as you want the words to look. Example: Marcus or marcus or MARCUS)

\*ADDITIONAL LEAD TIMES MAY APPLY

#### 3.3 Privacy flap

MSRP \$44.00

This flap connects with hook & loop attachment between the seat and back for added privacy.




Privacy flap

**PRIVACY FLAP** (PV-FLAP)

### 4 BodiLink® lateral trunk support & hardware

#### 4.1 GT2 mounting hardware

Both Fixed and Swing-Away hardware styles are adjustable.



- You may make one selection per column in section 4.1.
- \*\*TRACK MOUNT is only available when using Compass 4 Hardware. If using Compass® Power Mount hardware, select slot mounting lateral hardware.
- "Extra" Track Mount Hardware does not come with an extra track

| Slot mounting |                                        | MSRP         | Left             |  | *Extra left      | Right            |  | *Extra right     |
|---------------|----------------------------------------|--------------|------------------|--|------------------|------------------|--|------------------|
| Or            | <b>Swing-away</b><br>HCPCS code: E1028 | \$339.00/ea. | BL-LTS-GT2SAS-LH |  | BL-LTS-GT2SAS-LH | BL-LTS-GT2SAS-RH |  | BL-LTS-GT2SAS-RH |
|               | <b>Fixed</b>                           | \$202.00/ea. | BL-LTS-GT2FXS-LH |  | BL-LTS-GT2FXS-LH | BL-LTS-GT2FXS-RH |  | BL-LTS-GT2FXS-RH |

## 4.2 Premium pad size & shape

HPCPS code: E0956 MSRP \$101.00/ea.

- You may make one selection per column in section 4.2.
- Follow each column down to sections 4.3 and 4.4 and select a style and cover for each pad selected in section 4.2.

\*Length (L) refers to the dimension of the support from top to bottom edge. Depth (D) refers to the dimension of the support from anterior to posterior edge.

|                   | Shape | Size        | Left              | *Extra left       | Right             | *Extra right      |
|-------------------|-------|-------------|-------------------|-------------------|-------------------|-------------------|
| <b>Supportive</b> |       | 3"L x 4"D   | BL-LTSP2S-3L4D-LH | BL-LTSP2S-3L4D-LH | BL-LTSP2S-3L4D-RH | BL-LTSP2S-3L4D-RH |
|                   |       | 3"L x 5.5"D | BL-LTSP2S-3L5D-LH | BL-LTSP2S-3L5D-LH | BL-LTSP2S-3L5D-RH | BL-LTSP2S-3L5D-RH |
|                   |       | 4"L x 5"D   | BL-LTSP2S-4L5D-LH | BL-LTSP2S-4L5D-LH | BL-LTSP2S-4L5D-RH | BL-LTSP2S-4L5D-RH |
|                   |       | 4"L x 6.5"D | BL-LTSP2S-4L6D-LH | BL-LTSP2S-4L6D-LH | BL-LTSP2S-4L6D-RH | BL-LTSP2S-4L6D-RH |
|                   |       | 5"L x 6.5"D | BL-LTSP2S-5L6D-LH | BL-LTSP2S-5L6D-LH | BL-LTSP2S-5L6D-RH | BL-LTSP2S-5L6D-RH |
|                   |       | 6"L x 6.5"D | BL-LTSP2S-6L6D-LH | BL-LTSP2S-6L6D-LH | BL-LTSP2S-6L6D-RH | BL-LTSP2S-6L6D-RH |
| <b>Active</b>     |       | 3"L x 4"D   | BL-LTSP2A-3L4D-LH | BL-LTSP2A-3L4D-LH | BL-LTSP2A-3L4D-RH | BL-LTSP2A-3L4D-RH |
|                   |       | 3"L x 5.5"D | BL-LTSP2A-3L5D-LH | BL-LTSP2A-3L5D-LH | BL-LTSP2A-3L5D-RH | BL-LTSP2A-3L5D-RH |
|                   |       | 4"L x 5"D   | BL-LTSP2A-4L5D-LH | BL-LTSP2A-4L5D-LH | BL-LTSP2A-4L5D-RH | BL-LTSP2A-4L5D-RH |
|                   |       | 4"L x 6.5"D | BL-LTSP2A-4L6D-LH | BL-LTSP2A-4L6D-LH | BL-LTSP2A-4L6D-RH | BL-LTSP2A-4L6D-RH |
|                   |       | 5"L x 6.5"D | BL-LTSP2A-5L6D-LH | BL-LTSP2A-5L6D-LH | BL-LTSP2A-5L6D-RH | BL-LTSP2A-5L6D-RH |
|                   |       | 6"L x 6.5"D | BL-LTSP2A-6L6D-LH | BL-LTSP2A-6L6D-LH | BL-LTSP2A-6L6D-RH | BL-LTSP2A-6L6D-RH |

\*"EXTRA" parts may not fit depending on back support, pad, and hardware size and style combinations. Please contact customer support with questions.

## 4.3 Premium pad style

MSRP \$0.00/ea.

|           | Style options | Left         | *Extra left  | Right        | *Extra right |
|-----------|---------------|--------------|--------------|--------------|--------------|
| <b>Or</b> | Moldable      | LTS-P2-MOLD  | LTS-P2-MOLD  | LTS-P2-MOLD  | LTS-P2-MOLD  |
|           | Rigid         | LTS-P2-RIGID | LTS-P2-RIGID | LTS-P2-RIGID | LTS-P2-RIGID |

## 4.4 Premium pad cover

**COMFORT-TEK**  
For fluid protection & an easily cleaned surface.

**STRETCH-AIR**  
For comfort & heat dissipation.

**GLIDEWEAR™**  
For skin protection & shear reduction. Not fluid resistant.

**COVER with FOAM**  
For soft feel & additional cushioning support.

| Cover options         | MSRP        | Left              | *Extra left       | Right             | *Extra right      |
|-----------------------|-------------|-------------------|-------------------|-------------------|-------------------|
| NO COVER              | \$0.00/ea.  | LTS-P2-NO-CV      | LTS-P2-NO-CV      | LTS-P2-NO-CV      | LTS-P2-NO-CV      |
| COMFORT-TEK           | \$0.00/ea.  | LTS-P2-COMFORT    | LTS-P2-COMFORT    | LTS-P2-COMFORT    | LTS-P2-COMFORT    |
| STRETCH-AIR           | \$0.00/ea.  | LTS-P2-STRETCH    | LTS-P2-STRETCH    | LTS-P2-STRETCH    | LTS-P2-STRETCH    |
| GLIDEWEAR™            | \$15.00/ea. | LTS-P2-GLIDE      | LTS-P2-GLIDE      | LTS-P2-GLIDE      | LTS-P2-GLIDE      |
| COMFORT-TEK with FOAM | \$15.00/ea. | LTS-P2-COMFORT-FM | LTS-P2-COMFORT-FM | LTS-P2-COMFORT-FM | LTS-P2-COMFORT-FM |
| STRETCH-AIR with FOAM | \$15.00/ea. | LTS-P2-STRETCH-FM | LTS-P2-STRETCH-FM | LTS-P2-STRETCH-FM | LTS-P2-STRETCH-FM |
| GLIDEWEAR with FOAM   | \$31.00/ea. | LTS-P2-GLIDE-FM   | LTS-P2-GLIDE-FM   | LTS-P2-GLIDE-FM   | LTS-P2-GLIDE-FM   |


## 4.5 Basic pad size & shape

HCPCS code: E0956 MSRP \$94.00/ea.

- You may make one selection per column in section 4.5.
- Follow each column down to sections 4.6 and 4.7 and select a style and cover for each pad selected in section 4.5.


\*Length (L) refers to the actual size dimension of the support from top to bottom edge. Depth (D) refers to the actual size dimension from anterior to posterior edge.

Supportive

| Shape                                                                             | Size              | Left              | *Extra left       | Right             | *Extra right      |
|-----------------------------------------------------------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
|  | 3"L x 4"D         | BL-LTSP1S-3L4D-LH | BL-LTSP1S-3L4D-LH | BL-LTSP1S-3L4D-RH | BL-LTSP1S-3L4D-RH |
|                                                                                   | 3"L x 5"D         | BL-LTSP1S-3L5D-LH | BL-LTSP1S-3L5D-LH | BL-LTSP1S-3L5D-RH | BL-LTSP1S-3L5D-RH |
|                                                                                   | 4"L x 5"D         | BL-LTSP1S-4L5D-LH | BL-LTSP1S-4L5D-LH | BL-LTSP1S-4L5D-RH | BL-LTSP1S-4L5D-RH |
|                                                                                   | 4"L x 6"D         | BL-LTSP1S-4L6D-LH | BL-LTSP1S-4L6D-LH | BL-LTSP1S-4L6D-RH | BL-LTSP1S-4L6D-RH |
|                                                                                   | 5"L x 7"D         | BL-LTSP1S-5L7D-LH | BL-LTSP1S-5L7D-LH | BL-LTSP1S-5L7D-RH | BL-LTSP1S-5L7D-RH |
| 6"L x 6"D                                                                         | BL-LTSP1S-6L6D-LH | BL-LTSP1S-6L6D-LH | BL-LTSP1S-6L6D-LH | BL-LTSP1S-6L6D-RH | BL-LTSP1S-6L6D-RH |

Or

Active


| Shape                                                                             | Size              | Left              | Left              | Right             | Right             |
|-----------------------------------------------------------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
|  | 3"L x 4"D         | BL-LTSP1A-3L4D-LH | BL-LTSP1A-3L4D-LH | BL-LTSP1A-3L4D-RH | BL-LTSP1A-3L4D-RH |
|                                                                                   | 3"L x 5"D         | BL-LTSP1A-3L5D-LH | BL-LTSP1A-3L5D-LH | BL-LTSP1A-3L5D-RH | BL-LTSP1A-3L5D-RH |
|                                                                                   | 4"L x 5"D         | BL-LTSP1A-4L5D-LH | BL-LTSP1A-4L5D-LH | BL-LTSP1A-4L5D-RH | BL-LTSP1A-4L5D-RH |
|                                                                                   | 4"L x 6"D         | BL-LTSP1A-4L6D-LH | BL-LTSP1A-4L6D-LH | BL-LTSP1A-4L6D-RH | BL-LTSP1A-4L6D-RH |
|                                                                                   | 5"L x 7"D         | BL-LTSP1A-5L7D-LH | BL-LTSP1A-5L7D-LH | BL-LTSP1A-5L7D-RH | BL-LTSP1A-5L7D-RH |
| 6"L x 6"D                                                                         | BL-LTSP1A-6L6D-LH | BL-LTSP1A-6L6D-LH | BL-LTSP1A-6L6D-RH | BL-LTSP1A-6L6D-RH | BL-LTSP1A-6L6D-RH |

Contact Customer Support for custom sizes. 800.736.0925.

\*"EXTRA" parts may not fit depending on back support, pad, and hardware size and style combinations. Please contact customer support with questions.

## 4.6 Basic pad style

MSRP \$0.00/ea.



|    | Style options |  | Left |              | *Extra left |              | Right |              | *Extra right |              |
|----|---------------|--|------|--------------|-------------|--------------|-------|--------------|--------------|--------------|
|    |               |  |      |              |             |              |       |              |              |              |
| Or | Moldable      |  |      | LTS-P1-MOLD  |             | LTS-P1-MOLD  |       | LTS-P1-MOLD  |              | LTS-P1-MOLD  |
|    | Rigid         |  |      | LTS-P1-RIGID |             | LTS-P1-RIGID |       | LTS-P1-RIGID |              | LTS-P1-RIGID |


## 4.7 Basic pad cover

MSRP \$0.00/ea.



|    | Cover options |  | Left |                | *Extra left |                | Right |                | *Extra right |                |
|----|---------------|--|------|----------------|-------------|----------------|-------|----------------|--------------|----------------|
|    |               |  |      |                |             |                |       |                |              |                |
| Or | COMFORT-TEK   |  |      | LTS-P1-COMFORT |             | LTS-P1-COMFORT |       | LTS-P1-COMFORT |              | LTS-P1-COMFORT |
|    | STRETCH-AIR   |  |      | LTS-P1-STRETCH |             | LTS-P1-STRETCH |       | LTS-P1-STRETCH |              | LTS-P1-STRETCH |

## 4.8 GT2 additional options



| Extra hardware links           |  | Left |                    | Add'l left  |                    | Right |                    | Add'l right  |                    |
|--------------------------------|--|------|--------------------|-------------|--------------------|-------|--------------------|--------------|--------------------|
| MSRP \$43.00/link              |  |      | BL-LTS-GT2LINK     |             | BL-LTS-GT2LINK     |       | BL-LTS-GT2LINK     |              | BL-LTS-GT2LINK     |
| Long mounting bracket          |  | Left |                    | *Extra left |                    | Right |                    | *Extra right |                    |
| For Slot Mount MSRP \$43.00/ea |  |      | BL-LTS-GT2LSLOT-LH |             | BL-LTS-GT2LSLOT-LH |       | BL-LTS-GT2LSLOT-RH |              | BL-LTS-GT2LSLOT-RH |
| Hardware cover                 |  | Left |                    | *Extra left |                    | Right |                    | *Extra right |                    |
| MSRP \$31.00/ea                |  |      | BL-LTS-HCOVER      |             | BL-LTS-HCOVER      |       | BL-LTS-HCOVER      |              | BL-LTS-HCOVER      |

## 5 BodiLink head support hardware & pads

### 5.1 Premium pad size

HCPCS code: E0955 MSRP \$269.00/ea.

Length (L) refers to the actual size dimension of the support from bottom to top edge.

| Pad firmness |            |               |  |
|--------------|------------|---------------|--|
|              | Soft       | BL-HSP1-6W3L  |  |
|              | Extra Soft | BL-HSP2-6W3L  |  |
|              | Soft       | BL-HSP1-8W4L  |  |
|              | Extra Soft | BL-HSP2-8W4L  |  |
|              | Soft       | BL-HSP1-10W5L |  |
|              | Extra Soft | BL-HSP2-10W5L |  |
|              | Soft       | BL-HSP1-12W5L |  |
|              | Extra Soft | BL-HSP2-12W5L |  |
|              | Soft       | BL-HSP1-14W5L |  |
|              | Extra Soft | BL-HSP2-14W5L |  |
|              | Soft       | BL-HSP1-18W5L |  |
|              | Extra Soft | BL-HSP2-18W5L |  |



### 5.2 Premium pad cover material



For skin protection & shear reduction. Not fluid resistant.

#### COMFORT-TEK



For fluid protection & an easily cleaned surface.

#### STRETCH-AIR



For patient comfort & heat dissipation.

|  |                                     |
|--|-------------------------------------|
|  | GlideWear (GLIDEWEAR) (add \$30.00) |
|  | Comfort-Tek (COMFORT-TEK)           |
|  | Stretch-Air (STRETCH-AIR)           |

### 5.3 PT hardware


- You may make one selection per column.
- Choose PT hardware type in 5.3 A or B.
- If choosing A, select a stem size immediately after.

#### Range of motion

| PT model | Total # of links | Total link length | Max anterior reach | Max posterior reach | Max lateral reach |
|----------|------------------|-------------------|--------------------|---------------------|-------------------|
| MID 6    | 2                | 6"                | 5.5"               | 1"                  | N/A               |
| LAT 6    | 3                | 6"                | 5.5"               | 1"                  | 6"                |
| MID 8    | 2                | 8"                | 7.5"               | 1"                  | N/A               |
| LAT 8    | 3                | 8"                | 7.5"               | 1"                  | 8"                |
| MAX 8    | 4                | 8"                | 7.5"               | 3"                  | 8"                |

### A. PT hardware, removable


HCPCS E1028



| Shape  | MSRP     | Part number       |
|--------|----------|-------------------|
| MID 6  | \$254.00 | (BL-HS-PT1RMMID6) |
| LAT 6  | \$295.00 | (BL-HS-PT1RMLAT6) |
| MID 8  | \$254.00 | (BL-HS-PT1RMMID8) |
| LAT 8  | \$295.00 | (BL-HS-PT1RMLAT8) |
| MAX 8* | \$372.00 | (BL-HS-PT1RMMAX8) |

\*Provides the greatest amount of articulation and range of motion.

#### PT hardware, removable, stem length option




| Stem length      | MSRP   | Part number |
|------------------|--------|-------------|
| Standard 7" stem | \$0.00 | (HS-STEM-7) |
| **3" stem        | \$0.00 | (HS-STEM-3) |

\*\*3" Stem is recommended for use with power mounting where there may be special constraints with power chair functions.

B. PT hardware, flip-down  
HCPCS E1028


Flip-Down Hardware has 7" Stem



| Shape  | MSRP     | Part number       |
|--------|----------|-------------------|
| MID 6  | \$310.00 | (BL-HS-PT1FDMID6) |
| LAT 6  | \$353.00 | (BL-HS-PT1FDLAT6) |
| MID 8  | \$310.00 | (BL-HS-PT1FDMID8) |
| LAT 8  | \$353.00 | (BL-HS-PT1FDLAT8) |
| MAX 8* | \$405.00 | (BL-HS-PT1FDMAX8) |

\*Provides the greatest amount of articulation and range of motion.

5.4 Head support mounting option



BRACKET WITH MOUNTING BLOCK- ACTA-RELIEF 18W Shown Above For Non-Power Mount Only.



MOUNTING BLOCK- POSTERIOR A For Acta-Relief with Power Mount Only

| MOUNTING BLOCK OR BRACKET WITH MOUNTING BLOCK | MSRP    |
|-----------------------------------------------|---------|
| *ACTA-RELIEF 14W BRACKET WITH MOUNTING BLOCK  | \$84.00 |
| *ACTA-RELIEF 16W BRACKET WITH MOUNTING BLOCK  | \$84.00 |
| *ACTA-RELIEF 18W BRACKET WITH MOUNTING BLOCK  | \$84.00 |
| *ACTA-RELIEF 20W BRACKET WITH MOUNTING BLOCK  | \$84.00 |
| POSTERIOR A MOUNTING BLOCK                    | \$0.00  |

| PART NUMBER   |
|---------------|
| (HS-MB-AR14W) |
| (HS-MB-AR16W) |
| (HS-MB-AR18W) |
| (HS-MB-AR20W) |
| (HS-MB-POSTA) |

\*For Acta-Relief, includes mounting bracket and POSTA block.  
If you already have an Acta-Relief head support bracket, order POSTA Block

5.5 Extra hardware



| Link length    | MSRP    | Extra part       |
|----------------|---------|------------------|
| *Extra 2" link | \$65.00 | (BL-HS-PT1LINK2) |



|                |         |                  |
|----------------|---------|------------------|
| *Extra 3" link | \$65.00 | (BL-HS-PT1LINK3) |
|----------------|---------|------------------|



|                |         |                  |
|----------------|---------|------------------|
| *Extra 4" link | \$65.00 | (BL-HS-PT1LINK4) |
|----------------|---------|------------------|




| Toll-less wing lock | MSRP         | Extra part       | Extra part       | Extra part       | Extra part       |
|---------------------|--------------|------------------|------------------|------------------|------------------|
| *1 lock             | \$25.00/each | (BL-HS-52WINGA1) | (BL-HS-52WINGA1) | (BL-HS-52WINGA1) | (BL-HS-52WINGA1) |



| Additional        | MSRP         | Extra part    |
|-------------------|--------------|---------------|
| 1/4" spacer plate | \$43.00/each | (BL-HS-SPCRA) |

\*FOR PT HARDWARE ONLY



BRACKET- ACTA-RELIEF 18W Shown Above

| Bracket size              | MSRP     | Part number   |
|---------------------------|----------|---------------|
| *ACTA-RELIEF™ 14W bracket | \$173.00 | (BL-HS-AR14W) |
| *ACTA-RELIEF™ 16W bracket | \$173.00 | (BL-HS-AR16W) |
| *ACTA-RELIEF™ 18W bracket | \$173.00 | (BL-HS-AR18W) |
| *ACTA-RELIEF™ 20W bracket | \$173.00 | (BL-HS-AR20W) |

\*Bracket only, does not include mounting block.



| Additional        | MSRP         | Extra part    |
|-------------------|--------------|---------------|
| 1/4" spacer plate | \$43.00/each | (BL-HS-SPCRA) |

The following are trademarks and registered trademarks of Permobil Seating and Positioning: BodiLink®, COMFORT-TEK®, Compass®, and STRETCH-AIR®. GlideWear™ is a trademark of MIPs.