Page 1 of 8

ective July, 2021 (New Ite	ems in Red)		DUAL-TUBE RI	GID FRAME			Page
EALER INFORMATION	N			RTS INFORMATION	ON		
ealer:		Account #:		RTS:		Phone:	
0:		Ordered By:		Email:			
mail:		•		SHIP TO INFORM	MATION		
lark For:	1	User Weight:		Name:		Ship Via:	
iLite Sales Rep:				Address:			
iLite Information:		Promo Code:		City:		State:	Zip:
hip Date:		Order #:		Phone:		Fax:	Ζip.
<u> </u>		available through our Cr	oativo Mobility Div		ct customor sorvico fo		to viou ontion
	•	ermobil Manual Custo	,				•
FRAME STYLE		ermoon wandar custo	mer service rea	im at tilitesalese	permodificant of a	00.300.2413 / 303	.500.2-15
ATFS1		num Frame (Full Adjus	stability. 265 Pound	d Weight Limit. For I	Rear Seat Width 🐧 and	Seat Depth (3 of 15"	or
		For Rear Seat Width (1) a					£2,125
TAFS1		Frame (Full Adjustabil					CO 004
TRFS1		For Rear Seat Width 🚯 a. Frame Ultimate TiFIT					
mor		reater, use K0005. For Re					
THDR1	☐ Heavy Duty Fr	ame (Not Available with	TR Titanium Frame	. 350 Pound Weight	Limit. No charge when	20" Rear Seat Width	Ø
	and 20" Seat Depth Height Backrest, Bili	are selected. Includes let Aluminum Front Wheels	Tension Adjustable s. Shadow or Spine	by Straps Back Upl ergy SPOX Rear Wh	holstery. Requires Foldi eels. LX Rear Wheels o	ng Aluminum Adjustal Only available with 0 oi	ble r 2
	degree camber. Not	available with SuperLite E	Edition, Slipstream I	Fork, Velcro Adjusta	ble Upholstery, Open L	oop Footrest, V-Front	
TQST1		rks. otable Frame (350 Pour					£324
10311		Tension Adjustable by Straj	•	•	_	, -	
		eels, Shadow or Spinergy Lite Edition, Slipstream Fo					t
		Lite Edition, Silpstream Fo					£324
TRFR1	☐ Reinforced Fra	ame (No charge when 20	"Rear Seat Width	and 20" 0 Seat I	Depth are selected.)		£253
RAME FINISHES							
TFF1	☐ Satin (Available	with Titanium Frame only)					STD
	SCBT1 Satin F	inish Buffing Pads					£11
TFF3		um™ (Tattoos on front fra					
TFF45	- N 11 0	٠		TFF44	☐ Flower Garden		£257
111 40	Need for Speed			900	Michigan M	0 00000	
	Poo oo oo oo	S S S S S S S S S S S S S S S S S S S	unununu n	~ ~ G	RESIDENT N		
TFF43	☐ Mosaic						
		22 (54220) 27/ 2//	Tains B				
AME ENIGNES							
RAME FINISHES High Gloss F	Daint TEE0 C	Super Wet Black	☐ TFF10 TiLi	to Bod	☐ TFF29 Neon	Dink	
Metallic Pain		Ocean Blue Metallic	_	gerine Metallic	☐ TFF30 Acid G		
Pearlescent		Midnight Blue Pearl	☐ TFF18 Whi	•	= 111 00 7 1014 0	or our motamo	
Matte Paint		Black Lava	☐ TFF27 Tita	nium Grey			
Candy Paint		Ruby Red	☐ TFF23 Azu	re Blue	☐ TFF25 Electr		
	ed Paint TFF40	Hyper Blue	☐ TFF41 Flar	ne Orange	☐ TFF42 OD G	reen	STD
Matte Textur							
	PACKAGE						
OLOR ANODIZE I (Color Anodize	Package includes: Alu	ıminum Camber Tube (Co					14
OLOR ANODIZE F (Color Anodize	Package includes: Alu	ıminum Camber Tube (Co est Clamp, Caster Fork, Ca					lt
OLOR ANODIZE I (Color Anodize Footrest Clamp	Package includes: Alu , Caster Mount, Footre	est Clamp, Caster Fork, Ca	aster Cap and Agilit	ty Carbon Back clan	nps. If no anodize color	is selected, the defau	STD
OLOR ANODIZE I (Color Anodize Footrest Clamp	Package includes: Alu , Caster Mount, Footre	est Clamp, Caster Fork, Ca	aster Cap and Agilit	ty Carbon Back clan	nps. If no anodize color	is selected, the defau	STD
DLOR ANODIZE I (Color Anodize Footrest Clamp	Package includes: Alu , Caster Mount, Footre TANO1 Black TANO5 Sapphi	est Clamp, Caster Fork, Ca re	aster Cap and Agilit	ty Carbon Back clan	nps. If no anodize color	is selected, the defau	STD




TSW1 TSW2 □ 12" □ 13" □ 14" □ 15" □ 16" □ 17" □ 18" □ 19" STD


□ 20" (HCPCS code only applies to 20" Rear Seat Width •)_____£368


Effective November, 2020 (New Items in Red)

DUAL-TUBE RIGID FRAME

	IDIVIDUALIZED FRAME	
	NIDTH (SEAT TAPER)	
	te front frame tube. (Required with V-Front End ① . Not Available with Standard	Ħ
Front End $lacktriangle$.)		
TFSW1	□ No TaperSTD	
TFSW2	☐ 1" Taper (3" Narrower than Rear Seat Width ❹. Includes Tension Adjustable by	
9	Straps Seat Upholstery.) £209	
	☐ 2" Taper (4" Narrower than Rear Seat Width ② . Includes Tension Adjustable by	1 18
	Straps Seat Upholstery.) £209	
	Measure from front of back post to the front edge of seat sling. Frame	
	in front of seat sling unless Custom Frame Depth is specified, or the	
	specifications affect the rolling dynamics of the chair.	
	□ 12" □ 13" □ 14" □ 15" □ 16" □ 17" □ 18" □ 19" STD	
TSD2	□ 20" £388	11 景 廿
TSD3	□ 20"£388 □ Custom Frame Depth:" Frame Depth Longer or Shorter Than	
	Seat Depth (Measure from front of seat sling to beginning of frame bend. Ranges	
	rom 0.25" to 3" and can be given as specific as 1/4" increments. A negative Custom	() II]II
H	Frame Depth or specified above 3" may be available through our Creative Mobility	
I	Division. A Custom Frame Depth of 20" will have an additional charge)	Н
EDCONOMIC S	TEAT (I) Managers from front of book post to be signified of unward bond of a set tube	4"-10"
	SEAT (1) Measure from front of back post to beginning of upward bend of seat tube.	• 0
	TR Ergonomic Seat (Not available with Tension Adjustable Bolt On Seat	
	Upholstery)	/AT
	□ 5" (12.7cm) □ 6" (15.2cm) □ 7" (17.8cm) □ 8" (20.3cm) □ 9" (22.9cm)£306	
	☐ Aero T and TRA Ergonomic Seat (Center of Gravity adjustment may be	
	affected by this option. Not available with V-Front or Seat Taper, Seat Back that Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards,	
	rvnen Folded, Desk Arms, Deptin Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat, Tension Adjustable Bolt On Seat	
	Upholstery, or the Curve cushion.)	
	☐ 6" (15.2cm) (Minimum Seat Depth 1 12") ☐ 7" (17.8cm) (Minimum Seat Depth 1 12")	\\
	□ 8" (20.3cm) (Minimum Seat Depth ③ 13") £306	
	HEIGHT 0 Measure from floor to top of seat tube at front edge of seat sling.	
	□ 15" (38.1cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm)	
Į	□ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) □ 19.5" (49.5cm) □ 20" (50.8cm)	
	□ 20.5" (52.1cm) □ 21" (53.3cm) STD	
		П
REAR SEAT HE	EIGHT Measure from floor to top of seat tube at back post.	0
Rear Wheel \$	Size Rear Seat Height	0
20"	12.5"-20" (31.8-53.3 cm)	
22"	13.5"-20" (34.3-53.3 cm)	
24"	14.5"-20" (15" on AeroT/TRA) (36.8-53.3 cm)	_ G
25"	15.0"-20" (38.1-53.3 cm)	//
26"	15.5"-20" (38.1-53.3 cm)	
	1 ()	
TRSH1	☐ 13" (33cm) ☐ 13 5" (34 3cm) ☐ 14" (35 6cm) ☐ 14 5" (36 9cm) ☐ 15" (29 1cm)	
	□ 13" (33cm) □ 13.5" (34.3cm) □ 14" (35.6cm) □ 14.5" (36.8cm) □ 15" (38.1cm) □ 15.5" (39.4cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm)	
	□ 18" (45.7cm) □ 16 (40.6cm) □ 16.5 (41.9cm) □ 17 (43.2cm) □ 17.5 (44.5cm) □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) □ 19.5" (49.5cm) □ 20" (50.8cm)	\\ •
Ĺ	· , , , , , , , , , , , , , , , , , , ,	
	STD	
FRONT AND: T	Management from the form	
	• • Measure from frame front to floor.	
	□ 70° □ 75° □ 80° □ 85° (Not available with 6" Front Wheels.) □ 90° (Not	
á	available with 5" or 6" Front Wheels.)STD	
CEAT TO FOOT	FFOT A/FOOTFOTO Massaura from front adapt of south Front to the sound of	\bigcap
SEAT TO FOOT	TEST ③ / FOOTESTS Measure from front edge of seat sling to top rear of footrest.	() \
Standard Footr	rests Measurement must be at least 2" shorter than Front Seat Height .	
□ 13.5" (34.3cm) □ 14" (35.6cm) □ 14.5" (36.8cm) □ 15" (38.1cm) □ 15.5" (39.4cm) □ 16" (40.6cm)	1
	17" (43.2cm) □ 17.5" (44.5cm) □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm)	
, -, -, -,		
		Seat tape
	☐ Angle Adjustable FootrestSTD	from sea
	☐ Titanium Footrest w/Flat ABS Cover£145	post.
	☐ Titanium Open Loop Footrest £194	\
	☐ Flip-Back Footrest (Not available with ABS Cover with 2" Sides or Front Roller.) £160	\
	High Mount Footrest	V <i>)</i> [] [
	☐ 7"-9" ☐ 9"-11" ☐ 11"-13" Set at(Use 1/2" increments)	
L.	_ 1 -0	al la /
	☐ Angle Adjustable High Mount Footrest£75	V








Effective November, 2020 (New Items in Red)

DUAL-TUBE RIGID FRAME

TIFIT: TAILORED INDIVIDUALIZED FRAME

FOOTEST WIDTH ① or ② Select either a Standard Front End ① if no Seat Taper ① is selected or a V-Front End ② if a Seat Taper ① is selected.

		FOOTREST WIDTH (
REAR SEAT WIDTH () (Outside Measurement)	No Taper (2" Narrower than Rear Seat Width)	2" Taper (4" Narrower than Rear Seat Width)	4" Taper (6" Narrower than Rear Seat Width)
12"	□ 10"	□ 8"	
13"	□ 11"	□ 9"	
14"	□ 12"	□ 10"	□ 8"
15"	□ 13"	□ 11"	□ 9"
16"	□ 14"	□ 12"	□ 10"
17"	□ 15"	□ 13"	□ 11"
18"	□ 16"	□ 14"	□ 12"
19"	□ 17"	□ 15"	□ 13"
20"	□ 18"	□ 16"	□ 14"




TFE2 U-Front Taper £85

□ 9" (22.9cm) □ 10" (25.54m) □ 11" (27.9cm) □ 12" (30.5cm) □ 13" (33cm) □ 14" (35.6cm)

□ 15" (38.1cm)






SEAT BACK	TYPE/PUSH HANDLES/SEAT BACK HEIGHT () Measure from top of back	
	post to top of seat tube at rear of frame.	
TSB1	☐ Folding Aluminum Adjustable Height w/Precision Lock Back	STD
TSB2	☐ Folding Titanium Adjustable Height w/Precision Lock Back and Rounded Rigidizer Bar (Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)	£145
TSB15	Non-Folding Fixed Height Titanium with Rounded Rigidizer Bar (Not	


Available om Aero T or TRA. Titanium back will match Frame Finish. Not available with Push Handles.)

TISHAFT™ B	ACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.))
TSB3	□ Aluminum	STD
	☐ Carbon Fiber	

PUSH HANDLES

TSB6	☐ Integrated Push Handles	NCO
TSB7	☐ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps	
	Back Upholstery.)	£85
TSB8	☐ Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available	
	with Ti Back.)	£145
TSB9	☐ Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidize	r
	Bar. Not available with Ti Back.)	£249





Page 3 of 8

2-1/2"

DUAL-TUBE RIGID FRAME

TiFit: TAILORED INDIVIDUALIZED FRAME

FOLDING SEAT BACK HEIGHT 🔁 (TSB1 and TSB)	FOLDING	SEAT	BACK	HEIGHT (3)	(TSB1 a	and TSB2
---	---------	------	------	------------	---------	----------

Push Handles (Selected Above)	Short	Medium	Tall	Set at: (Use ½" increments)
None/ Bolt-On	□ 9.5"-12.5"	□ 13"-17.5"	□ 17"-21.5"	Set at:
Integrated	□ 11.5"-13.5"	□ 14.5"-17.5"	□ 18.5"-21.5"	Set at:
Integrated Fold- Down	□ 14"-16.5"	□ 15"-19.5"	□ 19.5"-22"	Set at:

NON-FOLDING, FIXED-HEIGHT @ TITANIUM SEAT BACK with Rounded Rigidizer Bar (TSB15) (Not available on Aero T or TRA. Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.) □ 5" (12.7cm) □ 5.5" (14cm) □ 6" (15.2cm) □ 6.5" (16.5cm) 7" (17.8cm) □ 7.5" (19.1cm) ■ 8"(20.3cm) □ 8.5" (21.6cm) □ 9" (22.9cm) □ 9.5" (24.1cm) □ 10" (25.4cm) □ 10.5" (26.7cm) □ 11" (27.9cm) □ 11.5" (29.2cm) □ 12" (30.5cm) □ 12.5" (31.8cm) □ 13" (33cm) □ 13.5" (34.3cm) □ 14" (35.6cm) □ 14.5" (36.8cm) □ 15" (38.1cm) □ 15.5"(39.4cm) □ 16" (40.6cm) □ 16.5" (41.9cm) □ 17" (43.2cm) □ 17.5" (44.5cm) □ 18" (45.7cm) □ 18.5" (47cm) □ 19" (48.3cm) □ 19.5" (49.5cm) □ 20" (50.8cm) **AVAILABLE ON ALL BACKS** TSB11 □ Backrest that Locks when Folded (Not available with Ergonomic Seat.) ______STD TSB12 ☐ 4" Deep Backrest Rigidizer Bar (Not available with a Non-Folding, Fixed Height Titanium Seat Back Type, 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.). NCO **SEAT BACK ANGLE ()** Measure angle from front of back post to floor. Folding Back TSBA1 □ 80° □ 83° □ 86° □ 89° □ 92° □ 95° □ 98° □ 101°......STD TSBA1 **Non-Folding Back** □ 80° □ 81° □ 82° □ 83° □ 84° □ 85° □ 86° □ 87° □ 88° □ 89° □ 90° □ 91° □ 92° □ 93° □ 94° □ 95° □ 96° □ 97° □ 98° □ 99° □ 100° □ 101° NCO CENTER OF GRAVITY Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position. TCOG1 □ 1" (2.5cm) □ 1.25" (3.2cm) □ 1.5" (3.8cm) □ 1.75" (4.4cm) □ 2" (5.1cm) □ 2.25" (5.7cm) □ 2.5" (6.4cm) □ 2.75" (7cm) □ 3" (7.6cm) □ 3.25" (8.3cm) □ 3.5" (8.9cm) □ 3.75" (9.5cm) □ 4" (10.2cm) □ 4.25" (10.8cm) □ 4.5" (11.4cm) □ 4.75" (12.1cm) □ 5"(12.7cm) **STD** REAR WHEEL SPACING **①/PLUGS** Measure from outside of seat back post to inside of rear tire. TRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber (3). Ergonomic Seat selection may limit available center of gravity. TRWS1 □ 0.75" □ 1" □ 1.25" **STD** TCBR12 ☐ Adjustable Rear Wheel Spacing Camber Plugs (Not available with Power TCBR9 TCBR11 **SEAT UPHOLSTERY** ☐ Tension Adjustable Bolt On (Not available with Ergonomic Seat or Tapered Seat ⑥ . Black only.) TSUP1 ☐ Tension Adjustable by Straps (Standard with Ergonomic Seat and FSW (Seat Taper) of 1", 2" or 3". Black upholstery only.) £127 TSUP2 □ Aluminum Solid Seat (Not available with 10" or 11" Rear Seat Width ② or Ergonomic Seat ②.) £209 TSUP8 TSUP0 □ Omit Seat Upholstery NCO CAMBER **(3**/CAMBER TUBES TCBR1 □ 0° □ 2° □ 4° □ 6° (8° of Camber **®** may be available through our Creative Mobility Division.). TCBR15 □ Aluminum Camber Tube. TCBR3

CUSTO

OM CONFI	IGURATION OPTIONS	
FRONT WH	HEELS	
TFW24	□ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub£	130
TFW14	□ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.)	1CO
TFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.)	:60
TFW26	4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty	
	Frame.)	70
TFW27	□ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub£	137
TFW6	□ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle ①, Slipstream Fork, Glide™ Single-Sided Fork or Power	
	Adaptable Frame.)	1CO
TFW28	🖵 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle 📵 or Power Adaptable Frame.) £	

CUSTOM CONFIGURATION OPTIONS □ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub (Not available with 90° TFW30 Front Angle (0.) £152 TFW9 □ 6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle ●, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) NCO TFW32 □ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle ①, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.) £75 ☐ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 85° or TFW33 90° Front Angle **①**, Slipstream Fork, Glide™ Single-Sided Fork.). £160 PRECISION LOCK FRONT FORKS TFK1 ☐ TiLite Standard Fork______STD ☐ TiLite Slipstream Single-Sided Fork (Not available with Power Adaptable Frame.). TFK2 □ Out-Front Glide™ Suspension Fork (Black anodize only.)_____£358 TGL1 Rider's Weight: □ 125 lbs. □ 125-180 lbs. □ 180-265 lbs. TTFS1 ☐ Titanium Fork Stem________£40 STANDARD REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height 10 limitations.) TRW14 TiLite SHADOW™______STD □ 20"(451) **22**"(501) □ 24"(540) □ 25"(559) (Requires 15" minimum Seat Depth ③.) □ 26"(590) (Requires 15" minimum Seat Depth ③.) PERFORMANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height ® limitations.) TRW7 □ 22"(501) - Std. Hub □ 24"(540) - Std. Hub □ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ③.) ☐ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth 3. Not available with Quad Release Axles.) Spinergy LX □ Black □ Red □ Blue □ White □ Bright Orange □ Flamingo Pink ______£628 TRW8 □ 22"(501) - Std. Hub □ 24"(540) - Std. Hub □ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ③.) □ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth 10. Not available with Quad Release Axles.) **TRW16** Spinergy Carbon Blade (Not available with Heavy Duty Frame, Natural-Fit or Natural-Fit LT with Standard Grip or Super Grip.) £953 □ 25"(559) (Requires 15" minimum Seat Depth **③**.) TRW17 X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.) £82 **2**0"(451) **22**"(501) **2**4"(540) **AXLES** ☐ Stainless Quick Release STD TAXL1 TAXL2 ☐ Titanium Quick Release_______£186 □ Quad Release (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)_____£115 TAXL3 PNEUMATIC REAR TIRES TRTR1 ☐ Treaded (Not available with 25"(559) or 20" (451) Rear Wheels.)________STD □ Airless Inserts (Not available with Spinergy Carbon Blade Rear Wheels.)______£70 TRTR2 □ 25"(559) Primo Treaded (Standard with 25"(559) Rear Wheels.)_______STD TRTR3 TRTR4 □ 24"(540), 25"(559) and 26"(590) Primo Sentinel £97 TRTR30 □ 24"(540), 25"(559) and 26"(590) Schwalbe⊚Marathon Plus Evolution £78 TRTR8 TRTR9 □ 24"(540) and 25"(559) Schwalbe_® Slick______**£78** □ 24"(540) Kenda Kobra Knobby £60 TRTR24 SOLID REAR TIRES (Not available with Spinergy Carbon Blade Rear Wheels.) TRTR22 □ 20"(451), 22"(501), 24"(540) and 25"(559) Primo Express. £82 TRTR23 □ 24"(540) and 25"(559) Primo Active______£100 **HANDRIMS** Handrims by OUT-FRONT® □ Aluminum – Silver Anodized______STD TRIM1 TRIM21 □ Aluminum – Black Anodized (Not available with 20"(451) Rear Wheels.) £40 TRIM12 ☐ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.).

CUSTOM CONFIGURATION OPTIONS ☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.) £272 TRIM10 ☐ The Surge LT (All-In-One Oval with Gription™ Strip, Smaller Profile) (Not available with 20"(451) Rear Wheels.)......£294 TRIM11 □ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451)Rear Wheels.) £249 TRIM20 The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.) ☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) £264 TRIM14 □ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)....£298 TRIM15 TRIM16 ☐ Without Thumb Grip_______£246 The Natural-Fit LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.) TRIM17 ☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) £286 □ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)______£324 TRIM18 TRIM19 □ Without Thumb Grip_____£268 **Additional Handrim Options** TRIM5 □ Plastic Coated – Black £97 TRIM22 □ Omit Handrims NCO **Tab Length** TRIM7 □ Long Tabs_____STD ☐ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)......£15 TRIM8 WHEEL LOCKS Wheel Locks by OUT-FRONT® □ Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing • only.)______NCO TWI K7 TWI K8 □ Extension Handles for Compact Composite Push/Pull to Lock_____£67 TWLK10 TWLK9 □ Composite Scissor Lock_____£108 **Additional Wheel Locks** Uni-Lock Set At: ☐ Push **OR** ☐ Pull £122 TWLK3 TWLK4 □ Extension Handles for Uni-Lock £67 TWLK15 ☐ Grade Aids Push to Lock (Not available with solid rear tires) £134 SIDE GUARDS **Aluminum** TSDG2 ☐ Rigid Removable □ Small **OR** □ Std______£145 TSDG3 ☐ Quad Removable w/Hole □ Small OR □ Std______£152 □ Small OR □ Std (Not available with Ergonomic Seat.)_____£249 TSDG4 ☐ Fold Down Rigid TSDG6 ☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height **①** of 14.5" to 18.5".) £249 **SIDE GUARDS (CONTINUED)** Carbon Fiber TSDG7 □ Rigid Removable □ Small **OR** □ Std £227 □ Quad Removable w/Hole □ Small OR □ Std.....£234 TSDG8 TSDG9 ☐ Fold Down Rigid ☐ Small OR ☐ Std (Not available with Ergonomic Seat or Carbon Edition.) £339 ☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height **①** of 14.5" to 18.5".) TSDG11 □ NEW Fendered Removable £335 TSDG12 Available on Aluminum and Carbon Fiber Non-Fendered Side Guards TSDG13 □ Side Guards Custom Cut to Profile of Rear Wheels £231 ARMRESTS (Desk Arms come with built-in Side Guards.) TARM1 Swing Away Tubular 🗆 6.5" to 9.5" OR 🗅 9.5" to 12.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.) £160 □ Swing Away - Flip Back Tubular 8.5" to 11.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back.) £231 TARM4 TARM2 Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth 19. Not available with Ergonomic Seat.) £249 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") TARM3 Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth 19. Not Available with Ergonomic Seat.) £272 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") **Available Armrest Option** TARM5 ☐ Covered in Black Ultrasuede (Not available with Desk Arms).

CUSTOM CONFIGURATION OPTIONS

SEAT BELTS		
TBLT1	□ Velcro Adjustable, Black Nylon Webbing	£33
TBLT2	□ Bodypoint® 2" Push-Button Buckle (Auto-Style.)	£75
TBLT4	□ Bodypoint® 1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths @ .)	£137
TBLT5	□ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths ②.)	
TBLT10	☐ Bodypoint® Optional Band Clamp Mounting Hardware	
TBLT16	□ Bodypoint® EvoFlex® Pelvic Stabilizer Push Button	£142
CALF STRAP		526
TCLFZ	Velcro Adjustable. ☐ Small (Recommended for 9" - 12" Footrest Widths.)	2.20
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)	
	□ Large (Recommended for 14" - 17" Footrest Widths.)	
	☐ Xtra Large (Recommended for 16"- 19" Footrest Widths.)	
TCLF3	Bodypoint® Padded Velcro Adjustable	£78
. 52. 5	☐ Medium (Recommended for 11"-15" Footrest Widths.)	
	□ Large (Recommended for 16"- 19" Footrest Widths.)	
TCLF1	o (£18
SEAT CUSH	 □ Buckle Adjustable, Black Nylon Webbing ION (Cushions & Backrest are not available on EZ-Ti for UK customers these will be ordered separately to the □ Comfort Curve Cushion 	chair £60
	□ ROHO Airlite Cushion.	
	□ ROHO Quadtro Select Low Profile	£482
BACKPACK	□ ROHO Agility Min Contour Backrest(other backrest options available on request)	£515
TBCK3	□ Black Permobil Backpack	£70
SEAT POUCH	1	
TPCH3	□ Black Permobil Seat Pouch	£40
TPCH4	□ Bodypoint® Mobility Bag	£78
SPOKE GUAI		
TGRD1	☐ Clear Lexan with TiMotion Logo (Not available with Mag Rear Wheels.).	£97
ANTI-TIPS		
TTIP1	□ Rear Aluminum - Black	
TTIP7	□ Black Aluminum Single	
TTIDO	Mount on ☐ Left Side or ☐ Right Side	
TTIP2 TTIP8	☐ User Friendly Flip-up (Not available with Frog Legs® Rear Suspension.)	
TIPO	□ User Friendly Flip-up Single Mount on □ Left Side or □ Bight Side	
	Mount on ☐ Left Side or ☐ Right Side	NCO
ACCESSORIE		
TUEST1	Upper Extremity Support Tray □ 12" to 14" OR □ 13" to 15" Seat Widths () (Requires Armrests.)	
TLUG1	☐ Luggage Carriers	
TMPCT2	Neoprene Impact Guards with Ultrasuede Stripe ☐ Black	
TCH1	□ Crutch Holder	£108

International TiLite **T-Series** Order Form


Effective November, 2020 (New Items in Red)

DUAL-TUBE RIGID FRAME


Page 8 of 8

FRAME NOTES

The rear frame for a TR will be square when the Center of Gravity (1) measurement is less than 3.5". Aero T and TRA will always be a Rounded Rear Frame



A. Round Rear Frame



B. Square Rear Frame

GENERAL

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or click here to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle Gmbh. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMPORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.



QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR