Order form

Custom Comfort Unite 1 Wing back support



Dealer Name*: _____ Account #*: _____

City, Province, Post Code: _____

Phone: _____ Email: _____

ATP: _____ Rep Name: _____

P.O. Number: _____ Quote Number: _____

Client Reference*: _____ Client Weight: _____

***Required field**

Special considerations that need to be addressed here (e.g., diagnosis):

_____

Notes | *Refer to reference pages at end of order form for additional information and images.*

Seating system measurements

Seating system measurements are for reference only and do not affect selections made throughout the order form.

A - Back support width

B- Back support length

C - Width between lateral trunk supports


D - Width between lateral thigh supports

E - Seat width

F - Seat depth

G - Effective seat depth

H - Lateral trunk support height



Custom Unite 1 Wing Back Support

Part number: C-U1W-BSXXWYYL.

Length	12”	14”	16”	18”	20”	22”	24”	26”	28”
22”			☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00
20”		☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00
18”	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00
16”	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00
14”	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00
12”	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00	☐ $ 2,200.00		

Width

12”W x 16”L, and 12”W x 18”L not available with power mount hardware. 12L, 14L and 12W not available with direct mount hardware. 24” wide back supports require 4 point, power mount hardware or direct mount hardware.

Cover material selection | *Required, choose one. For back supports with custom ROHO insert, the four-way stretch cover needs to be selected.*

☐	CCD-COMFORT-TEK	**COMFORT-TEK** *For fluid protection, an easily cleaned surface*	NC
☐	CCD-DIAMOND-SPACER	**Diamond Spacer** *For comfort and heat dissipation, not a fluid resistant material*	NC
☐	CCD-GLIDEWEAR-DIAMOND	**Diamond Spacer with GlideWear** *For skin protection and shear reduction, not a fluid resistant material*	$ 85.00

Custom foam selection


Select only one type of foam per layer. | *1/4” Crosslink foundation layer will come standard on all back supports. For other foam combinations, call Customer Experience at 800-736-0925.*

Standard foam configuration:


12"-14" wide
0.25" Crosslink base layer
0.75" Comfort Medium foam

16"-28" wide
0.25" Crosslink base layer
1.25" Comfort Medium foam


Rear layer
REQUIRED
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00



Middle layer
OPTIONAL
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00



Topper layer
OPTIONAL
H.R. MSRP $0.00
Comfort MSRP $160.00
Visco MSRP $225.00




Foam type	Rear layer 1/4”	Rear layer 1/2”	Rear layer 3/4”	Rear layer 1”	Rear layer 1 1/4”	Middle layer 1/4”	Middle layer 1/2”	Middle layer 3/4”	Middle layer 1”	Middle layer 1 1/4”	Topper layer 1/4”	Topper layer 1/2”	Topper layer 3/4”	Topper layer 1”	Topper layer 1 1/4”
H.R. Medium	☐ CCD-REAR-HRM-0.25	☐ CCD-REAR-HRM-0.50	☐ CCD-REAR-HRM-0.75	☐ CCD-REAR-HRM-1.00	☐ CCD-REAR-HRM-1.25	☐ CCD-MID-HRM-0.25	☐ CCD-MID-HRM-0.50	☐ CCD-MID-HRM-0.75	☐ CCD-MID-HRM-1.00	☐ CCD-MID-HRM-1.25	☐ CCD-TOP-HRM-0.25	☐ CCD-TOP-HRM-0.50	☐ CCD-TOP-HRM-0.75	☐ CCD-TOP-HRM-1.00	☐ CCD-TOP-HRM-1.25
H.R. Soft	☐ CCD-REAR-HRS-0.25	☐ CCD-REAR-HRS-0.50	☐ CCD-REAR-HRS-0.75	☐ CCD-REAR-HRS-1.00	☐ CCD-REAR-HRS-1.25	☐ CCD-MID-HRS-0.25	☐ CCD-MID-HRS-0.50	☐ CCD-MID-HRS-0.75	☐ CCD-MID-HRS-1.0	☐ CCD-MID-HRS-1.25	☐ CCD-TOP-HRS-0.25	☐ CCD-TOP-HRS-0.50	☐ CCD-TOP-HRS-0.75	☐ CCD-TOP-HRS-1.00	☐ CCD-TOP-HRS-1.25
Comfort Medium	☐ CCD-REAR-COM-0.25	☐ CCD-REAR-COM-0.50	☐ CCD-REAR-COM-0.75	☐ CCD-REAR-COM-1.00	☐ CCD-REAR-COM-1.25	☐ CCD-MID-COM-0.25	☐ CCD-MID-COM-0.50	☐ CCD-MID-COM-0.75	☐ CCD-MID-COM-1.00	☐ CCD-MID-COM-1.25	☐ CCD-TOP-COM-0.25	☐ CCD-TOP-COM-0.50	☐ CCD-TOP-COM-0.75	☐ CCD-TOP-COM-1.00	☐ CCD-TOP-COM-1.25
Comfort Soft	☐ CCD-REAR-COS-0.25	☐ CCD-REAR-COS-0.50	☐ CCD-REAR-COS-0.75	☐ CCD-REAR-COS-1.00	☐ CCD-REAR-COS-1.25	☐ CCD-MID-COS-0.25	☐ CCD-MID-COS-0.50	☐ CCD-MID-COS-0.75	☐ CCD-MID-COS-1.00	☐ CCD-MID-COS-1.25	☐ CCD-TOP-COS-0.25	☐ CCD-TOP-COS-0.50	☐ CCD-TOP-COS-0.75	☐ CCD-TOP-COS-1.00	☐ CCD-TOP-COS-1.25
Visco Medium		☐ CCD-REAR-VIS-M-0.50		☐ CCD-REAR-VIS-M-1.00			☐ CCD-MID-VIS-M-0.50		☐ CCD-MID-VIS-M-1.00			☐ CCD-TOP-VIS-M-0.50		☐ CCD-TOP-VIS-M-1.00	
Visco Soft		☐ CCD-REAR-VIS-S-0.50		☐ CCD-REAR-VIS-S-1.00			☐ CCD-MID-VIS-S-0.50		☐ CCD-MID-VIS-S-1.00			☐ CCD-TOP-VIS-S-0.50		☐ CCD-TOP-VIS-S-1.00	
Visco X-Soft		☐ CCD-REAR-VIS-XS-0.50		☐ CCD-REAR-VIS-XS-1.00			☐ CCD-MID-VIS-XS-0.50		☐ CCD-MID-VIS-XS-1.00			☐ CCD-TOP-VIS-XS-0.50		☐ CCD-TOP-VIS-XS-1.00	
Visco XX-Soft		☐ CCD-REAR-VIS-XXS-0.50		☐ CCD-REAR-VIS-XXS-1.00			☐ CCD-MID-VIS-XXS-0.50		☐ CCD-MID-VIS-XXS-1.00			☐ CCD-TOP-VIS-XXS-0.50		☐ CCD-TOP-VIS-XXS-1.00	

Back support options

Moldable aluminum stays | *This back support comes standard with two patented aluminum stays that can be molded to support spinal curvature. A standard alignment of the moldable stays will be chosen based on back support width if you choose not to select a specific width between the stays.*

Note: The stays are accessible while the user is seated against the back support through the zipper located at the top of the back support.


- ☐ A = 1” (CCD-STAY-1.0)
- ☐ A = 1 1/2” (CCD-STAY-1.5)
- ☐ A = 2” (standard alignment) (CCD-STAY-2.0)
- ☐ A = 2 1/2” (CCD-STAY-2.5)
- ☐ A = 3” (CCD-STAY-3.0)
- ☐ A = 3 1/2” (CCD-STAY-3.5)
- ☐ A = 4” (CCD-STAY-4.0)
- ☐ A = 4 1/2” (CCD-STAY-4.5)
- ☐ Specify custom spacing (CCD-STAY-OTHER)
- ☐ None (CCD-STAY-NONE)



Thoracic Wing Placement

Mid Layer Foam Removal | *Optional. This selection will remove the mid layer(if one is selected) on the both thoracic wings.*

☐ CD-WING-REMOVE-MID **Midl Layer foam removal on wings** $ 180.00
Removing mid layer of foam can provide more internal trunk width



C = Thoracic wing height (foam included)

Custom wing placement restrictions

Custom wing placement is NOT available with 4PT or Direct Mount Hardware OR on 12"L and 14"L back supports

- **C = 9"** on 16"L is only available with Power Mount Hardware
- **C = 16"** on 16"L only available with 7"D and 9"D wings
- **C = 13"** on 16"L with 2PT Hardware only available with 7"D and 9"D wings
- **C = 14"** on 16"L with 2PT Hardware only available with 3"D and 5" D wings
- **C = 18"** not available on 16"L or 18"L back supports
- **C = 17"** not available on 16"L back supports

Standard Wing Placement				
	Back Support Length			
	16"L	18"L	20"L	22"L
Wing Height C =	12"	13"	14"	15"

Left Wing

☐ CD-WING-L-OMIT **Omit left wing** $ 0.00

Wing size

Wing placement	3”D x 5”L	5”D x 6”L	7”Dx7”L	9”D x 7”L	
Standard*	☐ CCD-WING-L-3D STND	☐ CCD-WING-L-5D-STND	☐ CCD-WING-L-7D-STND	☐ CCD-WING-L-9D-STND	$0.00
C = 8”	☐ CCD-WING-L-3D-8	☐ CCD-WING-L-5D-8	☐ CCD-WING-L-7D-8	☐ CCD-WING-L-9D-8	$450.00
C = 9”	☐ CCD-WING-L-3D-9	☐ CCD-WING-L-5D-9	☐ CCD-WING-L-7D-9	☐ CCD-WING-L-9D-9	$450.00
C = 10”	☐ CCD-WING-L-3D-10	☐ CCD-WING-L-5D-10	☐ CCD-WING-L-7D-10	☐ CCD-WING-L-9D-10	$450.00
C = 11”	☐ CCD-WING-L-3D-11	☐ CCD-WING-L-5D-11	☐ CCD-WING-L-7D-11	☐ CCD-WING-L-9D-11	$450.00
C = 12”	☐ CCD-WING-L-3D-12	☐ CCD-WING-L-5D-12	☐ CCD-WING-L-7D-12	☐ CCD-WING-L-9D-12	$450.00
C = 13”	☐ CCD-WING-L-3D-13	☐ CCD-WING-L-5D-13	☐ CCD-WING-L-7D-13	☐ CCD-WING-L-9D-13	$450.00
C = 14”	☐ CCD-WING-L-3D-14	☐ CCD-WING-L-5D-14	☐ CCD-WING-L-7D-14	☐ CCD-WING-L-9D-14	$450.00
C = 15”	☐ CCD-WING-L-3D-15	☐ CCD-WING-L-5D-15	☐ CCD-WING-L-7D-15	☐ CCD-WING-L-9D-15	$450.00
C = 16”	☐ CCD-WING-L-3D-16	☐ CCD-WING-L-5D-16	☐ CCD-WING-L-7D-16	☐ CCD-WING-L-9D-16	$450.00
C = 17”	☐ CCD-WING-L-3D-17	☐ CCD-WING-L-5D-17	☐ CCD-WING-L-7D-17	☐ CCD-WING-L-9D-17	$450.00
C = 18”	☐ CCD-WING-L-3D-18	☐ CCD-WING-L-5D-18	☐ CCD-WING-L-7D-18	☐ CCD-WING-L-9D-18	$450.00

Right Wing | *Required. Please select standard placement if custom height placement of lateral is not needed.*

☐ CD-WING-R-OMIT **Omit right wing** $ 0.00

Wing placement	3”D x 5”L	5”D x 6”L	7”Dx7”L	9”D x 7”L	
Standard*	☐ CCD-WING-R-3D-STND	☐ CCD-WING-R-5D-STND	☐ CCD-WING-R-7D-STND	☐ CCD-WING-R-9D-STND	$0.00
C = 8”	☐ CCD-WING-R-3D-8	☐ CCD-WING-R-5D-8	☐ CCD-WING-R-7D-8	☐ CCD-WING-R-9D-8	$450.00
C = 9”	☐ CCD-WING-R-3D-9	☐ CCD-WING-R-5D-9	☐ CCD-WING-R-7D-9	☐ CCD-WING-R-9D-9	$450.00
C = 10”	☐ CCD-WING-R-3D-10	☐ CCD-WING-R-5D-10	☐ CCD-WING-R-7D-10	☐ CCD-WING-R-9D-10	$450.00
C = 11”	☐ CCD-WING-R-3D-11	☐ CCD-WING-R-5D-11	☐ CCD-WING-R-7D-11	☐ CCD-WING-R-9D-11	$450.00
C = 12”	☐ CCD-WING-R-3D-12	☐ CCD-WING-R-5D-12	☐ CCD-WING-R-7D-12	☐ CCD-WING-R-9D-12	$450.00
C = 13”	☐ CCD-WING-R-3D-13	☐ CCD-WING-R-5D-13	☐ CCD-WING-R-7D-13	☐ CCD-WING-R-9D-13	$450.00
C = 14”	☐ CCD-WING-R-3D-14	☐ CCD-WING-R-5D-14	☐ CCD-WING-R-7D-14	☐ CCD-WING-R-9D-14	$450.00
C = 15”	☐ CCD-WING-R-3D-15	☐ CCD-WING-R-5D-15	☐ CCD-WING-R-7D-15	☐ CCD-WING-R-9D-15	$450.00
C = 16”	☐ CCD-WING-R-3D-16	☐ CCD-WING-R-5D-16	☐ CCD-WING-R-7D-16	☐ CCD-WING-R-9D-16	$450.00
C = 17”	☐ CCD-WING-R-3D-17	☐ CCD-WING-R-5D-17	☐ CCD-WING-R-7D-17	☐ CCD-WING-R-9D-17	$450.00
C = 18”	☐ CCD-WING-R-3D-18	☐ CCD-WING-R-5D-18	☐ CCD-WING-R-7D-18	☐ CCD-WING-R-9D-18	$450.00

Back support options

Mounting Hardware | *Required, choose one.*

Compass 4 Quick Release
☐ Quick Release 2 Point (CCD-Q-COMPASS) ☐ Quick Release 4 Point (CCD-Q-COMPASS4) NC

Compass 4 Fixed
☐ Fixed 2 Point (CCD-NQ-COMPASS) ☐ Fixed 4 Point (CCD-NQ-COMPASS4) NC

Compass Power Mount
☐ Permobil w/ Corpus 3G (CCD-PMB-PERMOBIL) $ 125.00
☐ Quantum w/ Tru Balance 3 or 4 (CCD-PMB-QUANTUM)
☐ Quickie w/ 3.7 Power (CCD-PMB-QUICKIE)
☐ Avid Rehab w/ Power T & R (CCD-PMB-AVID)
☐ ROVI w/ Motion Concepts (CCD-PMB-ROVI)

Using Power Mount hardware on ROVI requires mounting to the recessed planar interface plate available when ordering the Motion Concepts seating system. Drilling is required for mounting.

Permobil Direct Mount
☐ Permobil Direct Mount (CCD-DIRECT-MOUNT) $ 125.00

Includes Unitrack assembly

Color Piping | *Optional. If no color is selected, the standard silver reflective piping is used.*

Choose one	☐ Remove (CCD-REMOVE) ☐ Red (CCD-RED) ☐ Purple (CCD-PURPLE) ☐ Pink (CCD-PINK) ☐ Blue (CCD-BLUE) ☐ Green (CCD-GREEN) ☐ Orange (CCD-ORANGE)	NC

Embroidery | *Optional, not available with GlideWear or four-way stretch cover. Includes corresponding color zipper pull.*

Thread color	☐ Red (CCD-EMB-RED) ☐ Purple (CCD-EMB-PURPLE) ☐ Pink (CCD-EMB-PINK) ☐ Blue (CCD-EMB-BLUE) ☐ Orange (CCD-EMB-ORANGE) ☐ Green (CCD-EMB-GREEN) ☐ Silver (CCD-EMB-SILVER)	NC
Font	☐ Helvetica (CCD-EMB-HELVETICA) ☐ Garamond (-EMB-GARAMOND) ☐ Impress (CCD-EMB-IMPRESS) ☐ Kaufmann (CCD-EMB-KAUFMANN)	NC
Word one	☐ Input is case sensitive:	NC
Word two (optional)	☐ Input is case sensitive:	NC

Font styles

HELVETICA
GARAMOND
Impress
Kaufmann

Other Accessories | *Optional*

☐ CCD-PV-SHIELD	**Privacy Shield** *Connects with hook & loop attachment*	$ 85.00

BodiLink premium head support & hardware

Optional, if selecting must choose pad size, foam selection, cover, and mounting hardware.

Pad size and foam selection

Pad size	Soft	Extra soft	
6”W x 3”L	☐ BL-HSP1-6W3L	☐ BL-HSP2-6W3L	$ 260.00
8”W x 4”L	☐ BL-HSP1-8W4L	☐ BL-HSP2-8W4L	$ 260.00
10”W x 5”L	☐ BL-HSP1-10W5L	☐ BL-HSP2-10W5L	$ 260.00
12”W x 5”L	☐ BL-HSP1-12W5L	☐ BL-HSP2-12W5L	$ 260.00
14”W x 5”L	☐ BL-HSP1-14W5L	☐ BL-HSP2-14W5L	$ 260.00
18”W x 5”L	☐ BL-HSP1-18W5L	☐ BL-HSP2-18W5L	$ 260.00

Cover options

☐ COMFORT-TEK	**COMFORT-TEK** *For fluid protection & an easily cleaned surface*	NC
☐ STRETCH-AIR	**STRETCH-AIR** *For comfort & heat dissapation*	NC
☐ GLIDEWEAR	**GlideWear** *For skin protection & shear reduction. NOT fluid resistant*	$ 87.00

PT hardware, removable

☐ BL-HS-PT1RMMID6	**Mid 6**	$ 373.00
☐ BL-HS-PT1RMLAT6	**Lat 6**	$ 489.00
☐ BL-HS-PT1RMMID8	**Mid 8**	$ 373.00
☐ BL-HS-PT1RMLAT8	**Lat 8**	$ 489.00
☐ BL-HS-PT1RMMAX8	**Max 8**	$ 545.00

Stem length option | *For removable PT hardware only.*

☐ HS-STEM-7	**Standard 7” stem**	NC
☐ HS-STEM-3	**3”stem (recommended for use with power mounting where there may be constraints)**	NC

PT hardware, flip down | *Flip down hardware has 7” stem.*

☐ BL-HS-PT1FDMID6	**Mid 6**	$ 419.00
☐ BL-HS-PT1FDLAT6	**Lat 6**	$ 530.00
☐ BL-HS-PT1FDMID8	**Mid 8**	$ 419.00
☐ BL-HS-PT1FDLAT8	**Lat 8**	$ 530.00
☐ BL-HS-PT1FDMAX8	**Max 8**	$ 591.00

Mounting option

☐ HS-MB-POSTA	**Posterior A (For Compass 4 and Compass Power Mount hardware)**	NC
☐ HS-MB-PW2C	**Permobil C (For Permobil Direct Mount only)**	$ 155.00

Additional hardware options | *Priced per selection.*

Extra link for PT hardware	☐ Extra 2” link (BL-HS-PT1LINK2)	☐ Extra 3” link (BL-HS-PT1LINK3)	$ 114.00
	☐ Extra 4” link (BL-HS-PT1LINK4)		
☐ BL-HS-52WINGA1	**Tool-less wing lock for PT hardware** *Enter desired number.*		$ 47.00
☐ BL-HS-SPCRA	**1/4 Spacer Plate**		$ 87.00

Additional Order Instructions (for Permobil):

Notes & Comments (not for Permobil):

Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, , am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of seating and positioning products and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____


Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.


References

Section 1 | *Hardware options*

Compass 4 quick release




Compass 4 fixed




Compass power mount


Power mount hardware has 8" of height adjustment in ½" increments without using tools.



4-point



Section 2 | *Accessories*




Privacy shield

Provides coverage between the bottom of the back support to the seat base of their wheelchair. Attaches directly to the canes of a wheelchair.


Permobil Direct Mount

For use on Permobil power wheelchairs only




UniTrack Assembly

Included with Direct Mount



Section 3 | *Bodilink head support pads*

Basic pad sizes




Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

Premium pad sizes



Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad


Section 4 | *BodiLink head support hardware options*

GT hardware, removable


Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL




GT hardwware, MID-LINE



BodiLink head support hardware: PT hardware, removable

Range of motion

PT model	Total # of links	Total link length	Max anterior reach	Max posterior reach	Max lateral reach
MID 6	2	6”	5.5”	1”	N/A
LAT 6	3	6”	5.5”	1”	6”
MID 8	2	8”	7.5”	1”	N/A
LAT 8	3	8”	7.5”	1”	8”
MAX 8	4	8”	7.5”	3”	8”




PT hardware, flip down hardware, removable

Flip down hardware has 7" stem




BodiLink head support hardware: PT hardware, removable stem length option

3” stem is recommended for use with power mounting where there may be special constraints with power chair functions




Mounting options



Mounting block Posterior A

For Comfort Unite, Embrace and Visco backs as well as Comfort Releif with Compass power mount




Mounting block Permobil C


For use with Permobil Direct Mount and Unitrack assembly

Extra hardware

¼” spacer plate



Extra links: 2”, 3”, 4”



Tool-less wing lock

