

Customer and Order Information

|                                          |                  |                    |
|------------------------------------------|------------------|--------------------|
| Purchase Order *                         | Tag              | v.0910             |
| Dealer/Provider Name *                   |                  |                    |
| Purchaser Name and Contact Information * |                  |                    |
| Shipping Address *                       |                  |                    |
| User Information (if available)          | Weight _____ lbs | Height _____ ft/in |
|                                          |                  | *required          |
| Order Notes/Instructions                 |                  |                    |

Base Chair & Frame Options

|                                                                                                                                                   |                                                                                                                          |                                  |                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------------|------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> 1501000                                                                                                       | <b>Fuze T50 50° Manual Tilt Wheelchair</b>                                                                               | W653                             | \$ 2,685                                                                     |
| <b>Frame Type</b>                                                                                                                                 |                                                                                                                          |                                  |                                                                              |
| <input type="checkbox"/> 1502010                                                                                                                  | Fixed Width Frame 300 lbs Weight Capacity. Select a Fixed Seat Width below.                                              |                                  |                                                                              |
| <input type="checkbox"/> 1502011                                                                                                                  | Fixed Width Frame 400 lbs Weight Capacity. Not compatible with Transit Tie Down System. Select a Fixed Seat Width below. | Prior Approval                   | \$ 300                                                                       |
| <input type="checkbox"/> 1502025                                                                                                                  | Adjustable Width Frame 250 lbs Weight Capacity. Select and Adjustable Seat Width below.                                  |                                  | \$ 200                                                                       |
| <input type="checkbox"/> 1502300                                                                                                                  | <b>Transit Tie Down System (TTDS)</b>                                                                                    |                                  |                                                                              |
| TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details. |                                                                                                                          |                                  |                                                                              |
| <b>PDG Premium Colours</b>                                                                                                                        |                                                                                                                          |                                  |                                                                              |
| <input type="checkbox"/> 1505001                                                                                                                  | Black Shimmer                                                                                                            | <input type="checkbox"/> 1505015 | Sky Blue                                                                     |
| <input type="checkbox"/>                                                                                                                          | Other Standard PDG Premium Colour                                                                                        | Specify Colour _____             | <a href="https://pdgmobility.com/colours">pdgmobility.com/colours</a> \$ 125 |

Seat Width & Depth

Overall chair width is +7.5" for 12/16" RW and +8.5" for 20/22/24" RW

|                                                            |                                |                                  |                            |
|------------------------------------------------------------|--------------------------------|----------------------------------|----------------------------|
| <b>Fixed Seat Widths</b> Order with Fixed Frame.           |                                |                                  |                            |
| <input type="checkbox"/> 1503015                           | 15" Seat Width                 | <input type="checkbox"/> 1503016 | 16" Seat Width             |
| <input type="checkbox"/> 1503017                           | 17" Seat Width                 | <input type="checkbox"/> 1503018 | 18" Seat Width             |
| <input type="checkbox"/> 1503019                           | 19" Seat Width                 | <input type="checkbox"/> 1503020 | 20" Seat Width             |
| <input type="checkbox"/> 1503021                           | 21" Seat Width                 | <input type="checkbox"/> 1503022 | 22" Seat Width             |
| <input type="checkbox"/> 1503023                           | 23" Seat Width                 | <input type="checkbox"/> 1503024 | 24" Seat Width             |
|                                                            |                                |                                  | W111 \$ 250                |
|                                                            |                                |                                  | W111 \$ 500                |
| <b>Adjustable Seat Widths</b> Order with Adjustable Frame. |                                |                                  |                            |
| <input type="checkbox"/> 1503215                           | 15"-20" Range - Set at 15"     | <input type="checkbox"/> 1503216 | 15"-20" Range - Set at 16" |
| <input type="checkbox"/> 1503217                           | 15"-20" Range - Set at 17"     | <input type="checkbox"/> 1503218 | 15"-20" Range - Set at 18" |
| <input type="checkbox"/> 1503219                           | 15"-20" Range - Set at 19"     | <input type="checkbox"/> 1503220 | 15"-20" Range - Set at 20" |
|                                                            |                                |                                  | W111 \$ 250                |
| <b>Seat Depths</b>                                         |                                |                                  |                            |
| <input type="checkbox"/> 1504016                           | 16" Seat Depth                 | <input type="checkbox"/> 1504017 | 17" Seat Depth             |
| <input type="checkbox"/> 1504018                           | 18" Seat Depth                 | <input type="checkbox"/> 1504019 | 19" Seat Depth             |
| <input type="checkbox"/> 1504020                           | 20" Seat Depth                 | <input type="checkbox"/> 1504021 | 21" Seat Depth             |
| <input type="checkbox"/> 1504022                           | 22" Seat Depth                 |                                  | W111 \$ 250                |
| <input checked="" type="checkbox"/> 1508001                | <b>Solid Aluminum Seat Pan</b> |                                  |                            |

Armrests

|                                               |                        |
|-----------------------------------------------|------------------------|
| <b>Single Post Height Adjustable Armrests</b> |                        |
| <input type="checkbox"/> 1506114              | 10"-14" Range          |
| <input type="checkbox"/> 1506116              | 12"-16" Range          |
| <b>Regular Armpads</b>                        |                        |
| <input type="checkbox"/> 1507100              | Desk Length - 2" x 10" |
| <input type="checkbox"/> 1507101              | Full Length - 2" x 14" |

Seat Height

➤ Don't forget

**Select desired Seat-to-Floor Height**    STF Height is adjustable within the range of the chosen Axle Plate (Low/Standard/High).

Chairs with Swing-Away Front Rigging are set up with 3° of pre-tilt to avoid interference. This increases the actual STF Height at the front of the seat by up to 1" compared to the selected value. Easy-Out and Standard Plug In are not affected.

| 5" Casters |                          |                          |                          |                          |                          |          |     |     |  |
|------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------|-----|-----|--|
| RW         | 13"                      | 14"                      | 15"                      | 16"                      | 17"                      | 18"      | 19" | 20" |  |
| 12"        | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> | <input type="checkbox"/> | High STF |     |     |  |
| 16"        |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          |          |     |     |  |
| 20"        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |          |     |     |  |
| 22"        |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Std. STF |     |     |  |
| 24"        | Low STF                  |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |          |     |     |  |

| 6" Casters & 6" Forks |         |                          |                          |                          |                          |                          |          |     |  |
|-----------------------|---------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------|-----|--|
| RW                    | 13"     | 14"                      | 15"                      | 16"                      | 17"                      | 18"                      | 19"      | 20" |  |
| 12"                   |         | <input type="checkbox"/> |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | High STF |     |  |
| 16"                   |         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> |          |     |  |
| 20"                   |         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |          |     |  |
| 22"                   |         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Std. STF |     |  |
| 24"                   | Low STF |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |          |     |  |

| 6" Casters & 8" Forks |         |          |                          |                          |                          |                          |                          |     |  |
|-----------------------|---------|----------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|--|
| RW                    | 13"     | 14"      | 15"                      | 16"                      | 17"                      | 18"                      | 19"                      | 20" |  |
| 12"                   |         | Std. STF |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | High STF                 |     |  |
| 16"                   |         |          | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> | <input type="checkbox"/> |     |  |
| 20"                   |         |          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          |     |  |
| 22"                   |         |          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |  |
| 24"                   | Low STF |          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |  |

| 8" Casters & 8" Forks |     |          |     |                          |                          |                          |                          |                          |  |
|-----------------------|-----|----------|-----|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--|
| RW                    | 13" | 14"      | 15" | 16"                      | 17"                      | 18"                      | 19"                      | 20"                      |  |
| 12"                   |     | High STF |     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  |
| 16"                   |     | Std. STF |     | <input type="checkbox"/> |                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  |
| 20"                   |     |          |     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> |  |
| 22"                   |     |          |     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          |  |
| 24"                   |     | Low STF  |     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  |

Casters & Rear Wheels

Urethane Casters

- ☐ 1511051    5" x 1.25" Caster size
- ☐ 1511061    6" x 1.25" Caster size
- ☐ 1511081    8" x 1.25" Caster size

Composite Wheels with Urethane Tires

- ☐ 1512012    12" Wheel size
- ☐ 1512016    16" Wheel size
- ☐ 1512020    20" Wheel size
- ☐ 1512022    22" Wheel size
- ☐ 1512024    24" Wheel size

- ☒ 1513000    **Quick Release Rear Axles**

Handrims

- ☐ 1515010    Standard Aluminum
- ☐ 1515000    No Handrims
- ☐ 1515020    Plastic Coated

\$ 175

Wheel Locks

- ☒ 1516010    **Push to Lock Wheel Locks**

- ☐ 1516100    **Wheel Lock Extensions**

Anti-Tippers

- ☒ 1517010    **Rear Anti-Tippers**    Required Safety Option.

Back Options

- ☒ 1518010  
1519010    **Angle/Height Adjustable Stroller Handle**    Button on Outside.

Back Post Height    Measured from the Seat Pan to the Handle.

- ☐ 1518420    Short (17")
- ☐ 1518425    Tall (23")

- ☒ 1519090    **90° Seat to Back Angle**

- ☒ 1519220    **Fold Down Back**

Tilt/Recline Options

- ☒ 1523011    **Attendant Tilt only**    Trigger on Right Back Post.

Front Rigging

Plug In Front Rigging

- ☐ 1525410    Easy-Out Fixed 70°    Effortless insertion and removal. No Hanger Bracket remains on frame.
- ☐ 1525110    Standard Plug In 70°    Legacy Design. Not compatible with Easy-Out.

\$ 95

Swing Away Front Rigging

- ☐ 1525140    Swing Away 70°
- ☐ 1525200    Swing Away Elevating Legrests    Includes Calf Pads.
- ☐ 1525300    1" Offset Hangers for Swing Away

W106 \$ 375

\$ 95

| Footplates & Options                 |         |                                                                                                    |      |        |
|--------------------------------------|---------|----------------------------------------------------------------------------------------------------|------|--------|
| <b>Footplates</b>                    |         |                                                                                                    |      |        |
| <input type="checkbox"/>             | 1526010 | Composite                                                                                          |      |        |
| <input type="checkbox"/>             | 1526020 | Aluminum Angle Adjustable                                                                          | W107 | \$ 165 |
| <input checked="" type="checkbox"/>  | 1527040 | <b>Length Adjustable Heel Loops</b>                                                                |      |        |
| <b>Front Rigging Extension Tubes</b> |         |                                                                                                    |      |        |
| <input type="checkbox"/>             | 1528010 | Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging |      |        |
| <input type="checkbox"/>             | 1528020 | Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging  |      | \$ 75  |

Please send your completed order form by email to [sales.pdg@permobil.com](mailto:sales.pdg@permobil.com).