Manual Wheelchairs



2701 West Court St, Pasco Wa, 99301 P: +1 509.586.6117 800.545.2266 F: +1 509.586.2413 866.586.2413

### Table of contents:

Click desired section

**Accessory Options** 

Frame Modifications

**Footrest Options** 

**Backrest Options** 

Sideguards and Armrests

Seating and Upholstery

Push Handle Options

Finish Options


Full Chair Options

Wheel and Tire Options

# Accessory Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



# TITANIUM WELDED ON CALF STRAP LOOPS

CMD Number: 34

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA

### Requirements:


Only available on Titanium frames.

### Notes:

May not work with all chair configurations.

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### **CASTER PIN LOCKS**

CMD Number: 46

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX

### **Requirements:**

Available with standard fork style. Available on all chairs except Twist. Not available with titanium fork stems.


### Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID·	



### TITANIUM SINGLE SWIVEL **CASTER ANTI-TIP**

CMD Number: 69

Available On: TiLite ZRA, TiLite Aero Z, TiLite TRA, TiLite

Aero T

**Requirements:** 


Notes:

Wheel to floor dimension +/- 1/4"

# Frame Modifications

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### UNIQUE CROSSTUBE DEPTH

CMD Number: 5

**Available On:** TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z

### Requirements:

Seat pan required for cross tubes with depths of 1" or less.

### Notes:


May not work with all chair configurations.

Depth	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### UNIQUE HANGER FRONT ANGLE

CMD Number: 6

Available On: TiLite Aero X, TiLite 2GX

**Requirements:** 

### Notes:

Angle must be between 45° and 90°. Please round to the nearest whole degree.


Higher angles may cause clearance problems with some caster combinations. May not work with all chair configurations.

Angle:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7_Ti ID:	



# ADAPTED SEAT DEPTH FOR RIGID CHAIRS

CMD Number: 10

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z

### Requirements:

Only available on rigid frames.

### Notes:


Please round desired seat depth to the nearest 1/2". May not work with all chair configurations.

Seat De	pth:		
---------	------	--	--



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### ADAPTED SEAT WIDTH

CMD Number: 11

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z

### Requirements:

Only available for rigid frames. Seat width of 10" or greater. 22" max seat width.

Seat widths greater than 20" must have two cross tubes. Non-standard seat width must be written in 1/4" increments.

### Notes:


May not work with all chair configurations.

Seat	Width:	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### ADAPTED FRONT ANGLE

CMD Number: 14

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

Only available for rigid frames.

### Notes:

Angles close to 90° may cause interference with some caster options. Angle must be between 60° and 90°. Please round to nearest whole degree. May not work with all chair configurations.

_						
An	αl	•				
¬!!!	y,	C				



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	 (
Account Nmber:	 F

Customer	Name:
PO Numbe	ar.

O	Numbe	er: _		

EZ-Ti ID: \_\_\_\_\_\_

### ADAPTED CASTER PLACEMENT

CMD Number: 62

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA,

TiLite Aero T, TiLite Aero Z

### Requirements:

Available on rigid chairs only.


### Notes:

May not work with all chair configurations.

Caster Width:


Wheelbase: \_\_\_\_\_

Wheelbase	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:



### **FULL SIZED QUOTE DRAWING**

CMD Number: 65

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z




**Special Instructions** 


△ NOTE: Permobil's warranty does not cover Creative Mobility Division frames and frame components, unless Permobil determines that the frame or frame component was defectively manufactured.

EZ-Ti ID:

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	





### FRONT FRAME RIGIDIZER BAR

CMD Number: 70

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

### Requirements:

Only available for Rigid frames.

### Notes:

Dimensions vary for T-series frames versus Z-series

May not work with all chair configurations.

Rigidizer Bar placement dimensions for T-chairs:

Depth: \_\_\_\_\_

Rigidizer Bar placement dimensions for Z-chairs:

Depth:

Height:

Angle: \_\_\_\_\_

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:

EZ-Ti ID:

# ADAPTED SEAT DEPTH COMBINATIONS

CMD Number: 76

Available On: TiLite Twist


**Requirements:** 

Notes:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
T7 T: ID.	



### ADAPTED FRAME DEPTH

CMD Number: 54

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

Frame depths greater than 3" or less than 0".

### Notes:

Allowed in 1/4" increments.

Stability requirements may negate the availability of this

May not work with all chair configurations.

	epth			
DЕ	:DU	1.		

# Footrest Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID·	

# Depth

### **ALUMINUM ANGLE ADJUSTABLE FOOTPLATE**

CMD Number: 4

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Twist

### Requirements:

Footplates that are 10" or deeper will require a strap to support the rear of the footplate.

Footplate slots are optional and will be included upon customer request.

### Notes:

May not work with all chair configurations.


Width: \_\_\_\_\_

Depth: \_\_\_\_



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### ADAPTED FOOTREST WIDTH

CMD Number: 8

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

Only available on Rigid Frames.

### Notes:

Please round desired width to nearest 1/2".

Footrest width must be at least 2" narrower than seat width on T series chairs, and 2 1/2" narrower than seat width on Z series chairs.


May not work with all chair configurations.


<b>Footrest</b>	Width:	
i ooti cat	TTIMUII.	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	





# UNIQUE CONFIGURED FOOTREST LOOP

CMD Number: 21

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z

### Requirements:

Only available on Rigid Frames.

### Notes:


Optional ABS cover.
Angle Adjustable option is not compatible.
May not work with all chair configurations.

Width:

Depth:

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID:	



### **DUAL LOOP FOOTREST**

CMD Number: 22

**Available On:** TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z

### Requirements:

Not available with angle-adjustable footplate. Available on rigid chairs only.

### Notes:


Titanium footloop comes with flat ABS cover. Second loop is welded to front footrest tube. May not work with all chair configurations.

Length in front of footrest:		
Length behind footrest:		



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7-Ti ID:	



### **COVERED FOAM PAD ON FOOTREST**

CMD Number: 25

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z


### **Requirements:**

Only available on Rigid chairs. Only available for Titanium w/ Flat ABS Cover or Angle Adjustable Footrests.

### Notes:


Option of 1" or 2" Foam Pad. Foam Pad is covered with Ballistic Nylon. May not work with all chair configurations.

Foam Pad Size: 1" or 2"



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

ealer Name:	Customer Name:
ccount Nmber:	PO Number:



### FORWARD MOUNTED FOOTPLATE

CMD Number: 30

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

Available on rigid chairs only.


### Notes:

Can be Angle Adjustable (no charge), Titanium w/ Flat ABS cover, or Titanium Open Loop.

Depth Dimension not available on angle adjustable footplates.

May not work with all chair configurations.

Footplate Depth: \_\_\_\_\_




EZ-Ti ID:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:



### NO FOOTPLATES

CMD Number: 32

Available On: TiLite TR, TiLite TRA, TiLite Aero T

### Requirements:

Only available for T-series chairs.

### Notes:

Front Frame Rigidizer Bar is required.

May not work with all chair configurations.

Rigid Bar Depth:	(measure from front of seat sling
------------------	-----------------------------------


**Special Instructions** 





EZ-Ti ID:

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	







### ONE PIECE FLIP-UP FOOTPLATE

CMD Number: 35

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z

### Requirements:

Only available on rigid frames. Extra rigidizer bar is required. Angle Adjustable footplate only.

### Notes:

Rigidizer Bar dimensions are different for T-series and Z-series chairs.

Option to pivot on left or right side of chair.

May not work with all chair configurations.

Flip-up footplate pivot on  $\square$  Right or  $\square$  Left

Rigidizer Bar placement dimensions for T-chairs:

**Depth:** \_\_\_\_\_

Rigidizer Bar placement dimensions for Z-chairs:


Depth: \_\_\_\_\_


Height:


Angle:

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7_Ti ID:	







### TWO PIECE FLIP-UP FOOTPLATES

CMD Number: 40

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z

### Requirements:

Only available on Rigid Frames. Extra rigidizer bar is required.

### Notes:

Rigidizer Bar dimensions are different for T-series and Z-series chairs.

Aero Z footrests will be clamped to front of frame.

Not available with V-front end.

May not work with all chair configurations.

Footrest 7	Type (	Select	one	١.
roonest	ıype (	Select	OHE	١.

- Standard Flip-up
- Angle Adjustable Flip-up
- Depth Adjustable Flip-up
- ☐ Depth and Angle Adjustable Flip-up

Rigidizer Bar placement dimensions for T-chairs:

Depth: \_\_\_\_\_

Rigidizer Bar placement dimensions for Z-chairs:

Depth: \_\_\_\_

Height:

Angle:

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	_ Customer Name:
Account Nmber:	PO Number:

PO	Number:	

O M. salasa	
PO Number:	

EZ-Ti ID: \_\_\_\_\_

### UNIQUE SIZED FOOTREST RISERS

CMD Number: 42

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA,

TiLite Aero T, TiLite Aero Z


### Requirements:


Only available on Rigid Frames. Only available with Angle Adjustable footplate.

### Notes:

Maximum footrest riser height is 5". May not work with all chair configurations.

Riser Height: ☐ 1" or ☐ 3"









Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	





### 2" SIDED ABS FOOTREST COVER

CMD Number: 49

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Twist

### Requirements:

Footrest shapes may vary for caster swivel clearance. The overall width of the footrest will be as wide as possible per each chair's configuration unless otherwise indicated or if caster swivel needs to be compensated for.

### Notes:

May not work with all chair configurations.

**ABS Sided Cover Dimensions:** 


Depth: \_\_\_\_\_


Width:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7 Ti ID:	





### ADAPTED SHAPED ABS FOOTREST

CMD Number: 50

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

Available on rigid chairs only. Titanium open loop footrest is required.

### Notes:

Available adaptations include, but are not limited to depth and width.

Contact customer service for additional variations. May not work with all chair configurations.


### **ABS Footrest Dimensions:**

Depth:	
Width:	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



# TITANIUM ANGLE ADJUSTABLE FOOTREST EXTENSIONS

CMD Number: 55

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Aero T, TiLite TWIST

Requirements:


Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



### TUBULAR FLIP-UP FOOTPLATES

CMD Number: 61

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX

### Requirements:

Rigid frames require extra rigidizer bar (see Catalog Item 70).


### Notes:

Not available with V-front end. May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7 Ti ID:	



### SQUARED OFF TITANIUM FOOTREST

CMD Number: 71

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Aero T.


Requirements:

Notes:

May not work with all chair configurations.

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



# ADAPTED FOOTREST HEIGHT ADJUSTMENT

CMD Number: 72

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z

### Requirements:

Available on rigid chairs only.

### Notes:


May not work with all chair configurations.

Seat to footrest:

Clearance (min 2"): \_\_\_\_\_

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID·	



### FRONT ROLLER

CMD Number: 80

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:


Only available on rigid frames. Not available with flip-back footrest.

### Notes:

May not work with all chair configurations.

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID·	



### V-FRONT IN 1/2" INCREMENTS

CMD Number: 84

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

### Requirements:

For Z series the max V-width is 3" narrower than the front seat outer width.

For T series the max V-width is 2.5" narrower than the front seat outer width.


May not work with all chair configurations.

Width:

# Backrest Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## ADAPTED ADJUSTABLE HEIGHT **FOLDING BACKREST**

CMD Number: 9

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Twist

#### Requirements:

Choose Aluminum or Titainum back on order form. Only available on Rigid Frames.

The height adjustment range is 2 1/2" upwards from the specified height.

Please round desired height to the nearest 1/2". May not work with all chair configurations.


Max height is 4" over standard.

Backrest Height: \_\_\_\_\_



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## ADAPTED FIXED HEIGHT FOLDING **BACKREST**

CMD Number: 17

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

**Requirements:** 


Notes:

May not work with all chair configurations.

Height:\_\_\_\_

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7_Ti ID:	



## **CUSTOM SIZE ISLEEVE**

CMD Number: 18

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

Requirements:

Notes:


May not work with all chair configurations.

Height:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7 T: ID:	



# ADJUSTABLE HEIGHT NONFOLDING BACKREST

CMD Number: 19

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA

## Requirements:

Only available on Titanium chairs.

#### Notes:

Minimum height is 9.5"

Maximum height is 22"

Also available with integrated or integrated fold-down push handles.


May not work with all chair configurations.

Height Adjustment Range: \_\_\_\_\_to \_\_\_\_



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## INWARD TAPERED SEAT BACK, **FOLDING ADJUSTABLE HEIGHT**

CMD Number: 26

Available On: TiLite TR, TiLite TRA, TiLite ZRA, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### Requirements:

Chair must have a folding backrest. Available on rigid chairs only.

#### Notes:


Taper dimension changes as seat back height is adjusted. Height of rigidizer bar may vary with the amount of taper. May not work with all chair configurations.

<b>Taper Dime</b>	nsion:
-------------------	--------



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## INWARD TAPERED S-CURVED SEAT BACK, FOLDING FIXED HEIGHT

CMD Number: 27

Available On: TiLite TR, TiLite TRA, TiLite ZRA, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### **Requirements:**

Available on rigid chairs only. Chair must have a folding backrest.

Height of rigidizer bar may vary with the amount of taper and height requested.


May not work with all chair configurations.

Taper Dimension:



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## **OUTWARD TAPERED S-CURVED** SEAT BACK, FOLDING FIXED HEIGHT

CMD Number: 28

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### **Requirements:**

Available on rigid chairs only. Chair must have a folding backrest.

Height of rigidizer bar may vary with the amount of taper and height.

Outward tapered seat back may interfere with Swing Away


May not work in certain chair configurations.

Taper Dimension: \_\_\_\_\_



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



# OUTWARD TAPERED SEAT BACK, FOLDING ADJUSTABLE HEIGHT

CMD Number: 29

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### Requirements:

Chair must have a folding backrest. Available on rigid chairs only.

#### Notes:

Taper dimension changes as seat back height is adjusted. Height of rigidizer bar may vary with the amount of taper and height.


Outward tapered seat back may interfere with armrests. May not work with all chair configurations.

<b>Taper</b>	<b>Dimension:</b>	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## ADAPTED HEIGHT FIXED BACKREST

CMD Number: 57

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA

#### Requirements:

Only available on titanium rigid frames.

#### Notes:

Backrest height cannot be less than 5" and cannot exceed


May not work with all chair configurations.

<b>Packroot</b>	Hojobt .	
<b>Backrest</b>	neignt.	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7-Ti ID·	



# UNIQUE-HEIGHT BACKREST RIGIDIZER BAR

CMD Number: 85

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Twist

## Requirements:

There needs to be 3" difference from the top of the rigidizer bar to the seat back height setting if back upholstery is ordered with the wheelchair. Bolt-on backrest-shell height and angle adjustments may be limited on some configurations.


#### Notes:

May not work with all chair configurations.

# Sideguards and Armrests

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## PROFILED RIGID REMOVABLE SIDEGUARD

CMD Number: 7

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Twist, TiLite Aero X, TiLite 2GX

#### Requirements:

Requires rigid removable side guards, available in Aluminum and Carbon Fiber. Offset can be above or below the rear tire.

Side guards will be cut profiling the rear tire.

Aluminum side guards are black powder coated with edge molding.

May not work with all chair configurations.

Offset:	Above or Below	
Oliset.	ADOVE OF DEIOW	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	
Account Nmber:	

PO	Number:

Customer Name: \_\_\_\_\_



## ADAPTED SPACING ON DESK ARM

CMD Number: 12

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Aero T, TiLite Twist


## Requirements:

Only available on rigid frames or twist

#### Notes:

Non-standard desk arm spacing may require rear wheels spacing to be increased for clearance. Offsets are selectable in 1/4" increments up to 1". May not work with all chair configurations.

Desk Arm Offset (1/4" inc	rements only):
---------------------------	----------------







Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	

EZ-Ti ID: \_\_\_\_\_

Dealer Name:	Customer Name:
Account Nmber:	PO Number:





## ADAPTED SPACING ON SIDE GUARD

CMD Number: 15

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Twist

#### Requirements:

Only available on rigid frames or Twist.

#### Notes:


Non-standard Side guard spacing may require rear wheels spacing to be increased for clearance. Offsets are selectable in 1/4" increments up to 1". May not work with all chair configurations.

Side Guard Offset (1/4" increments only):



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## **UNIQUE RANGE HEIGHT** ADJUSTABLE FLIP-BACK ARMREST

CMD Number: 24

Available On: TiLite TR, TiLite TRA, TiLite ZRA, TiLite ZRA, TiLite Aero T. TiLite Aero Z


## Requirements:

Only available on Rigid Frames.

#### Notes:


Height range must not exceed 3". May not work with all chair configurations.

Height Range:	to
---------------	----



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## FIXED FENDERED SIDE GUARDS

CMD Number: 33

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA.

#### **Requirements:**

Fixed Carbon Fiber Side Guard only available with nonfolding backrest. Offset dimension must be no less than 1/4" above rear wheel.

#### Notes:

Fixed Fendered Side Guard is profiled above rear wheel. Available in Aluminum or Carbon Fiber.


Aluminum	or $\square$	Carbon	Fiher

Offset Dimension: \_\_\_\_\_



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## POLISHED ALUMINUM FIXED SIDE **GUARDS**

CMD Number: 41

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA.

## **Requirements:**

Only available with non-folding backrest.

#### Notes:


Side Guard panel is profiled to rear wheel. May not work with all chair configurations.

|--|



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7_Ti ID:	



## ADAPTED HEIGHT AND THICKNESS **SWING AWAY ARMREST**

CMD Number: 51

Available On: TiLite TR, TiLite TRA, TiLite ZRA, TiLite ZRA, TiLite Aero T, TiLite Aero Z

#### **Requirements:**

Available on rigid chairs only.

#### Notes:


Swing away armrest tube is 1/8" thick. May not work with all chair configurations.

Heig	. 64.	
пею	IIII.	



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7-Ti ID:	



## **SWING AWAY TUBULAR ARMREST** WITH DESK ARM PAD

CMD Number: 58

Available On: TiLite TR, TiLite TRA, TiLite ZRA, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### **Requirements:**

Folding backrest required.

#### Notes:


Desk arm pad attached to swing away tubular armrest. May not work with all chair configurations.

Pad Length	Standard	or $\square$	10"	extended
------------	----------	--------------	-----	----------



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7_Ti ID:	



# SWING AWAY TUBULAR ARMREST WITH FULL LENGTH DESK ARM PAD

CMD Number: 59

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T. TiLite Aero Z.

#### Requirements:

Folding backrest required.

#### Notes:


Full length desk arm pad attached to swing away armrest tube.

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
=7 Ti ID:	



## FOLDING CHAIR CLAMP ON SIDE **GUARDS**

CMD Number: 60

Available On: TiLite Aero X, TiLite 2GX

## **Requirements:**

Only available on Folding Frames.

#### Notes:


Side guard panel is profiled to rear wheel May not work with all chair configurations.

	e:	fi	rc	P
--	----	----	----	---



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7 T: ID:	



## FLIP-BACK ARMREST WITH DESK ARM PAD

CMD Number: 66


**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Aero T.

## Requirements:

Only available on rigid chairs.


#### Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
=7_Ti ID∙	



# FLIP BACK ARMREST WITH FULL LENGTH DESK ARM PAD

CMD Number: 67

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero Z, TiLite Aero T.

## Requirements:

Only available on rigid chairs.


#### Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## FIXED CARBON FIBER SIDE GUARD

CMD Number: 73

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA.

#### Requirements:

Non-folding backrest required

#### Notes:

May not work with all chair configurations. Side Guard panel is profiled to rear wheel. Side Guard panel can be Aluminum or Carbon Fiber.

Offset	<b>Dimension:</b>	


Aluminum	~r 🗆	Carbon	Eibor
 AIIIIIIIIIIIII		L'arnon	FILTER



# Seating and Upholstery

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## HYBRID SEAT PAN TENSION ADJUSTABLE BY-STRAP SEAT UPHOLSTERY

CMD Number: 13

**Available On:** TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z

#### Requirements:

Only avaiable for rigid frames. Available for all non-tapered, tapered, and ergo frames.

#### Notes:

Seat pan may be placed on rear or front section of seat upholstery.


May not work with all chair configurations.

Seat Pan Location: ☐ Front or ☐ Rear



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID:	



## **ERGO SEAT PAN**

CMD Number: 16

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z

## Requirements:


Only available for Ergonomic Frames

#### Notes:

Seat Pan size is dependent on Ergo Seat dimension and will be built based off of seat depth. May not work with all chair configurations.

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## QUICK RELEASE SEAT PAN

CMD Number: 38

Available On: TiLite Aero X, TiLite 2GX

#### Requirements:

Only available for folding frames.


#### Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## TWIST SOLID SEAT INSERT

CMD Number: 78

Available On: TiLite TWIST

## Requirements:

Only available for Twist.

#### Notes:

Available with Bolt-on seat upholstery or directly bolting solid seat pan onto frame.

May not work with all chair configurations.



# Push Handle Options (coming soon)

# Finish Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
E7.Ti ID:	



## HYDROGRAPHIC FINISH

CMD Number: 36

Available On: TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z

Requirements:

#### Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	
Account Nmber:	

EZ-Ti ID: \_\_\_\_\_

# Customer Name: \_\_\_\_\_\_ PO Number: \_\_\_\_\_

## **CUSTOM COLORED ANO**

CMD Number: 75


Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX, TiLite Twist

### **Requirements:**

#### Notes:

Fill in desired color next to each part.


Black, Sapphire, Red Pepper, Burnt Orange, Ultraviolet, or Fuchsia.





Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## ARMED FORCES PATCHES

CMD Number: 74

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX, TiLite Twist

**Requirements:** 

#### Notes:

Armed forces patches will be centered on back upholstery.

Branch logo patch will be underneath Combat Wounded patch if applicable.

Branch:


Combat Wounded: ☐ YES or ☐ NO



# Full Chair Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



## **ALL TERRAIN TR**

CMD Number: 3

Available On: TiLite TR

## **Requirements:**

Use TR order form.

#### Notes:

Forward mounted 8" x 2" pneumatic caster

Front angles greater than 90° are possible. May not work with all chair configurations.


Whee	lbase:	



# Wheel and Tire Options

Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
F7-Ti ID:	



## **CUSTOMER SPECIFIED WHEEL/TIRE COMBINATION**

CMD Number: 43

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX, TiLite Twist

**Requirements:** 


Notes:

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
=7 Ti ID:	



## **KNOBBY TIRES**

CMD Number: 79

**Available On:** TiLite TR, TiLite TRA, TiLite Aero T, TiLite ZR, TiLite ZRA, TiLite Aero Z.

## Requirements:

#### Notes:


24" (540) Available on Shadow Wheels 26" (590) Available on Shadow, Spinergy LX, and Spinergy SPOX.

May not work with all chair configurations.



Please Email or Fax this page with the Order Form to TiLite Customer Service, orders@tilite.com or 866.586.2413 or +1 509.586.2413

Dealer Name:	Customer Name:
Account Nmber:	PO Number:
EZ-Ti ID:	



# PROJECTION HANDRIMS (STANDARD OR OBLIQUE)

CMD Number: 86

Available On: TiLite TR, TiLite TRA, TiLite ZR, TiLite ZRA, TiLite Aero T, TiLite Aero Z, TiLite Aero X, TiLite 2GX, TiLite Twist

#### Requirements:

Limited to 24" (540) and 25" (554) wheel sizes. Excludes carbon blade wheels.

#### Notes:

May not work with all chair configurations.

☐ Standard or ☐ Oblique

Number of projections: ☐ Eight or ☐ Ten