



Order form

Comfort Embrace back support



Dealer Name*:

Account #*:

City, State, Zip:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference*:

Client Weight:

**Required field*

Special considerations that need to be addressed here (e.g., diagnosis):

Notes | Refer to reference pages at end of order form for additional information and images.

Comfort Embrace Back Support

HCPSC coding: E2613/E2614 Positioning back, posterior. Part number: E-BSXXWYYL.

Length	Width						
	10"	12"	14"	16"	18"	20"	22"
22"				☐ \$ 805.00	☐ \$ 805.00	☐ \$ 805.00	☐ \$ 945.00
20"			☐ \$ 805.00	☐ \$ 805.00	☐ \$ 805.00	☐ \$ 805.00	☐ \$ 945.00
18"		☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 945.00
16"		☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 945.00
14"	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	
12"	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00		
10"	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00	☐ \$ 700.00			
	10"	12"	14"	16"	18"	20"	22"
							24"

10" length and/or width not available with power mount hardware. 10" length not available with 4 point hardware if using head support. 24" wide back supports require 4 point or power mount hardware.

Cover | Required, choose one.

☐ C-COMFORT-TEK

COMFORT-TEK

For fluid protection, an easily cleaned surface

NC

☐ C-DIAMOND-SPACER

Diamond Spacer

For comfort and heat dissipation. NOT a fluid resistant material.

NC

Mounting Hardware | *Required, choose one.*

- Compass 4 Quick Release** ☐ Quick Release 2 Point (C-Q-COMPASS) ☐ Quick Release 4 Point (C-Q-COMPASS4) NC
- Compass 4 Fixed** ☐ Fixed 2 Point (C-NQ-COMPASS) ☐ Fixed 4 Point (C-NQ-COMPASS4) NC
- Compass Power Mount** ☐ Permobil w/ Corpus 3G (C-PMB-PERMOBIL) \$ 92.00
- ☐ Quantum w/ Tru Balance 3 or 4 (C-PMB-QUANTUM)
- ☐ Quickie w/ 3.7 Power (C-PMB-QUICKIE)
- ☐ Avid Rehab w/ Power T & R (C-PMB-AVID)
- ☐ ROVI w/ Motion Concepts (C-PMB-ROVI)

Using Power Mount hardware on ROVI requires mounting to the recessed planar interface plate available when ordering the Motion Concepts seating system. Drilling is required for mounting.

Embroidery | *Optional. Includes corresponding color zipper pull.*

- Thread color** ☐ Red (C-EMB-RED) ☐ Purple (C-EMB-PURPLE) ☐ Pink (C-EMB-PINK) \$ 36.00
- ☐ Blue (C-EMB-BLUE) ☐ Orange (C-EMB-ORANGE) ☐ Green (C-EMB-GREEN)
- ☐ Silver (C-EMB-SILVER)
- Font** ☐ Helvetica (C-EMB-HELVETICA) ☐ Garamond (C-EMB-GARAMOND)
- ☐ Impress (C-EMB-IMPRESS) ☐ Kaufmann (C-EMB-KAUFMANN)
- Word one** ☐ Input is case sensitive:
- Word two (optional)** ☐ Input is case sensitive:

Font styles

HELVETICA
GARAMOND
Impress
Kaufmann

Strap guide extension bracket

- ☐ CHG2-EB1 **Extra small** \$ 73.00
Up to 1 3/4" with webbing
- ☐ CHG2-EB2 **Small** \$ 73.00
Up to 2 1/4" with webbing

Other Accessories | *Optional*

- ☐ C-PV-SHIELD **Privacy Shield** \$ 52.00
Connects with hook & loop attachment

BodiLink lateral trunk supports & hardware

Optional, if selecting must choose pad shape & size, pad style, pad covers, and mounting hardware.

Basic pad shape & size | Priced per pad.

	Left Must enter the number of pads needed		Right Must enter the number of pads needed		
Supportive					
3"L x 4"D	☐	BL-LTSP1S-3L4D-LH	☐	BL-LTSP1S-3L4D-RH	E0956 \$ 94.00
3"L x 5"D	☐	BL-LTSP1S-3L5D-LH	☐	BL-LTSP1S-3L5D-RH	E0956 \$ 94.00
4"L x 5"D	☐	BL-LTSP1S-4L5D-LH	☐	BL-LTSP1S-4L5D-RH	E0956 \$ 94.00
4"L x 6"D	☐	BL-LTSP1S-4L6D-LH	☐	BL-LTSP1S-4L6D-RH	E0956 \$ 94.00
5"L x 7"D	☐	BL-LTSP1S-5L7D-LH	☐	BL-LTSP1S-5L7D-RH	E0956 \$ 94.00
6"L x 6"D	☐	BL-LTSP1S-6L6D-LH	☐	BL-LTSP1S-6L6D-RH	E0956 \$ 94.00
Active					
3"L x 4"D	☐	BL-LTSP1A-3L4D-LH	☐	BL-LTSP1A-3L4D-RH	E0956 \$ 94.00
3"L x 5"D	☐	BL-LTSP1A-3L5D-LH	☐	BL-LTSP1A-3L5D-RH	E0956 \$ 94.00
4"L x 5"D	☐	BL-LTSP1A-4L5D-LH	☐	BL-LTSP1A-4L5D-RH	E0956 \$ 94.00
4"L x 6"D	☐	BL-LTSP1A-4L6D-LH	☐	BL-LTSP1A-4L6D-RH	E0956 \$ 94.00
5"L x 7"D	☐	BL-LTSP1A-5L7D-LH	☐	BL-LTSP1A-5L7D-RH	E0956 \$ 94.00
6"L x 6"D	☐	BL-LTSP1A-6L6D-LH	☐	BL-LTSP1a-6L6D-RH	E0956 \$ 94.00

Basic pad style | Must match number of pads selected.

☐ LTS-P1-MOLD	Moldable		NC
	☐ Left ☐ Right		
☐ LTS-P1-RIGID	Rigid		NC
	☐ Left ☐ Right		

Basic pad cover options | Must match number of pads selected.

☐ LTS-P1-COMFORT	COMFORT-TEK® For fluid protection & an easily cleaned surface		NC
	☐ Left ☐ Right		
☐ LTS-P1-STRETCH	STRETCH-AIR® For comfort & heat dissipation		NC
	☐ Left ☐ Right		

Premium pad shape & size | Priced per pad.

	Left Enter number of pads required	Right Enter number of pads required	
Supportive			
3" L x 4" D	☐ BL-LTSP2S-3L4D-LH	☐ BL-LTSP2S-3L4D-RH	E0956 \$ 101.00
3" L x 5.5" D	☐ BL-LTSP2S-3L5D-LH	☐ BL-LTSP2S-3L5D-RH	E0956 \$ 101.00
4" L x 5" D	☐ BL-LTSP2S-4L5D-LH	☐ BL-LTSP2S-4L5D-RH	E0956 \$ 101.00
4" L x 6.5" D	☐ BL-LTSP2S-4L6D-LH	☐ BL-LTSP2S-4L6D-RH	E0956 \$ 101.00
5" L x 6.5" D	☐ BL-LTSP2S-5L6D-LH	☐ BL-LTSP2S-5L6D-RH	E0956 \$ 101.00
6" L x 6.5" D	☐ BL-LTSP2S-6L6D-LH	☐ BL-LTSP2S-6L6D-RH	E0956 \$ 101.00
Active			
3" L x 4" D	☐ BL-LTSP2A-3L4D-LH	☐ BL-LTSP2A-3L4D-RH	E0956 \$ 101.00
3" L x 5.5" D	☐ BL-LTSP2A-3L5D-LH	☐ BL-LTSP2A-3L5D-RH	E0956 \$ 101.00
4" L x 5" D	☐ BL-LTSP2A-4L5D-LH	☐ BL-LTSP2A-4L5D-RH	E0956 \$ 101.00
4" L x 6.5" D	☐ BL-LTSP2A-4L6D-LH	☐ BL-LTSP2A-4L6D-RH	E0956 \$ 101.00
5" L x 6.5" D	☐ BL-LTSP2A-5L6D-LH	☐ BL-LTSP2A-5L6D-RH	E0956 \$ 101.00
6" L x 6.5" D	☐ BL-LTSP2A-6L6D-LH	☐ BL-LTSP2A-6L6D-RH	E0956 \$ 101.00

Premium pad style | Must match number of pads selected.

☐ LTS-P2-MOLD	Moldable	NC
	☐ Left ☐ Right	
☐ LTS-P2-RIGID	Rigid	NC
	☐ Left ☐ Right	

Premium pad cover options | Must match number of pads selected. Priced per selection.

☐ LTS-P2-COMFORT	COMFORT-TEK For fluid protection & an easily cleaned surface	NC
	☐ Left ☐ Right	
☐ LTS-P2-STRETCH	STRETCH-AIR For comfort & heat dissipation	NC
	☐ Left ☐ Right	
☐ LTS-P2-GLIDE	GlideWear® For skin protection & shear reduction. NOT fluid resistant	\$ 15.00
	☐ Left ☐ Right	
☐ LTS-P2-COMFORT-FM	COMFORT-TEK with foam	\$ 15.00
	☐ Left ☐ Right	
☐ LTS-P2-STRETCH-FM	STRETCH-AIR with foam	\$ 15.00
	☐ Left ☐ Right	
☐ LTS-P2-GLIDE-FM	GlideWear with foam	\$ 31.00
	☐ Left ☐ Right	

GT2 mounting hardware | Used with basic and premium pads. Both fixed and swing away hardware styles are adjustable.

	Left Must match number of pads selected	Right Must match number of pads selected	
Swing-away			
Slot Mount	☐ BL-LTS-GT2SAS-LH	☐ BL-LTS-GT2SAS-RH	E1034 \$ 339.00
EMBRACE Slot Mount w/ Winter/ Summer	☐ BL-LTS-GT2SAWSE-LH	☐ BL-LTS-GT2SAWSE-RH	E1034 \$ 513.00
Fixed			
Slot Mount	☐ BL-LTS-GT2FXS-LH	☐ BL-LTS-GT2FXS-RH	\$ 202.00
Slot Mount w/ Winter/Summer	☐ BL-LTS-GT2FXWSE-LH	☐ BL-LTS-GT2FXWSE-RH	\$ 377.00

Additional hardware options | Priced per selection.

Extra GT2 hardware link	☐	Left (BL-LTS-GT2LINK)	☐	Right (BL-LTS-GT2LINK)	\$ 43.00
Long mounting bracket	☐	Left (BL-LTS-GT2SLOT-LH)	☐	Right (BL-LTS-GT2SLOT-RH)	\$ 43.00
Hardware cover	☐	Left (BL-LTS-HCOVER)	☐	Right (BL-LTS-HCOVER)	\$ 31.00
Winter/summer hardware	☐	Left (BL-LTS-HWSE-LH)	☐	Right (BL-LTS-HWSE-RH)	\$ 175.00

BodiLink premium head support & hardware

Optional, if selecting must choose pad size, foam selection, cover, and mounting hardware.

Pad size and foam selection

Pad size	Soft	Extra soft		
6"W x 3"L	☐ BL-HSP1-6W3L	☐ BL-HSP2-6W3L	E0955	\$ 269.00
8"W x 4"L	☐ BL-HSP1-8W4L	☐ BL-HSP2-8W4L	E0955	\$ 269.00
10"W x 5"L	☐ BL-HSP1-10W5L	☐ BL-HSP2-10W5L	E0955	\$ 269.00
12"W x 5"L	☐ BL-HSP1-12W5L	☐ BL-HSP2-12W5L	E0955	\$ 269.00
14"W x 5"L	☐ BL-HSP1-14W5L	☐ BL-HSP2-14W5L	E0955	\$ 269.00
18"W x 5"L	☐ BL-HSP1-18W5L	☐ BL-HSP2-18W5L	E0955	\$ 269.00

Cover options

☐ COMFORT-TEK	COMFORT-TEK For fluid protection & an easily cleaned surface	NC
☐ STRETCH-AIR	STRETCH-AIR For comfort & heat dissipation	NC
☐ GLIDEWEAR	GlideWear For skin protection & shear reduction. NOT fluid resistant	\$ 30.00

PT hardware, removable

☐ BL-HS-PT1RMMID6	Mid 6	E1033	\$ 254.00
☐ BL-HS-PT1RMLAT6	Lat 6	E1033	\$ 295.00
☐ BL-HS-PT1RMMID8	Mid 8	E1033	\$ 254.00
☐ BL-HS-PT1RMLAT8	Lat 8	E1033	\$ 295.00
☐ BL-HS-PT1RMMAX8	Max 8	E1033	\$ 372.00

Stem length option | For removable PT hardware only.

☐ HS-STEM-7	Standard 7" stem	NC
☐ HS-STEM-3	3"stem (recommended for use with power mounting where there may be constraints)	NC

PT hardware, flip down | Flip down hardware has 7" stem.

☐ BL-HS-PT1FDMID6	Mid 6	E1033	\$ 310.00
☐ BL-HS-PT1FDLAT6	Lat 6	E1033	\$ 353.00
☐ BL-HS-PT1FDMID8	Mid 8	E1033	\$ 310.00
☐ BL-HS-PT1FDLAT8	Lat 8	E1033	\$ 353.00
☐ BL-HS-PT1FDMAX8	Max 8	E1033	\$ 405.00

Mounting option

☐ HS-MB-POSTA	Posterior A	NC
--------------------------------------	--------------------	----

Additional hardware options | *Priced per selection.*

Extra link for PT hardware	☐ Extra 2" link (BL-HS-PT1LINK2)	☐ Extra 3" link (BL-HS-PT1LINK3)	\$ 65.00
	☐ Extra 4" link (BL-HS-PT1LINK4)		
☐ BL-HS-52WINGA1	Tool-less wing lock for PT hardware <i>Enter desired number.</i>		\$ 25.00
☐ BL-HS-SPCRA	1/4 Spacer Plate		\$ 43.00

Additional Order Instructions (for Permobil):

Notes & Comments (not for Permobil):

Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, _____, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of seating and positioning products and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____


Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.


References

Section 1 | Hardware options

Compass 4 quick release




Compass 4 fixed




Compass power mount


Power mount hardware has 8" of height adjustment in ½" increments without using tools.



4-point




Section 2 | Accessories



Privacy shield


Provides coverage between the bottom of the back support to the seat base of their wheelchair. Attaches directly to the canes of a wheelchair.




Strap guide extension bracket

Section 3 | BodiLink lateral trunk support hardware

GT2 mounting hardware, slot mount, swing-away




GT2 mounting hardware, slot mount, fixed




Section 4 | BodiLink lateral trunk support pads


Premium pads, supportive




Premium pads, active



Basic pads, supportive




Basic pads, active




Section 5 | Bodilink lateral trunk support additional hardware options

Extra hardware links




Long mounting bracket

Adds 1" of additional adjustment per bracket



Hardware cover



Winter/Summer hardware



Section 6 | Bodilink head support pads

Basic pad sizes

W			
L	6W x 5L	L	12W x 6L
L	8W x 5L	L	14W x 6L
L	10W x 6L	L	18W x 6L
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

Premium pad sizes

W			
L	6W x 3L	L	12W x 5L with adjustable wings
L	8W x 4L	L	14W x 5L with adjustable wings
L	10W x 5L with adjustable wings	L	18W x 5L with adjustable wings
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad

Section 7 | BodiLink head support hardware options

GT hardware, removable

Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL



GT hardware, MID-LINE




BodiLink head support hardware: PT hardware, removable


Range of motion

PT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
MID 6	2	6"	5.5"	1"	N/A
LAT 6	3	6"	5.5"	1"	6"
MID 8	2	8"	7.5"	1"	N/A
LAT 8	3	8"	7.5"	1"	8"
MAX 8	4	8"	7.5"	3"	8"


PT hardware, MID 6



PT hardware, MID 8



PT hardware, LAT 6



PT hardware, LAT 8



PT hardware, MAX 8





PT hardware, flip down hardware, removable

Flip down hardware has 7" stem




BodiLink head support hardware: PT hardware, removable stem length option

3" stem is recommended for use with power mounting where there may be special constraints with power chair functions



Mounting options




Mounting block Posterior A


For Comfort Unite, Embrace and Visco backs as well as Comfort Relief with Compass power mount

Extra hardware

1/4" spacer plate



Extra links: 2", 3", 4"



Tool-less wing lock

