Power assist SmartDrive MX2+





STARKUR.

2

Multiple ergonomic handles to quickly attach to almost any manual wheelchair

1.0

OmniWheel's patented design engages and stays engaged in any position, maintains optimal traction, and climbs up to 17° inclines

6 kg – Lightest rear mounted power assist in the world

On-demand power assist

Pushing a manual wheelchair can put stress on your shoulders and lead to serious future issues. SmartDrive's seamless power assist has been proven to reduce up to 81%* of your pushes and minimise repetitive stress, allowing you to focus on the things that matter.

Easily removable, making it great for transportation

permobil

Various control options to power your push, your way

SpeedControl Dial

Start, stop, and change your speed on-the-go





Get rolling in minutes with SpeedControl's simple installation and pre-configured settings.



Apple Watch

You can now use the Apple Watch (series 5 or newer) to control your SmartDrive MX2+

- Fast and simple setup
- Increased screen visibility
- Improved battery performance •
- Free App from App Store

Apple Watch and App Store are trademarks of Apple In registered in the U.S. and other countries.



Scan to download the SmartDrive MX2+ App



The PushTracker E2 has been updated to the PushTracker E3, which has an upgraded processor and improved battery performance.



PushTracker E3

Pre-loaded apps for easy setup in minutes Smaller, lighter, and more comfortable Better battery life More responsive and efficient

SwitchControl

SwitchControl is a simple way to control your SmartDrive with the push of a button. You can use SwitchControl in momentary or latched mode and optionally, attach an external switch with a custom mono jack option.

Momentary

Your SmartDrive will engage for as long as you hold either Switch.

Latched

Press and hold either switch to set your cruise speed. When you want to stop, simply tap the switch and hold on to your wheels.

SwitchControl with Mono Jack Option

Use any external mono jack switch to operate your SwitchControl, no programming required.

SwitchControl frame mount controller

Smarthixe

Buddy Button with extended mount



SwitchControl Wired buttons with additional control option for your SmartDrive SmartDrive MX2+ Powers you up hills and ramps, over thick carpet, SpeedControl Dial Easily start, stop, and chan speeds on the go.

Power your push, Your way

SmartDrive provides manual wheelchair users more control over their experience than ever before. Discover how our variety of hardware and software solutions can be combined to better support your individualised mobility goals.

SmartDrive's new and improved control options make it easier than ever to achieve fewer pushes.

	SpeedControl Dial	SwitchControl	PushTracker E3	SmartDrive MX2+ App for Apple Watch
Free with SmartDrive purchase	~	~	Upcharge	Free App
Provided by Permobil	\checkmark	\checkmark	\checkmark	Apple Watch not provided
Plug-and-play	\checkmark	\checkmark		
Set up in under 5 minutes	\checkmark	\checkmark	\checkmark	\checkmark
Programmable settings	\checkmark	~	\checkmark	\checkmark
No charging required	\checkmark	\checkmark		
Mono jack port option		\checkmark		
Works with SwitchControl		\checkmark	\checkmark	\checkmark
Works with SpeedControl	\checkmark		\checkmark	\checkmark
Wired control option	\checkmark	\checkmark		
No Wi Fi required	\checkmark	~		\checkmark
Increase or decrease speeds without stopping	~			



SmartDrive Specifications

Dimensions	Length: 389 mm (15.3") Width: 141 mm (5.7") Height: 242 mm (9.5")		
Product weight	6 kg (13.2 lb) Drive Unit		
User weight	14 to 150 kg (30 to 331 lb)		
Driving range [*]	Up to 19.8 km (12.3 mil)		
Motor power	250 W Brushless DC		
Maximum speed	8.8 km/h (5.5 mph)		
Operating temp	-25°C to 50°C (-13°F to 122°F)		
Chair type compatibility	Rigid, Folding, Tilt-In Space, One-Arm Drive and others Chair widths: 8"(no anti-tips) -22"		
Drive wheel diameter	22", 24", 25", 26" (501, 540, 559, 590 mm)		
Warranty	2-Year Limited Warranty		
Bluetooth LE	FCC ID QOQBT113 IC ID 5123A-BGTBLE113		

*Performance measurements will vary based on user and chair characteristics, driving and battery conditions.

The SmartDrive has been tested and conforms to all applicable requirements of ANSI/RESNA Standards for Wheelchairs - Volume 1 and Volume 2 and EN 12184.

NOTE: A wheelchair's specifications provided by its manufacturer may be slightly affected by the addition of the SmartDrive.

Please refer to your owner's manual for more detailed operation and care instructions.