

Adjusted by:

Tel:

Save the form to the desktop and
open it with Adobe Reader.

E-mail:

Date:

The price changes depending on
the choices made in the form £:

Standard configuration includes; chassis, seat, calf strap, backrest lock, standard colour option, backrest, carbon rear axle, castor and fork, titanium foot rest or foldable footplates, push to lock S3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires.

Choice required:

Max. user weights : Seat width **33-42 cm 100 kg**, Seat width **45-50 cm 150 kg**

Optional

Upcharge /Add-price

Marked yellow

Click on "[blue underlined text](#)" for more info or image**Original design****Alternative options****Other options****1) Chassis**[U3](#)Seat width **33-45** cm Seat depth 35-46 cm[U3 Y-Front](#)Seat width **33-50** cm Seat depth 35, 37.5, 40, 42.5 cm[U3 Y-Front Short](#)Seat width **33-50** cm Seat depth 35, 37.5 cm (seat width 50 cm) 37.5 cm[U3 Y-Front Low](#)Seat width **33-50** cm Seat depth 35, 37.5 cm (seat width 50 cm) 37.5 cm

Clear

2) Chassis colour**Black**- Anodic Black**Gray**- Metallic Gray

Clear

Optional colour - A delivery time of 20 days
for optional colour. Fill in art.no. in the square**3) Seat width****33 cm****36 cm****39 cm****42 cm****45 cm****50 cm**

Clear

Check allowed seat width at "1 Chassis"

4) Seat depth**35 cm****37.5 cm****40 cm****42.5 cm**

Clear

5) Back rest Height (HH) [INFO](#)[Standard](#)**20 cm****35 cm**[Tapered](#) 525BBHH VER2 [INFO](#)[Tapered 6 cm](#)

523BBHH VER2

25 cm**40 cm**[Curved back](#) 524BBHH VER2[Flared 3 cm](#)

Clear

30 cm**45 cm**[For solid backrest](#)[Curved/Tapered](#)

Clear

6) Rear axle[Carbon std](#)

33023BB

Clear

[Carbon +15 mm](#)
33023BC*

* seat width BB+1

Use this rear axle when choosing arm support
at Accessories and/or increased seat height[Other](#) rear axle or seat height[Increase the seat height](#)**7) Castor and fork**[art.no.](#)[90 mm](#)[120 mm](#)

Clear

8) Footrest[Footrest U shape for U series](#)

36001BB

[Footrest U-shape, small heel bar](#)

3600134 (width 33)

Clear

[Titanium U-shape extended, reinforced *](#)

36111BB

* std for S3 Large

[Carbon footplate](#)

65050BB

[Plastic plate for footrest](#)

36010BB

9) Brake[Brake S3](#)

4630000

Clear

[One hand brake, right](#)[One hand brake, left](#)[art.no.](#)

Art.no.

[Assistant brake *](#)

* Not for short / low chassis

10) Rear wheel - without pushrim[Rear wheel sizes](#)

24" std	art.no.	22" standard	One arm drive
Clear		24" Spinergy X black spokes	Rear wheel 24x2" MTB
		25" Spinergy X black spokes	Titanium pushrims
		26" Spinergy X black spokes	
		24" Spinergy X white spokes	
		25" Spinergy X white spokes	
		26" Spinergy X white spokes	

All prices for tyres are for pair

Tyre - choose tyre[Schwalbe Right Run](#) 22", 24", 25", 26"

Clear

[Rugged 24"](#)[Schwalbe Marathon Plus](#), 24", 25", 26"[Schwalbe One](#) 24", 25"[PU 24" \(massive\)](#)

reTyre does not fit PU tyres

[reTyre skins 24"](#)[reTyre skins 25"](#)[reTyre skins 26"](#)

Clear

All prices for pushrims are for pair

11) Pushrim[Aluminium](#)

1902430 (x2 / wheelchair)

Clear

DD=Wheel diameter

[Paragrip](#)

19051DDBT x 2

[Tetragrip](#)

19052DDBT x 2

[Maxgrip 22", 24"](#)

1903060 x 2 (60=24", 80=22"

(contains latex)

[Aluminium X](#)

1904404 x2 (04=24", 05=25", 06=26")

[Titanium](#)

190DD11 (x2 / wheelchair)

Accessories**Side guard** [art.no.](#)[Side guard S3](#)[video](#)

Clear

Arm support [art.no.](#)[Arm rest S3](#) *[video](#)* 26" std for 24" wheels for Short Low
26" std for Assistant brake**Side guard Carbon** [art.no.](#)[Without fender](#)[Small fender](#)[Large fender](#)**Push handles** [Video](#)[Height adjustable S3](#)

4252060 VER2

[Height adjustable S3 +10 cm](#)

4252063 VER2

Max. userweight 100 kg

Clear

Push handle foldable[Foldable S3](#)

4245000

[Video](#)**Push bar**[Push bar S3](#)

42400BB VER2

Max. userweight 100 kg

Anti-Tip [Video](#)[Anti-tip](#) std seat height

4353000

[Anti-tip](#) U3 Low

4355000

Clear

[Other seat height](#)

Art.no.

Cushion Wedge cushion[2,5 cm](#)

572BB40

[Wedge cushion](#)

57710BB

[5 cm](#)

575BB40

Clear

Spoke protectors[24" logo](#)

4500000

[22" logo](#)

4500100

[24" no logo](#)

4500011

[22" no logo](#)

4500111

Clear

Spoke protectors with theme[22" Splash](#)

4500322

[24" Splash](#)

4500324

[22" Car rim](#)

4500122

[24" Car rim](#)

4500124

[22" Wild animals](#)

4500422

[24" Wild animals](#)

4500424

[22" Smiley](#)

4500222

[24" Smiley](#)

4500224

Clear

Other[Tube protection, front](#)

9900251 (2 pcs)

[Tube protection, rear](#)

9900251 (1 pcs)

[Crutch holder S3](#)

9900301 (x1/ crutch)

[Backrest wedge](#)

4710012

[Freewheel](#)Chose art.no. for Freewheel according to the footrest height of the wheelchair Read more about Freewheel on the [homepage](#)

SPLASH CAR RIM WILD ANIMALS SMILEY

Set-up adjustments

Back rest angle

Note measure (A) for desired back rest angle.
14-28 mm. Standard = 20 mm

A= _____mm

Rear axle adjustment

Note measure (A) for desired balance
Standard = 60 mm. at raised rear axle = 51 mm

A= _____mm

Footrest height - Foot plates

Note measure (A) and (B) for desired footrest

A= _____mm B= _____mm

Extra