Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

DEALER	RINFORMATIO	ON.	,		20.112.10	RTS INFORMATI	ON			
Dealer:	TINFORMATIC	JIN	Account #			RTS:	ON	Phone:		
PO:						Email:		Thone.		
			Ordered B	у.			RAATION			
Email:						SHIP TO INFOR	MATION			
Mark For			User Weig	tht:		Name:		Ship Via:		
ΓiLite Sal	es Rep:					Address:		ı		
TiLite In	formation:		Promo Co	de:		City:		State:	Zip:	
Ship Date	e:		Order #:			Phone:		Fax:		
More o	ptions and fram	ne modifica	tions may be availabl	e through our	Creative Mobility	Division! Please co	ntact customer service	for details or <u>click</u>	<u>here</u> to view or	ptions.
	Please Ema	il or Fax t	o the Permobil Ma	nual Custom	er Service Team	at tilitesales@	permobil.com or 866	5.586.2413 / 509	.586.2413	
FF FF	RAME STYL	E								
) /	TAFS1						Seat Width A and Seat			
	TRFS1						Veight Limit. For Rear S			K0005,
	IKISI					-	ss than 15", use E1235.)			
			J,	6			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
SI	MARTDRIVE	POWER	R ASSIST SYSTE	$M \subset \mathcal{A}$						
	ZMAXSD1						eat heights less than 13			E098
	ZMAXSD6						hTracker required			
	ZMAXSD8									
	ZMAXSD4 ZMAXSD5									
	ZIVII (KODO	_ //L//	Oniversal padded i	iarialo,,,,,,						
	RAME STYL	-								
Ц	THDR1		w Duty Frame (No	· Available with	TD Titonium From	250 Pound Woigh	nt Limit. No charge when	20" Poor Soot Wid	th 1	
	HIDKI						n Limit. No charge when holstery. Requires Foldin			
		Height E	Backrest, Billet Aluminu	ım Front Wheel	ls, Shadow or Spin	ergy SPOX Rear Wi	heels. LX Rear Wheels o	only available with 0	or 2	
							pen Loop Footrest, V-Fr			
	TQST1						Rear Seat Width A and 2			
		selected	l. Includes Tension Ad	justable by Stra	ps Back Upholster	/. Requires Folding	Aluminum Adjustable He	eight Backrest, Bille	t	
							s. only available with 0 or /-Front Taper or Glide™			
	TPWR1						eat Depth B are selected			
							Forks, or Titanium Cam			
	TRFR1	for Sma	rtDrive.)	oborgo whon 20	" Poor Soot Width	A and 20" B Soot D	epth are selected.)		\$340	
	INFIXI	☐ Keiii	noiced Flame (NO	charge when 20	Real Seal Willin	A and 20 B Seal D	epiii are selected.)		\$340	
F	RAME FINIS	SHES								
	TFF1	□ Satir	n (Available with Titani	ium Frame only.)					
			□ Satin Finish Buff	3					\$20	
	TFF3						Satin. Tattoos will be trin			
	TFF45	your frai □ Need	d for Speed			TFF44	☐ Flower Garden			
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0240	uuu uuuuuu			200000		
		° ∞	∞∞∞°	Dy To M	nananana "	000	<b>4368</b>	200%		
	TFF43	☐ Mos	aic							
				深川は						
				E0127	Value B					
	High Gloss	Paint	☐ TFF8 High Gloss	s Black	☐ TFF10 TiL	ite Red	☐ TFF29 Neon	Pink		
	Metallic Pai		☐ TFF14 Ocean B		☐ TFF15 Tar	ngerine Metallic	☐ TFF30 Acid 0	Green Metallic		
	Pearlescent	Paint	☐ TFF17 Midnight	Blue Pearl	☐ TFF18 Wh	ite Pearl				
	Matte Paint		☐ TFF19 Black Lav		☐ TFF27 Tita	•				
	Candy Pain		☐ TFF22 Ruby Re		☐ TFF23 Azı		☐ TFF25 Electr			
	Matte Textu	red Paint	☐ TFF40 Hyper Bli	ue	☐ TFF41 Fla	me Orange	⊔ TFF42 OD G	reen	STD	
C	OLOR ANO	DIZE PA	CKAGE							
C				t, Caster Fork, a	and Caster Caps. I	no anodize color is	selected, the default wil	ll be black.)		
		☐ ZAN	O1 Black							
		☐ ZAN	12 Gold 🔲 ZAN15	Green 🗆 Z	AN13 Purple 🚨	ZAN14 Orange	□ ZAN10 Blue □ ZA	AN11 Red	<b>\$65</b>	



Page 1 of 8

## **TiLite TR TRA Order Form DUAL-TUBE RIGID FRAME**

7	TiFit: T	'AILOI	RED	INDI\	/IDUA	LIZED	FRAME
---	----------	--------	-----	-------	-------	-------	-------

	WIDTH A Measure from outside of seat tube at back post to the outside of	
the opposite	seat tube at back post.	
TSW1		
ZSW2	☐ 20" (HCPCS code only applies to 20" Rear Seat Width; > 20" size available through CMD)	\$495
FRONT SEA	T WIDTH (SEAT TAPER) T Measure from inside of front frame tube to inside	
	ont frame tube. (Required with V-Front End V. Not Available with Standard Front End I.)	<b>a</b>    \
TFSW1	□ No Taper STD	
TFSW2	☐ 1" Taper (3" Narrower than Rear Seat Width A. Includes Tension Adjustable by	
115002	1 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
TECMA	Straps Seat Upholstery.) \$280  2" Taper (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by	
TFSW4		
	Straps Seat Upholstery.) \$280	
SEAT DEPT	H B Measure from front of back post to the front edge of seat sling. Frame	
	t .5" in front of seat sling unless Custom Frame Depth is specified, or the	
	of specifications affect the rolling dynamics of the chair.	
TSD1	□ 12" □ 13" □ 14" □ 15" □ 16" □ 17" □ 18" □ 19" <b>STD</b>	
TSD2		203
TSD3	□ 20"\$540 E22 □ Custom Frame Depth:" Frame Depth Longer or Shorter Than	_
1303		
	Seat Depth (Measure from front of seat sling to beginning of frame bend. Ranges from 0.5" to 2" and can be given as specific as 1/4" increments. A Custom Frame	4"-10"
	Depth outside specified range may be available through our Creative Mobility Division.	<b>□-•</b> •
	A Custom Frame Depth of 20" will have an additional charge)NCO	
	· · · · · · · · · · · · · · · · · · ·	7
ERGONOMI	SEAT U Measure from front of back post to beginning of upward bend of seat tube.	
TERG1	☐ TR Ergonomic Seat (Not available with Tension Adjustable Bolt On Seat	
	Upholstery)	A0.9
	□ 5" □ 6" □ 7" □ 8" □ 9" <b>\$340</b>	
TERG2	☐ TRA Ergonomic Seat (Not available with V-Front or Seat Taper, Seat Back that	(3)
	Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid	
	Sideguards, Fendered Adjustable Sideguards, Solid Seat, Tension Adjustable Bolt On	
	Seat Upholstery.)	\\
	Grand	
	☐ 8" Minimum Seat Depth B 13")\$400	
	T HEIGHT CMeasure from floor to top of seat tube at front edge of seat sling.	
FRONT SEA	□ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5"	
TFSH1	□ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
TFSH1	□ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5"	
TFSH1  REAR SEAT	□ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
TFSH1  REAR SEAT  Rear When	□ 15.7 □ 15.5 □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
REAR SEAT  Rear Whe 20'	□ 15.7 □ 15.5 □ 16" □ 16.5 □ 17" □ 17.5 □ 18" □ 18.5 □ 19" □ 19.5 □ □ 20" □ 20.5 □ 21"	
REAR SEAT  Rear Whee  20' 22'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
REAR SEAT  Rear Whee 20' 22' 24'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
REAR SEAT  Rear Whee 20' 22' 24' 25'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
REAR SEAT  Rear Whee 20' 22' 24'	□ 15.7 □ 15.5 □ 16.7 □ 16.5 □ 17 □ 17.5 □ 18 □ 18.5 □ 19 □ 19.5 □ 19.5 □ 20 □ 20.5 □ 21 □	
REAR SEAT  Rear Whee 20' 22' 24' 25' 26'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	
REAR SEAT  Rear Whee 20' 22' 24' 25'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	de la constant de la
REAR SEAT  Rear Whee 20' 22' 24' 25' 26'	□ 15.5" □ 16.5" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ 20.5" □ 21"	de la constant de la
REAR SEAT  Rear Whee 20' 22' 24' 25' 26' TRSH1	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, fror	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   20.5"   21"	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, fror	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.    Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20" (15" on TRA)   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, fror	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.    Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20" (15" on TRA)   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   STD    12.5"   13"   13.5"   14"   14.5"   15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD    Overall Frame Length M	de la constant de la
REAR SEAT  Rear Whee 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.    Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20" (15" on TRA)   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.   Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20"   14.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"   16"   16.5"   15"   15.5"   16"   16.5"     17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD   Overall Frame Length M   Measure from front of backrest to Front Edge of Footrest.   NCO	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.   Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20"   14.5"-20"   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"   16"   16.5"   15.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is at angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD   Overall Frame Length M	de la constant de la
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.   Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20"   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"   16"   16.5"   15.5"   16"   16.5"     17"   17.5"   18"   18.5"   19"   19.5"   20"   STD    SILE or OVERALL FRAME LENGTH   Select one. If Overall Frame Length is at angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD   Overall Frame Length M	Seat taper starts
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   20.5"   21"	Seat taper starts
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   20.5"   21"   STD      HEIGHT D Measure from floor to top of seat tube at back post.    Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20" (15" on TRA)   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   17"   17.5"   18"   18.5"   19"   19.5"   20"   STD      SIZE OF OVERALL FRAME LENGTH   Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD   Overall Frame Length M	
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   20"   20.5"   21"	Seat taper starts approximately 9 from seat back
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"   19.5"   20"   20.5"   21"   STD      HEIGHT D Measure from floor to top of seat tube at back post.    Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20" (15" on TRA)   15.0"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   STD   STD	Seat taper starts approximately 9 from seat back
REAR SEAT  Rear When 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2  SEAT TO FO	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD    HEIGHT D Measure from floor to top of seat tube at back post.   Size   Rear Seat Height   12.5"-20"   13.5"-20"   14.5"-20"   14.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   15.5"-20"   STD    125"   13"   135"   14"   14.5"   15"   155"   16"   16.5"   STD    SIE or OVERALL FRAME LENGTH Select one. If Overall Frame Length is angle will be bent to achieve requested length.   70°   75°   80°   85° L Measure from frame front to floor. (Not available with 6" Front Wheels.)   90° (Not available with 5" or 6" Front Wheels.)   STD    Overall Frame Length M	Seat taper starts approximately 9 from seat back
REAR SEAT  Rear Whee 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2  SEAT TO FO	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"	Seat taper starts approximately 9 from seat back
REAR SEAT  Rear Whee  20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2  SEAT TO FO	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"   STD     HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure from floor to top of seat tube at back post.   STD   HEIGHT D Measure floor f	Seat taper starts approximately 9 from seat back post.
REAR SEAT  Rear Whee 20' 22' 24' 25' 26'  TRSH1  FRONT ANG selected, from TFA1  TFA2  SEAT TO FO	15"   15.5"   16"   16.5"   17"   17.5"   18"   18.5"   19"   19.5"     20"   20.5"   21"	Seat taper starts approximately 9 from seat back

## TiLite TR TRA Order Form


**DUAL-TUBE RIGID FRAME** 

TFTR4 ☐ Angle Adjustable High Mount Footrest______\$100

FOOTEST WIDTH I or V Select either a Standard Front End I if no Seat Taper T is selected or a V-Front End V if a Seat Taper T is selected.

STANDARD FRONT END I Find your Rear Seat Width A in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube. □ NO V-Front Taper_____STD


REAR SEAT WIDTH A (Outside Measurement)	No Taper (2" Narrower than Rear Seat Width)	FOOTREST WIDTH I  2" Taper  (4" Narrower than Rear Seat Width)	<b>4" Taper</b> (6" Narrower than Rear Seat Width)
12"	□ 10"	□ 8"	
13"	□ 11"	□ 9"	
14"	□ 12"	□ 10"	□ 8"
15"	□ 13"	□ 11"	□ 9"
16"	□ 14"	□ 12"	□ 10"
17"	□ 15"	□ 13"	□ 11"
18"	<b>□</b> 16"	□ 14"	□ 12"
19"	□ 17"	<b>□</b> 15"	□ 13"
20"	□ 18"	<b>□</b> 16"	<b>□</b> 14"




V-FRONT END v Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Footrests have 1" of adjustment up and down.

Not available with Ergonomic Seat frames.) □ V-Front Taper______**\$290** 

□ 9" □ 10" □ 11" □ 12" □ 13" □ 14" □ 15"





#### **BACK SUPPORTS**

TFE2

Shell Height	ITY [®] ACTIVE ALUMINUM Contour Back Support  □ 8" □ 10" □ AGILITY Active Aluminum Min Contour with Foam. □ AGILITY Active Aluminum Mid Contour with Foam.	.\$610 .\$610	E2620 E2620
ROHO [®] AGIL	ITY® ACTIVE CARBON Contour Back Support (New 3k Weave Carbon Fiber)		
	□ 10" □ 13" □ 16"		
	arbon Min Contour Back with Foam w/ Air Insert	****	<b>-</b>
BRS/ Foam	w/ Air Insert 「Y Active Carbon Upgrade <i>(Not available with Bolt-on Push Handles)</i>	\$662 \$333	E2620
Fixe	ed Hardware	NCO	
□ AGILITY C	arbon Mid Contour Back with Foam w/ Air Insert		
BRS9 Foam	w/ Air Insert Y Active Carbon Upgrade <i>(Not available with Bolt-on Push Handles)</i>	\$673	E2620
ACB2 AGILIT	Y Active Carbon Upgrade (Not available with Bolt-on Push Handles)	\$322 NCC	
FIXE	ed Hardware	NCO	
COMFORT A	CTA-EMBRACE® Back Support		
Shell Height	□ 10" □ 12" □ 14" □ 16"		
SBRS16	☐ Acta-Embrace Back with 2-PT Quick Release Compass Hardware	\$546	E2613
CPSB1	□ Comfort Privacy Shield	\$37	
COMFORT A	CTA-RELIEF Back Support		
SBRS13	☐ Acta-Relief Back with 2-PT Quick Release Compass Hardware	\$746	E2615
CPSB1	□ Comfort Privacy Shield		
BACK UPHO	LSTERY (Want more seating options? Click here to view the new TiLite Seating Order Form.)		
TBUP2	☐ Velcro Adjustable (Not available with Fold-Down Push Handles.)	STD	
Tension Adju	ustable by Straps (Required with Fold-Down Push Handles.)		
TBUP3	☐ Padded Nylon		E2611
TBUP5	☐ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.)		E2611
TUPC3	Ultrasuede Backrest Stripe ☐ Black		
TBUP0	☐ Omit Back Upholstery	NCO	

## DUAL-TUBE RIGID FRAME

	YPE/PUSH HANDL			e from top of bac	:K	<b>G</b>
	post to top of seat to					T la
	☐ Folding Aluminur					
TSB2	☐ Folding Titanium					
TSB15	match Frame Finish. №  Non-Folding, Fixe					05
13013	Available with TRA. Ti					
	Handles.)					
TISHAFT™ BA	CK RELEASE BAF	RS (Not available with	h Non-Folding, Fixed	d Height Titanium		
TSB3	Back.)  ☐ Aluminum				STD	
TSB5	☐ New 3k Weave C	arhon Fiher			\$75	
1000	a new on weave c	parbon riber				
<b>PUSH HANDL</b>	ES					
TSB6	Integrated Push I	Handles			NCO	Π
TSB7	□ Integrated Fold-D		, ,			Ц
	Back Upholstery.)					
TSB8	☐ Bolt-On Push Ha					
TCDO	with Ti Back.)					
TSB9	☐ Bolt-On Height-A Bar. Not available with					
	Dar. Not available Willi	, ,, <u>Daun.</u> ,			φυσυ	
FOLDING SEA	T BACK HEIGHT F	(TSB1 and TSB2)				( P
Push Handles (Selected Above)	Short	Medium	Tall	Set at: (Use ½" increments)		\\
None/ Bolt-On	9.5"-12.5"	□ 13"-17.5"	☐ 17"-21.5"	Set at:		\\ <del>+U+</del>
Integrated	□ 11.5"-13.5"	☐ 14.5"-17.5"	□ 18.5"-21.5"	Set at:		
Integrated Fold-	<b>□</b> 14"-16.5"	<b>□</b> 15"-19.5"	<b>□</b> 19.5"-22"	Set at:	<u></u>	
Down						
Finish. Required Handles, Integrat	for fixed Side Guards. ed Fold-Down Push Ha	Not available with Swi andles or Bolt-On Heig 6.5" □ 7" □ 7.5" □	ing Away Tubular or ght Adjustable Push 1 8" 🛘 8.5" 🗖 9" [	r Swing Away - Flip n Handles.) □ 9.5" □ 10" □ 1	Back Tubular Arm I0.5" □ 11″ □ 1	Titanium back will match Frame brests and Integrated Push 1.5"   12"  12.5"  12"  12.5"  19"  19.5"  20"
Finish. Required Handles, Integral	for fixed Side Guards ed Fold-Down Push Ha 15"   5.5"   6"   14"   14. N ALL BACKS	Not available with Swi andles or Bolt-On Heig 6.5" □ 7" □ 7.5" □ .5" □ 15" □ 15.5" □	ing Away Tubular or ght Adjustable Push 1 8" □ 8.5" □ 9" □ □ 16" □ 16.5″ □	r Swing Away - Flip n Handles.) □ 9.5" □ 10" □ 1 17" □ 17.5" □ 1	Back Tubular Ami 10.5" □ 11″ □ 1 8″ □ 18.5″ □ 19	nrests and Integrated Push 1.5" 🗆 12" 🗀 12.5" 🗀 13" " 🗀 19.5" 🗀 20"
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push Ha 15"   15.5"   14"   14.  14.  N ALL BACKS  Backrest that Loc	Not available with Swi andles or Bolt-On Heig 6.5"	ing Away Tubular or ght Adjustable Push 1 8″ □ 8.5″ □ 9″ ↓ □ 16″ □ 16.5″ □ lot available with En	Swing Away - Flip Handles.) 9.5"	Back Tubular Ami 10.5" □ 11″ □ 1 8″ □ 18.5″ □ 19	rests and Integrated Push 1.5"
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push Ha 15"   15.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres	Not available with Swi andles or Bolt-On Heig 6.5"	ing Away Tubular or ght Adjustable Push 1 8" □ 8.5" □ 9" □ □ 16" □ 16.5" □ lot available with En available with a No	Swing Away - Flip Handles.)  9.5"	Back Tubular Arm 10.5" □ 11" □ 1 8" □ 18.5" □ 19 ight Titanium Sea	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push Ha 15"   15.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres	Not available with Swi andles or Bolt-On Heig 6.5"	ing Away Tubular or ght Adjustable Push 1 8" □ 8.5" □ 9" □ □ 16" □ 16.5" □ lot available with En available with a No	Swing Away - Flip Handles.)  9.5"	Back Tubular Arm 10.5" □ 11" □ 1 8" □ 18.5" □ 19 ight Titanium Sea	rests and Integrated Push 1.5"
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push Ha 15"   15.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres	Not available with Swi andles or Bolt-On Heig 6.5"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   Jot available with Engles available with a No.	Swing Away - Flip Handles.)  9.5"	Back Tubular Arm 10.5" □ 11" □ 1 8" □ 18.5" □ 19 ight Titanium Sea	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push Ha 15"	Not available with Swi andles or Bolt-On Heig 6.5"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   dot available with Engravailable with a Norman No	r Swing Away - Flip n Handles.) □ 9.5" □ 10" □ 1 17" □ 17.5" □ 1 gonomic Seat.) n-Folding, Fixed He	Back Tubular Ami 10.5" □ 11" □ 1 8" □ 18.5" □ 19 ight Titanium Seal	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push He 15"   13.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres Bar is NOT a rounded  NGLE G Measure a  Folding Back  80°   80°   86°	Not available with Swiandles or Bolt-On Height 6.5"   7"   7.5"   15"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   dot available with Engravailable with a Norman No	r Swing Away - Flip n Handles.) □ 9.5" □ 10" □ 1 17" □ 17.5" □ 1 gonomic Seat.) n-Folding, Fixed He	Back Tubular Arm 10.5" □ 11" □ 1 8" □ 18.5" □ 19 ight Titanium Sea	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push He 15"   13.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres Bar is NOT a rounded  NGLE G Measure a Folding Back  80°   80°   80°   86°  Non-Folding Back	Not available with Swiandles or Bolt-On Height 6.5"   7"   7.5"   15"   15"   15.5"   15"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15.5"   15	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   lot available with Engravailable with a Normack post to floor.	Swing Away - Flip Handles.)  9.5"	Back Tubular Amn  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push He 15"   13.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres Bar is NOT a rounded  NGLE G Measure a Folding Back  80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80°   80	Not available with Swiandles or Bolt-On Height 6.5"   7"   7.5"   15"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   Interpret 16	Swing Away - Flip Handles.)  9.5"	Back Tubular Amn  10.5" □ 11" □ 1  8" □ 18.5" □ 19  ight Titanium Seat	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Control Con	for fixed Side Guards ed Fold-Down Push He 15"   13.5"   14"   14.  N ALL BACKS  Backrest that Loc  4" Deep Backres Bar is NOT a rounded  NGLE G Measure a Folding Back  80°   80°   80°   86°  Non-Folding Back	Not available with Swiandles or Bolt-On Height 6.5"   7"   7.5"   15"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15.5"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"   15"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16.5"   Interpret 16	Swing Away - Flip Handles.)  9.5"	Back Tubular Amn  10.5" □ 11" □ 1  8" □ 18.5" □ 19  ight Titanium Seat	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    5"    15"    15"    15.5"    6.5"    15"    15.5"    6.5"    15"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    6.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"    15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"     15.5"	ing Away Tubular or ght Adjustable Push 18"   18"   16"   16"   16"   16"   16"   16"   16"   16"   16"   10t available with England with a Non-coack post to floor.  10   10   10   10   10   10   10   10	Swing Away - Flip 1 Handles.)	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards  for fixed Side Guards  for Globology Push He  for Globology  NALL BACKS  Backrest that Loc  4" Deep Backres  Bar is NOT a rounded  NGLE G Measure a  Folding Back  80° \$ 83° \$ 86°  Non-Folding Back  80° \$ 83° \$ 86°  Non-Folding Back  91° \$ 92° \$ 93°  RAVITY H Measure  the rear axle. If no control of the series of the serie	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards  for fixed Side Guards  for fixed Fold-Down Push He  for 5.5"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards  for fixed Side Guards  for fixed Fold-Down Push He  for 5.5"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carlo	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip Handles.)  9.5"	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carl	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    7.5"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the center 2.75" □ 3" □ 3.2	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Company of the Handles	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	swing Away - Flip Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the center I ship with the center 2.75" □ 3" □ 3.2  s post to inside of vith 0° or 2° Cambof gravity.	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Comments of the Handles of the Handle	for fixed Side Guards ed Fold-Down Push Ha 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    5"    15"    15"    15.5"    15.5"    25    25    26    26    27    28    29    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20    20	ing Away Tubular or ght Adjustable Push 18"   8.5"   9"   16"   16.5"   lot available with Engavailable with a No.  cack post to floor.  3"   98"   101"  3"   98"   98"   101"  post at the seat to selected, chair will 1  2.25"   2.5"   2.5"   2.4"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.5"   2.	Swing Away - Flip 1 Handles.)  9.5"	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carl	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the center I ship with the center 2.75" □ 3" □ 3.2  s post to inside of vith 0° or 2° Cambof gravity.	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carl	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the cel 2.75" □ 3" □ 3.2  c post to inside of vith 0° or 2° Caml of gravity.	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   19.5"   20"   STI
Finish. Required Handles, Integral Carlotte Carl	for fixed Side Guards ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the cel 2.75" □ 3" □ 3.2  c post to inside of vith 0° or 2° Caml of gravity.	Back Tubular Arm  10.5"	rests and Integrated Push  1.5" □ 12" □ 12.5" □ 13"  " □ 19.5" □ 20"  STI  t Back Type 4" Deep Rigidizer
Finish. Required Handles, Integral Carlotte Carl	for fixed Side Guards. ed Fold-Down Push He 15"	Not available with Swiandles or Bolt-On Height 6.5"    7"    75"    15"    15"    15.5"    15"    15.5"    15"    15.5"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"    15"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the cel 2.75" □ 3" □ 3.2  c post to inside of vith 0° or 2° Caml of gravity.	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   19.5"   20"   STI
Finish. Required Handles, Integral Carlotte Part 1	for fixed Side Guards. Fed Fold-Down Push Hell 5"	Not available with Swiandles or Bolt-On Heigh 6.5"    7"    75"    15"    15"    15"    15.5"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"	ing Away Tubular or ght Adjustable Push 18"   8.5"   9"   16"   16.5"   16"   16.5"   16"   16"   16.5"   16"   16"   16"   16.5"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"	Swing Away - Flip Handles.)  9.5" □ 10" □ 1 17" □ 17.5" □ 1:  gonomic Seat.)  n-Folding, Fixed He  88° □ 89° □ 90° 99° □ 100° □ 10  ube to the center I ship with the cel 2.75" □ 3" □ 3.2  s post to inside of vith 0° or 2° Caml of gravity.	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   13"   19"   19.5"   20"   STI   18ack Type.4" Deep Rigidizer   NC
Finish. Required Handles, Integral Carlotte Seat Back ATSBA1 TSBA1 TSBA1 TSBA1 TCOG1 TCOG1 TCOG1 TCOG1 TCOR12 TCBR12 TCBR12 TCBR9 TCBR11 SEAT UPHOLS ZSUP1	for fixed Side Guards. Fed Fold-Down Push Hall 5"	Not available with Swiandles or Bolt-On Heigh 6.5"    7"    75"    15"    15"    15"    15.5"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"    25"	ing Away Tubular or ght Adjustable Push 18"   8.5"   9"   16"   16.5"   16"   16.5"   16"   16"   16.5"   16"   16"   16"   16.5"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"   16"	Swing Away - Flip 1 Handles.)  9.5"	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   19.5"   20"   STI
Finish. Required Handles, Integral Carlotte Park Pack A TSB11 TSB12  SEAT BACK A TSBA1 TSBA1  CENTER OF G TCOG1  REAR WHEEL  TRWS1 TCBR12 TCBR9 TCBR11 SEAT UPHOLS ZSUP1 ZSUP2	for fixed Side Guards. ed Fold-Down Push Ha 15"	Not available with Swiandles or Bolt-On Heigh 6.5"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)  9.5"	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   13"   19"   19.5"   20"   STI   18ack Type.4" Deep Rigidizer   NC   NC   NC   NC   NC   NC   NC   N
Finish. Required Handles, Integral Carlotte Park Pack A TSB11 TSB12  SEAT BACK A TSBA1 TSBA1  CENTER OF G TCOG1  REAR WHEEL  TRWS1 TCBR12 TCBR9 TCBR11 SEAT UPHOLS ZSUP1 ZSUP2	for fixed Side Guards. ed Fold-Down Push Ha 15"	Not available with Swiandles or Bolt-On Heigh 6.5"	ing Away Tubular or ght Adjustable Push 18"	Swing Away - Flip 1 Handles.)  9.5"	Back Tubular Arm  10.5"	1.5"   12"   12.5"   13"   13"   19.5"   20"   STI   18ack Type.4" Deep Rigidizer   NC   NC   NC   NC   NC   NC   NC   N

Effective Oct 4, 2021 (New Items in Red)

**DUAL-TUBE RIGID FRAME** 

	HION (Want more seating options? Click here to view the new TiLite Seating Order Form.)	
ZCSH2	□ Comfort Curve Cushion (Stretch-Air cover)	\$100
ZCSH23	☐ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion	
ZCSH11	□ ROHO® Single Compartment (Fits seat widths 14" to 19") Profile: □ Low □ Mid □ High	
XCSH14	□ ROHO® QUADTRO SELECT® Cushion (Fits seat widths 14" to 19") Profile: □ Low □ Mid □ High	
ZCSH16	□ ROHO® Hybrid Select (Fits seat widths 14" to 18", and 20")	\$515
ZCSH17	☐ Vicair Vector 02 with Comfair Cover (Fits seat widths A 14" to 19". Non-stock upcharges may apply.)	\$476
	/CAMBER TUBES	0.7.0
TCBR1	□ 0° □ 2° □ 4° □ 6° (8° of Camber K may be available through our Creative Mobility Division.)	
TCBR15	□ Aluminum Camber Tube	STD
TCBR3	☐ Titanium Camber Tube (Not available with Power Adaptable Frame.)	\$200
OM CONFICE FRONT WH	GURATION OPTIONS	
TFW24	☐ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub.	\$190
TFW14	□ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork or Power Adaptable Frame.)	
TFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork or Power Adaptable Frame.)	
TFW26	□ 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty	
1 F VV 20		
TFW27	Frame.) □ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub <b>OR</b> □ Black Hub.	
TFW6	☐ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	
-		
TFW28	□ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle L or Power Adaptable Frame.)	\$95
TFW30	□ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub <b>OR</b> □ Black Hub (Not available with 90°	C045
TFW9	Front Angle L.)  6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	\$215
		NCO
TFW32	☐ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power	6400
TFW33	Adaptable Frame.). ☐ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub <b>OR</b> ☐ Black Hub (Not available with 85° or	\$100
11-1133	90° Front Angle L or Slipstream Fork.)	
	90° 1 TOTIC Angle E of Supsiteani Fork.)	\$223
PRECISION	I LOCK FRONT FORKS	
TFK1	☐ TiLite Standard Fork	STD
TFK2	☐ TiLite Slipstream Single-Sided Fork (Not available with Power Adaptable Frame.).	\$170
ZGL1	☐ Out-Front Glide™ Suspension Fork (Black anodize only. Not available with Heavy Duty Frame.) \$485 E1015	
	Rider's Weight: ☐ 125 lbs. ☐ 125-180 lbs. ☐ 180-265 lbs.	
TTFS1	☐ Titanium Fork Stem	\$60
STANDARD	D REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)	
TRW14	TiLite SHADOW™	STD
	□ 20"(451)	
	□ 22"(501)	
	□ 24"(540)	
	□ 25"(559) (Requires 15" minimum Seat Depth B.)	
	□ 26"(590) (Requires 15" minimum Seat Depth B.)	
PERFORMA	ANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)	
TRW7	Spinergy SPOX □ Black □ Red □ Blue □ White	\$845
	□ 22"(501) - Std. Hub	40 .0
	□ 24"(540) - Std. Hub	
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TDIMO	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	44.000
TRW8	Spinergy LX □ Black □ Red □ Blue □ White □ Bright Orange □ Flamingo Pink □ Purple	\$1,060
	□ 22"(501) - Std. Hub	
	□ 24"(540) - Std. Hub	
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW9	New Spinergy Design Lab LX Wheels (If same color is selected, anodized hubs and rims match color anodized package on p	age 1.
	Available with black spokes only.)	<b>64 000</b>
	☐ Gold Anodize ☐ Green Anodize ☐ Blue Anodize ☐ Red Anodize ☐ Purple Anodize ☐ Orange Anodize	\$1,260
	□ 22"(501) - Std. Hub	
	□ 24"(540) - Std. Hub	
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW16	New Spinergy® Carbon Blade with 3k Weave Carbon Fiber (Not available with Heavy Duty Frame.)	\$1,480
	<b>24</b> "(540)	
	□ 25"(559) (Requires 15" minimum Seat Depth B.)	

Page 5 of 8

# **TiLite TR TRA Order Form**

e Oct 4, 2021 (N	ew Items in Red) DUAL-TUBE RIGID FRAME	Page 6 of 8
TRW17	X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option.	
	Requires Aluminum Sliver Anodized Handrims.) \$60	
	□ 20"(451)	
	□ 22"(501)	
	□ 24"(540)	
AXLES		
TAXL1	☐ Stainless Quick Release	)
TAXL2	☐ Titanium Quick Release\$25	
TAXL3	☐ Quad Release (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.) \$15	5
DNEUMATIC	REAR TIRES	
TRTR1	□ Treaded 22"(501), 24"(540), and 26"(590)	
TRTR2	☐ Airless Inserts (Not available with Spinergy Carbon Blade Rear Wheels.).	
TRTR2		
	□ New MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559) and 26"(590)	
TRTR30	□ 24"(540), 25"(559) and 26"(590) Primo Sentinel	5
TRTR8	□ 24"(540), 25"(559) and 26"(590) Schwalbe _® Marathon Plus Evolution	
TRTR24	□ 24"(540) Kenda Kobra Knobby\$95	
SOLID REAF	R TIRES (Not available with Spinergy Carbon Blade Rear Wheels.)	
TRTR22	□ 20"(451), 22"(501), 24"(540) and 25"(559) Primo Express	0
TRTR23	□ 24"(540) and 25"(559) Primo Active \$13	
	(0.0) and _ (0.00)	
HANDRIMS	OUT FRONT®	
,	OUT-FRONT®	
TRIM1	□ Aluminum – Silver AnodizedST[	
TRIM21	□ Aluminum – Black Anodized (Not available with 20"(451) Rear Wheels.)	
TRIM12	☐ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)\$47	
TRIM10	☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.)	
TRIM11	☐ The Surge LT (All-In-One Oval with Gription™ Strip, Smaller Profile) (Not available with 20"(451) Rear Wheels.)	
TRIM20	□ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451)Rear Wheels.) \$33	0
The Natural-	Fite (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.)	
TRIM14	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)\$39	
TRIM15	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
TRIM16	□ Without Thumb Grip\$36	0
	Fit _® LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.)	
TRIM17	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)\$41	5
TRIM18	□ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$47	
TRIM19	☐ Without Thumb Grip	0
Additional H	landrim Options	
TRIM5	□ Plastic Coated – Black\$16	
TRIM22	☐ Omit HandrimsNC	)
Tab Length		
TRIM7	☐ Long Tabs	)
TRIM8	☐ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	
WHEEL LOC	rks	
	s by OUT-FRONT⊚	
TWLK7	□ Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing J only.)	<b>)</b>
TWLK8	□ Compact Composite Pull to Lock (Available with .75" to 1.5" Rear Wheel Spacing J only.)	
TWLK10	□ Extension Handles for Compact Composite Push/Pull to Lock \$85	
Additional W		E0901
TWLK11	□ New MBL Composite Scissor Lock \$14	5
TWLK3	Uni-Lock Set At: ☐ Push <b>OR</b> ☐ Pull \$16	
TWLK4	☐ Extension Handles for Uni-Lock \$85	
TWLK15	□ Grade Aids Push to Lock (Not available with solid rear tires).	
IVVLIXIO	- Stade Alds I doll to book (Not available with Solid lear tires).	5 603/4
SIDE GUARI	DS .	
Aluminum		
TSDG2	□ Rigid Removable □ Small <b>OR</b> □ Std	
TSDG3	□ Quad Removable w/Hole □ Small <b>OR</b> □ Std	5
TSDG4	□ Fold Down Rigid □ Small OR □ Std (Not available with Ergonomic Seat.)\$33	5
TSDG6	Grandored Adjustable (Available with 24" and 25" Pear Wheels, Pear Seat Height D of 14.5" to 19.5")	5

E2207

TCH1

### TiLite TR TRA Order Form

**DUAL-TUBE RIGID FRAME New 3k Weave Carbon Fiber** □ Small **OR** □ Std______\$310 TSDG7 □ Rigid Removable TSDG8 ■ Quad Removable w/Hole □ Small **OR** □ Std________\$320 □ Small OR □ Std (Not available with Ergonomic Seat or Carbon Edition.).....\$460 TSDG9 ☐ Fold Down Rigid ☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".).....\$565 TSDG11 TSDG12 □ Fendered Removable \$455 **CUSTOM CONFIGURATION OPTIONS** Available on Aluminum and Carbon Fiber Non-Fendered Side Guards □ Side Guards Custom Cut to Profile of Rear Wheels_______\$315 TSDG13 ARMRESTS (Desk Arms come with built-in Side Guards.) Swing Away Tubular □ 6.5" to 9.5" OR □ 9.5" to 12.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back or TARM1 Height Adjustable Push Handles.) \$225 E0973 Swing Away - Flip Back Tubular 8.5" to 11.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back.)_______\$315 TARM4 E0973 TARM2 Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth B. Not available with E0973 Ergonomic Seat.) \$335 □ 9" to 12" **OR** □ 12" to 15" □ Standard Length Pad (10") **OR** □ Full Length Pad (14") Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth B. TARM3 E0973 Not Available with Ergonomic Seat.). \$375 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") **Available Armrest Option** TARM5 ☐ Covered in Black Ultrasuede (Not available with Desk Arms). **SEAT BELTS** TBLT1 □ Velcro Adjustable, Black Nylon Webbing \$55 E0978 TBLT2 □ Bodypoint® 2" Push-Button Buckle (Auto-Style.)_______\$95 E0978 TBI T4 E0978 TBLT5 E0978 TBLT10 K0108 TBLT16 E0978 **CALF STRAP** TCLF2 Velcro Adjustable \$40 K0038 ☐ Small (Recommended for 9" - 12" Footrest Widths.) ☐ Medium (Recommended for 11" - 15" Footrest Widths.) □ Large (Recommended for 14" - 17" Footrest Widths.) ☐ Xtra Large (Recommended for 16"- 19" Footrest Widths.) TCLF3 K0038 Bodypoint® Padded Velcro Adjustable \$100 ☐ Medium (Recommended for 11"- 15" Footrest Widths.) ☐ Large (Recommended for 16"- 19" Footrest Widths.) □ Buckle Adjustable, Black Nylon Webbing \$30 TCLF1 K0038 **RESIDUAL LIMB SUPPORT** TRSL1 □ Residual Limb Support □ Left OR □ Right (8" width x 10" length), \$395 E1020 TRSL2 □ Residual Limb Support Pair (8" width x 10" length)_______\$730 E1020 **BACKPACK** TBCK3 ☐ Permobil Medical Necessities Backpack \$95 **SEAT POUCH** ☐ Permobil Medical Necessities Seat Pouch. \$60 TPCH3 TPCH4 **SPOKE GUARDS** ☐ Clear Lexan with TiMotion Logo (Not available with Mag Rear Wheels.). \$135 TGRD1 K0065 **ANTI-TIPS** TTIP1 ☐ Rear Aluminum - Black \$160 E0971 TTIP2 E0971 **ACCESSORIES** Upper Extremity Support Tray □ 12" to 14" OR □ 13" to 15" Seat Widths A (Requires Armrests.) \$290 E0950 TUEST1 TLUG1 □ Luggage Carriers \$145 TMPCT2 □ Black Neoprene Impact Guards with Ultrasuede Stripe \$105

□ Crutch Holder_______\$225

### TiLite TR TRA Order Form

Page 8 of 8 Effective Oct 4, 2021 (New Items in Red) **DUAL-TUBE RIGID FRAME** 


TAFP1

NOTES

The rear frame for a TR will be square when the Center of Gravity H measurement is less than 3.5". TRA will always be a Rounded Rear Frame.

#### **GENERAL**





B. Square rear frame

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or click here to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™ COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

#### NOTES

**QUOTE THIS CHAIR** 

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

**ORDER THIS CHAIR**