

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 1 of 8

DEALER INFORMATION		RTS INFORMATION	
Dealer:	Account #:	RTS:	Phone:
PO:	Ordered By:	Email:	
Email:		SHIP TO INFORMATION	
Mark For:	User Weight:	Name:	Ship Via:
TiLite Sales Rep:		Address:	
TiLite Information:	Promo Code:	City:	State: Zip:
Ship Date:	Order #:	Phone:	Fax:

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Please Email or Fax to the Permobil Manual Customer Service Team at tilitesales@permobil.com or 866.586.2413 / 509.586.2413



FRAME STYLE

- ATFS1 ☐ **Aero T Aluminum Frame** (Full Adjustability. 265 Pound Weight Limit. For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....\$2,950 K0005, E1235
- TAFS1 ☐ **TRA Titanium Frame** (Full Adjustability. 265 Pound Weight Limit. For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....\$1,395
- TRFS1 ☐ **TR Titanium Frame Ultimate TiFIT** (Minimal Adjustability. 265 Pound Weight Limit. For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....\$250

SMARTDRIVE POWER ASSIST SYSTEM



- ZMAXSD1 ☐ **Permobil Smart Drive MX2+** (SwitchControl comes standard. N/A with rear seat heights less than 13.5", or 20" rear wheels).....\$7,131 E0986
- ZMAXSD6 ☐ **NEW** PushTracker E2 OR ZMAXSD7 ☐ PushTracker OR ☐ **No PushTracker required**.....NCO
- ZMAXSD8 ☐ SwitchControl with Mono Jack Option.....\$150
- ZMAXSD4 ☐ Carrying Bag.....\$78
- ZMAXSD5 ☐ **NEW** Universal padded handle.....\$20

FRAME STYLE

- THDR1 ☐ **Heavy Duty Frame** (Not Available with TR Titanium Frame. 350 Pound Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or SpinerGY SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with SuperLite Edition, Slipstream Fork, Velcro Adjustable Upholstery, Open Loop Footrest, V-Front Taper or Glide™ Forks.).....\$435
- TQST1 ☐ **Q'Straint Adaptable Frame** (350 Pound Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or SpinerGY SPOX Rear Wheels. LX Rear Wheels. only available with 0 or 2 degree camber. Not available with SuperLite Edition, Slipstream Fork, Velcro Adjustable Upholstery, Open Loop Footrest, V-Front Taper or Glide™ Forks.).....\$435
- TPWR1 ☐ **Power Adaptable Frame** (No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Requires LiteSpeed Billet Aluminum Front Wheels and 0 degree camber. Not available with Single-sided Forks, or Titanium Camber Tubes. Not required for SmartDrive.).....\$340
- TRFR1 ☐ **Reinforced Frame** (No charge when 20" Rear Seat Width A and 20" B Seat Depth are selected.).....\$340

FRAME FINISHES

- TFF1 ☐ Satin (Available with Titanium Frame only.).....STD
- SCBT1 ☐ Satin Finish Buffing Pads.....\$20
- TFF3 ☐ Tattooed Titanium™ (Tattoos on front frame tubes. Titanium frame finished in Satin. Tattoos will be trimmed and adjusted to fit your frame.).....\$335
- TFF45 ☐ Need for SpeedTFF44



☐ Mosaic



- | | | | |
|----------------------|---|---|--|
| High Gloss Paint | ☐ TFF8 High Gloss Black | ☐ TFF10 TiLite Red | ☐ TFF29 Neon Pink |
| Metallic Paint | ☐ TFF14 Ocean Blue Metallic | ☐ TFF15 Tangerine Metallic | ☐ TFF30 Acid Green Metallic |
| Pearlescent Paint | ☐ TFF17 Midnight Blue Pearl | ☐ TFF18 White Pearl | |
| Matte Paint | ☐ TFF19 Black Lava | ☐ TFF27 Titanium Grey | |
| Candy Paint | ☐ TFF22 Ruby Red | ☐ TFF23 Azure Blue | ☐ TFF25 Electric Plum |
| Matte Textured Paint | ☐ TFF40 Hyper Blue | ☐ TFF41 Flame Orange | ☐ TFF42 OD Green.....STD |



Permobil.com
2701 West Court Street / Pasco, Washington 99301
Tel 800 736 0925 or Email tilitesales@permobil.com

OF0026 AeroT 1212020RevE

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 2 of 8

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: **Caster Mount, Caster Fork, and Caster Caps.** If no anodize color is selected, the default will be black.)

- ☐ TANO1 Black.....STD
☐ TAN12 Gold ☐ TAN15 Green ☐ TAN13 Purple ☐ TAN14 Orange ☐ TAN10 Blue ☐ TAN11 Red.....\$65

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH A Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

TSW1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" STD

ZSW2 ☐ 20" (HCPCS code only applies to 20" Rear Seat Width ; > 20" size avail. through CMD).....\$495 E2201

FRONT SEAT WIDTH (SEAT TAPER) T Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End v. Not Available with Standard Front End t.)

TFSW1 ☐ No Taper.....STD

TFSW2 ☐ 1" Taper (3" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.).....\$280

TFSW4 ☐ 2" Taper (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.).....\$280

SEAT DEPTH B Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

TSD1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19".....STD

TSD2 ☐ 20".....\$540 E2203

TSD3 ☐ Custom Frame Depth: _____" Frame Depth Longer or Shorter Than Seat Depth (Measure from front of seat sling to beginning of frame bend. Ranges from 0.5" to 2" and can be given as specific as 1/4" increments. A Custom Frame Depth outside specified range may be available through our Creative Mobility Division. A Custom Frame Depth of 20" will have an additional charge).....NCO

ERGONOMIC SEAT U Measure from front of back post to beginning of upward bend of seat tube.

TERG1 ☐ TR Ergonomic Seat (Not available with Tension Adjustable Bolt On Seat Upholstery)

5" ☐ 6" ☐ 7" ☐ 8" ☐ 9".....\$340

TERG2 ☐ Aero T and TRA Ergonomic Seat (Not available with V-Front or Seat Taper, Seat Back that Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat, Tension Adjustable Bolt-On Seat Upholstery, or the Curve cushion.)

☐ 6" (Minimum Seat Depth B 12") ☐ 7" (Minimum Seat Depth B 12")

☐ 8" (Minimum Seat Depth B 13").....\$400

FRONT SEAT HEIGHT C Measure from floor to top of seat tube at front edge of seat sling.

TFSH1 ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5"

☐ 20" ☐ 20.5" ☐ 21".....STD

REAR SEAT HEIGHT D Measure from floor to top of seat tube at back post.





Rear Wheel Size	Rear Seat Height
20"	12.5"-20"
22"	13.5"-20"
24"	14.5"-20" (15" on TRA)
25"	15.0"-20"
26"	15.5"-20"

TRSH1 ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20".....STD

FRONT ANGLE or OVERALL FRAME LENGTH Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

TFA1 ☐ 70° ☐ 75° ☐ 80° ☐ 85° L Measure from frame front to floor. (Not available with 6" Front Wheels.) ☐ 90° (Not available with 5" or 6" Front Wheels.).....STD

TFA2 ☐ Overall Frame Length M _____" Measure from front of backrest to Front Edge of Footrest.....NCO



TiFit: TAILORED INDIVIDUALIZED FRAME

SEAT TO FOOTREST E Measure from front edge of seat sling to top rear of footrest.

Standard Footrests Measurement must be at least 2" shorter than Front Seat Height C.

☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18"

☐ 18.5" ☐ 19"

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 3 of 8

- TFTR3 ☐ Angle Adjustable Footrest..... **STD**
 TFTR1 ☐ Titanium Footrest w/Flat ABS Cover..... **\$200**
 TFTR2 ☐ Titanium Open Loop Footrest..... **\$255**
 ZFTR12 ☐ Flip-Back Footrest (Not available with 10" or 11" Rear Seat Width A, Heavy Duty Frame, or ABS Cover with 2" Sides)..... **\$255 K0040, K0045**
High Mount Footrest
☐ 7"-9" ☐ 9"-11" ☐ 11"-13" Set at _____ (Use 1/2" increments)
 TFTR4 ☐ Angle Adjustable High Mount Footrest..... **\$100 K0040**

FOOTREST WIDTH I or **V** Select either a Standard Front End I if no Seat Taper T is selected or a V-Front End V if a Seat Taper T is selected.

STANDARD FRONT END I Find your Rear Seat Width A in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

TFE1 ☐ **NO V-Front Taper**..... **STD**

REAR SEAT WIDTH A (Outside Measurement)	FOOTREST WIDTH I		
	No Taper (2" Narrower than Rear Seat Width)	2" Taper (4" Narrower than Rear Seat Width)	4" Taper (6" Narrower than Rear Seat Width)
12"	☐ 10"	☐ 8"	
13"	☐ 11"	☐ 9"	
14"	☐ 12"	☐ 10"	☐ 8"
15"	☐ 13"	☐ 11"	☐ 9"
16"	☐ 14"	☐ 12"	☐ 10"
17"	☐ 15"	☐ 13"	☐ 11"
18"	☐ 16"	☐ 14"	☐ 12"
19"	☐ 17"	☐ 15"	☐ 13"
20"	☐ 18"	☐ 16"	☐ 14"

OR

V-FRONT END V Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

TFE2 ☐ V-Front Taper..... **\$290**
☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15"

BACK SUPPORTS

ROHO® AGILITY® ACTIVE ALUMINUM Contour Back Support

Shell Height ☐ 8" ☐ 10"

SBRS14 ☐ AGILITY Active Aluminum Min Contour with Foam.....

\$610

E2620

SBRS15 ☐ AGILITY Active Aluminum Mid Contour with Foam.....

\$610

E2620

ROHO® AGILITY® ACTIVE CARBON Contour Back Support (New 3k Weave Carbon Fiber)

Shell Height ☐ 10" ☐ 13" ☐ 16"

☐ AGILITY Carbon Min Contour Back with Foam w/ Air Insert

SBRS7 Foam w/ Air Insert.....

\$662

E2620

ACB1 AGILITY Active Carbon Upgrade (Not available with Bolt-on Push Handles).....

\$333

Fixed Hardware (Not available with 18" Shell Height or Folding Chairs.).....

NCO

☐ AGILITY Carbon Mid Contour Back with Foam w/ Air Insert

SBRS9 Foam w/ Air Insert.....

\$673

E2620

ACB2 AGILITY Active Carbon Upgrade (Not available with Bolt-on Push Handles).....

\$322

Fixed Hardware (Not available with 18" Shell Height or Folding Chairs.).....

NCO

COMFORT ACTA-EMBRACE® Back Support

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"

SBRS16 ☐ Acta-Embrace Back with 2-PT Quick Release Compass Hardware.....

\$546

E2613

CPSB1 ☐ Comfort Privacy Shield.....

\$37

COMFORT ACTA-RELIEF Back Support

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"




SBRS13 ☐ Acta-Relief Back with 2-PT Quick Release Compass Hardware.....

\$746

E2615

CPSB1 ☐ Comfort Privacy Shield.....

\$37



TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 4 of 8

BACK UPHOLSTERY (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

TBUP2	☐ Velcro Adjustable (Not available with Fold-Down Push Handles.)	STD		
Tension Adjustable by Straps (Required with Fold-Down Push Handles.)				
TBUP3	☐ Padded Nylon.....		\$340	E2611
TBUP5	☐ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.).....		\$340	E2611
TUPC3	Ultrasuede Backrest Stripe ☐ Black.....		\$105	
TBUP0	☐ Omit Back Upholstery.....		NCO	

TiFit: TAILORED INDIVIDUALIZED FRAME

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT F Measure from top of back post to top of seat tube at rear of frame.

TSB1	☐ Folding Aluminum Adjustable Height Back (Required for Heavy Duty Frame.).....	STD		
TSB2	☐ Folding Titanium Adjustable Height Back and Rounded Rigidizer Bar (Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.).....		\$255	
TSB15	☐ Non-Folding, Fixed Height Titanium with Rounded Rigidizer Bar (Not Available with Aero T or TRA. Titanium back will match Frame Finish. Not available with Push Handles.).....		\$290	

TISHAFT™ BACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.)

TSB3	☐ Aluminum	STD		
TSB5	☐ New 3k Weave Carbon Fiber.....		\$75	

PUSH HANDLES

TSB6	☐ Integrated Push Handles.....	NCO		
TSB7	☐ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps Back Upholstery.).....		\$115	
TSB8	☐ Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.).....		\$200	
TSB9	☐ Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.).....		\$335	

FOLDING SEAT BACK HEIGHT F (TSB1 and TSB2)

Push Handles (Selected Above)	Short	Medium	Tall	Set at: (Use ½" increments)
None/ Bolt-On	☐ 9.5"-12.5"	☐ 13"-17.5"	☐ 17"-21.5"	Set at: _____
Integrated	☐ 11.5"-13.5"	☐ 14.5"-17.5"	☐ 18.5"-21.5"	Set at: _____
Integrated Fold-Down	☐ 14"-16.5"	☐ 15"-19.5"	☐ 19.5"-22"	Set at: _____

NON-FOLDING, FIXED-HEIGHT F TITANIUM SEAT BACK with Rounded Rigidizer Bar (TSB15) (Not Available with Aero T or TRA. Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

☐ 5" ☐ 5.5" ☐ 6" ☐ 6.5" ☐ 7" ☐ 7.5" ☐ 8" ☐ 8.5" ☐ 9" ☐ 9.5" ☐ 10" ☐ 10.5" ☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5" ☐ 13"
☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20"

AVAILABLE ON ALL BACKS




TSB11	☐ Backrest that Locks when Folded (Not available with Ergonomic Seat.).....	STD		
TSB12	☐ 4" Deep Backrest Rigidizer Bar (Not available with a Non-Folding, Fixed Height Titanium Seat Back Type. 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.).....	NCO		

SEAT BACK ANGLE G Measure angle from front of back post to floor.

ZSBA1	Folding Back ☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95° ☐ 98° ☐ 101°.....	STD		
ZSBA1	Non-Folding Back ☐ 80° ☐ 81° ☐ 82° ☐ 83° ☐ 84° ☐ 85° ☐ 86° ☐ 87° ☐ 88° ☐ 89° ☐ 90° ☐ 91° ☐ 92° ☐ 93° ☐ 94° ☐ 95° ☐ 96° ☐ 97° ☐ 98° ☐ 99° ☐ 100° ☐ 101°.....	NCO		

CENTER OF GRAVITY H Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

TCOG1	☐ 1" ☐ 1.25" ☐ 1.5" ☐ 1.75" ☐ 2" ☐ 2.25" ☐ 2.5" ☐ 2.75" ☐ 3" ☐ 3.25" ☐ 3.5" ☐ 3.75" ☐ 4" ☐ 4.25" ☐ 4.5" ☐ 4.75" ☐ 5".....	STD		
-------	---	------------	--	--



TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 5 of 8

REAR WHEEL SPACING J/PLUGS Measure from outside of seat back post to inside of rear tire. ZRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber K. Ergonomic Seat selection may limit available center of gravity.

ZRWS1	☐ .75" ☐ 1" ☐ 1.25"	STD
ZCBR12	☐ Adjustable Rear Wheel Spacing Camber Plugs	STD
ZCBR9	☐ Additional Spacers to Increase Rear Wheel Spacing	NCO
ZCBR11	☐ Zero Play Aluminum Camber Plugs (Not available with Power Adaptable Frame or more than 6° of Camber K.)	NCO

SEAT UPHOLSTERY

ZSUP1	☐ Tension Adjustable Bolt On (Not available with Ergonomic Seat or Tapered Seat T. Black only.)	STD	
ZSUP2	☐ Tension Adjustable by Straps (Standard with Ergonomic Seat and Front Seat Width (Seat Taper) T of 1", 2" or 3". Black upholstery only.)	\$185	
ZSUP8	☐ Aluminum Solid Seat (Not available with 10" or 11" Rear Seat Width A, Ergonomic Seat U requires CMD 016)	\$285	E2231
ZSUP0	☐ Omit Seat	NCO	

SEAT CUSHION (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

ZCSH2	☐ Comfort Curve Cushion (Stretch-Air cover)	\$100	E2601
ZCSH23	☐ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion	\$363	E2607
ZCSH11	☐ ROHO® Single Compartment (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$482	E2622
XCSH14	☐ ROHO® QUADTRO SELECT® Cushion (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$482	E2624
ZCSH16	☐ ROHO® Hybrid Select (Fits seat widths 14" to 18", and 20")	\$515	E2624
ZCSH17	☐ Vicair Vector 02 with Comfair Cover (Fits seat widths A 14" to 19". Non-stock upcharges may apply.)	\$476	E2624

CAMBER K/CAMBER TUBES

TCBR1	☐ 0° ☐ 2° ☐ 4° ☐ 6° (8° of Camber K may be available through our Creative Mobility Division.)	STD
TCBR15	☐ Aluminum Camber Tube	STD
TCBR3	☐ Titanium Camber Tube (Not available with Power Adaptable Frame.)	\$200

CUSTOM CONFIGURATION OPTIONS

FRONT WHEELS

TFW24	☐ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub	\$190
TFW14	☐ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork or Power Adaptable Frame.)	NCO
TFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork or Power Adaptable Frame.)	\$80
TFW26	☐ 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)	\$95
TFW27	☐ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub	\$200
TFW6	☐ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	NCO
TFW28	☐ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle L or Power Adaptable Frame.)	\$95
TFW30	☐ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 90° Front Angle L.)	\$215
TFW9	☐ 6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	NCO
TFW32	☐ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	\$100
TFW33	☐ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 85° or 90° Front Angle L or Slipstream Fork.)	\$225

PRECISION LOCK FRONT FORKS

TFK1	☐ TiLite Standard Fork	STD	
TFK2	☐ TiLite Slipstream Single-Sided Fork (Not available with Power Adaptable Frame.)	\$170	
TGL1	☐ Out-Front Glide™ Suspension Fork (Black anodize only.)	\$485	E1015
	Rider's Weight: ☐ 125 lbs. ☐ 125-180 lbs. ☐ 180-265 lbs.		
TTFS1	☐ Titanium Fork Stem	\$60	

STANDARD REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

TRW14	TiLite SHADOW™	STD
	☐ 20"(451)	
	☐ 22"(501)	
	☐ 24"(540)	
	☐ 25"(559) (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) (Requires 15" minimum Seat Depth B.)	

PERFORMANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

TRW7	Spinergy SPOX ☐ Black ☐ Red ☐ Blue ☐ White	\$845
	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
TRW8	Spinergy LX ☐ Black ☐ Red ☐ Blue ☐ White ☐ Bright Orange ☐ Flamingo Pink ☐ Purple	\$1,060

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 6 of 8

TRW9	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	New Spinerger Design Lab LX Wheels (If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)	
	☐ Gold Anodize ☐ Green Anodize ☐ Blue Anodize ☐ Red Anodize ☐ Purple Anodize ☐ Orange Anodize.....	\$1,260
TRW16	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	☐ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)	
	New Spinerger® Carbon Blade with 3k Carbon Fiber (Not available with Heavy Duty Frame.).....	
	☐ 24"(540)	\$1,480
	☐ 25"(559) (Requires 15" minimum Seat Depth B.)	
TRW17	X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.).....	
	☐ 20"(451)	\$60
	☐ 22"(501)	
	☐ 24"(540)	

AXLES

TAXL1	☐ Stainless Quick Release.....	STD
TAXL2	☐ Titanium Quick Release.....	\$255
TAXL3	☐ Quad Release (Not available with Mag or 26"(590) Spinerger Spox or LX Rear Wheels.).....	\$155

PNEUMATIC REAR TIRES

TRTR1	☐ Treaded 22"(501), 24"(540), and 26"(590).....	STD
TRTR2	☐ Airless Inserts (Not available with Spinerger Carbon Blade Rear Wheels.).....	\$90
TRTR31	☐ New MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559) and 26"(590).....	STD
TRTR30	☐ 24"(540), 25"(559) and 26"(590) Primo Sentinel.....	\$125
TRTR8	☐ 24"(540), 25"(559) and 26"(590) Schwalbe® Marathon Plus Evolution.....	\$140
TRTR24	☐ 24"(540) Kenda Kobra Knobby.....	\$95

E2213

SOLID REAR TIRES (Not available with Spinerger Carbon Blade Rear Wheels.)

TRTR22	☐ 20"(451), 22"(501), 24"(540) and 25"(559) Primo Express.....	\$110
TRTR23	☐ 24"(540) and 25"(559) Primo Active.....	\$135

HANDRIMS

Handrims by OUT-FRONT®

TRIM1	☐ Aluminum – Silver Anodized.....	STD
TRIM21	☐ Aluminum – Black Anodized (Not available with 20"(451) Rear Wheels.).....	NCO
TRIM12	☐ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.).....	\$470
TRIM10	☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.).....	\$400
TRIM11	☐ The Surge LT (All-In-One Oval with Gription™ Strip, Smaller Profile) (Not available with 20"(451) Rear Wheels.).....	\$430
TRIM20	☐ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451) Rear Wheels.).....	\$330

The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.)

TRIM14	☐ Standard Grip (Not available with Short Tabs or Spinerger Carbon Blade Rear Wheels.).....	\$395
TRIM15	☐ Super Grip (Not available with Short Tabs or Spinerger Carbon Blade Rear Wheels.).....	\$430
TRIM16	☐ Without Thumb Grip.....	\$360

The Natural-Fit® LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.)

TRIM17	☐ Standard Grip (Not available with Short Tabs or Spinerger Carbon Blade Rear Wheels.).....	\$415
TRIM18	☐ Super Grip (Not available with Short Tabs or Spinerger Carbon Blade Rear Wheels.).....	\$475
TRIM19	☐ Without Thumb Grip.....	\$390

Additional Handrim Options

TRIM5	☐ Plastic Coated – Black.....	\$160
TRIM22	☐ Omit Handrims.....	NCO

Tab Length

TRIM7	☐ Long Tabs.....	STD
TRIM8	☐ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.).....	\$25

WHEEL LOCKS

Wheel Locks by OUT-FRONT®

TWLK7	☐ Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing) only.).....	NCO
TWLK8	☐ Compact Composite Pull to Lock (Available with .75" to 1.5" Rear Wheel Spacing) only.).....	NCO
TWLK10	☐ Extension Handles for Compact Composite Push/Pull to Lock.....	\$85

E0961

Additional Wheel Locks

TWLK11	☐ New MBL Composite Scissor Lock.....	\$145
TWLK3	Uni-Lock Set At: ☐ Push OR ☐ Pull.....	\$165
TWLK4	☐ Extension Handles for Uni-Lock.....	\$85
TWLK15	☐ Grade Aids Push to Lock (Not available with solid rear tires).....	\$175

E0961

E0974

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 7 of 8

SIDE GUARDS

Aluminum

TSDG2	☐ Rigid Removable	☐ Small	OR	☐ Std.	\$200	
TSDG3	☐ Quad Removable w/Hole	☐ Small	OR	☐ Std.	\$215	
TSDG4	☐ Fold Down Rigid	☐ Small	OR	☐ Std. (Not available with Ergonomic Seat.)	\$335	
TSDG6	☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5").				\$335	

New 3k Weave Carbon Fiber

TSDG7	☐ Rigid Removable	☐ Small	OR	☐ Std.	\$310	
TSDG8	☐ Quad Removable w/Hole	☐ Small	OR	☐ Std.	\$320	
TSDG9	☐ Fold Down Rigid	☐ Small	OR	☐ Std. (Not available with Ergonomic Seat or Carbon Edition.)	\$460	
TSDG11	☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5").				\$565	
TSDG12	☐ Fendered Removable				\$455	

CUSTOM CONFIGURATION OPTIONS

Available on Aluminum and Carbon Fiber Non-Fendered Side Guards

TSDG13	☐ Side Guards Custom Cut to Profile of Rear Wheels	\$315	
--------	---	-------	--

ARMRESTS (Desk Arms come with built-in Side Guards.)

TARM1	Swing Away Tubular ☐ 6.5" to 9.5" OR ☐ 9.5" to 12.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.)	\$225	E0973
TARM4	☐ Swing Away - Flip Back Tubular 8.5" to 11.5" (Not Available with Non-Folding, Fixed Height Titanium Seat Back.)	\$315	E0973
TARM2	Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)	\$335	E0973
	☐ 9" to 12" OR ☐ 12" to 15"		
	☐ Standard Length Pad (10") OR ☐ Full Length Pad (14")		
TARM3	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)	\$375	E0973
	☐ 9" to 12" OR ☐ 12" to 15"		
	☐ Standard Length Pad (10") OR ☐ Full Length Pad (14")		
	Available Armrest Option		
TARM5	☐ Covered in Black Ultrasuede (Not available with Desk Arms)	\$110	

SEAT BELTS

TBLT1	☐ Velcro Adjustable, Black Nylon Webbing	\$55	E0978
TBLT2	☐ Bodypoint® 2" Push-Button Buckle (Auto-Style.)	\$95	E0978
TBLT4	☐ Bodypoint® 1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A.)	\$180	E0978
TBLT5	☐ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A.)	\$170	E0978
TBLT10	☐ Bodypoint® Optional Band Clamp Mounting Hardware	\$20	K0108
TBLT16	☐ Bodypoint® EvoFlex® Pelvic Stabilizer Push Button	\$185	E0978

CALF STRAP

TCLF2	Velcro Adjustable	\$40	K0038
	☐ Small (Recommended for 9" - 12" Footrest Widths.)		
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)		
	☐ Large (Recommended for 14" - 17" Footrest Widths.)		
	☐ Xtra Large (Recommended for 16" - 19" Footrest Widths.)		
TCLF3	Bodypoint® Padded Velcro Adjustable	\$100	K0038
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)		
	☐ Large (Recommended for 16" - 19" Footrest Widths.)		
TCLF1	☐ Buckle Adjustable, Black Nylon Webbing	\$30	K0038

RESIDUAL LIMB SUPPORT

TRSL1	☐ Residual Limb Support ☐ Left OR ☐ Right (8" width x 10" length)	\$395	E1020
TRSL2	☐ Residual Limb Support Pair (8" width x 10" length)	\$790	E1020

BACKPACK

TBCK3	☐ Permobil Medical Necessities Backpack	\$95	
-------	--	------	--

SEAT POUCH

TPCH3	☐ Permobil Medical Necessities Seat Pouch	\$60	
TPCH4	☐ Bodypoint® Mobility Bag	\$100	

SPOKE GUARDS

TGRD1	☐ Clear Lexan with TiMotion Logo (Not available with Mag Rear Wheels.)	\$135	K0065
-------	---	-------	-------

ANTI-TIPS

TTIP1	☐ Rear Aluminum - Black	\$160	E0971
TTIP2	☐ User Friendly Flip-up	\$335	E0971

TiLite Aero T Order Form

Effective Oct 4, 2021 (New Items in Red)

DUAL-TUBE RIGID FRAME

Page 8 of 8


ACCESSORIES

TUEST1	Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths A (Requires Armrests.)	\$290	E0950
TLUG1	☐ Luggage Carriers	\$145	
TMPCT2	Neoprene Impact Guards with Ultrasuede Stripe ☐ Black	\$105	
TCH1	☐ Crutch Holder	\$225	E2207
TAFP1	4" Logo Patch ☐ Army ☐ Navy ☐ Air Force ☐ Marines	\$105	


FRAME NOTES

The rear frame for a TR will be square when the Center of Gravity H measurement is less than 3.5". Aero T and TRA will always be a Rounded Rear Frame.

GENERAL



A. Round rear frame



B. Square rear frame

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

NOTES

QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR