




Order form

Comfort Unite 3 back support



Dealer Name*:

Account #*:

City, State, Zip:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference*:

Client Weight:

**Required field*

Special considerations that need to be addressed here (e.g., diagnosis):

Notes | Refer to reference pages at end of order form for additional information and images.

Unite 3 back support with foam only insert

HCPSC coding: E2620/E2621 Positioning back, planar with lateral supports. Part number: U3-BSXXWYYL.

Length	22"	☐ \$ 1,208.00	☐ \$ 1,208.00	☐ \$ 1,208.00	☐ \$ 1,359.00	☐ \$ 1,359.00
	20"	☐ \$ 1,208.00	☐ \$ 1,208.00	☐ \$ 1,208.00	☐ \$ 1,359.00	☐ \$ 1,359.00
	18"	☐ \$ 1,078.00	☐ \$ 1,078.00	☐ \$ 1,078.00	☐ \$ 1,359.00	☐ \$ 1,359.00
	16"	☐ \$ 1,078.00	☐ \$ 1,078.00	☐ \$ 1,078.00	☐ \$ 1,359.00	
	14"	☐ \$ 1,078.00	☐ \$ 1,078.00	☐ \$ 1,078.00		
		14"	16"	18"	20"	22"
Width						

14L not available with direct mount hardware. 24" wide back supports require 4 point, power mount or direct mount hardware.

Cover | Required, choose one.

- | | | |
|--|---|----------|
| ☐ C-COMFORT-TEK | COMFORT-TEK
For fluid protection, an easily cleaned surface | NC |
| ☐ C-DIAMOND-SPACER | Diamond Spacer
For comfort and heat dissipation. NOT a fluid resistant material. | NC |
| ☐ C-GLIDEWEAR-DIAMOND | Diamond Spacer with GlideWear
For skin protection and shear reduction. NOT a fluid resistant material | \$ 52.00 |

Unite 3 back support with ROHO Inserts

HCPCS coding: E2620/E2621 Positioning back, planar with lateral supports. Part number: U3R-BSXXWYYL.

Length	22"	☐ \$ 1,303.00	☐ \$ 1,303.00	☐ \$ 1,303.00	☐ \$ 1,466.00	☐ \$ 1,466.00
	20"	☐ \$ 1,303.00	☐ \$ 1,303.00	☐ \$ 1,303.00	☐ \$ 1,466.00	☐ \$ 1,466.00
	18"	☐ \$ 1,163.00	☐ \$ 1,163.00	☐ \$ 1,163.00	☐ \$ 1,466.00	☐ \$ 1,466.00
	16"	☐ \$ 1,163.00	☐ \$ 1,163.00	☐ \$ 1,163.00	☐ \$ 1,466.00	
		16"	18"	20"	22"	24"
Width						

24" wide back supports require 4 point, power mount or direct mount hardware.

Cover | Required, choose one.

- ☐ C-COMFORT-TEK **COMFORT-TEK** NC
For fluid protection, an easily cleaned surface
- ☐ C-DIAMOND-SPACER **Diamond Spacer** NC
For comfort and heat dissipation. NOT a fluid resistant material.
- ☐ C-GLIDEWEAR-DIAMOND **Diamond Spacer with GlideWear** \$ 52.00
For skin protection and shear reduction. NOT a fluid resistant material

Unite 3 back support

Mounting Hardware | Required, choose one.

- Compass 4 Quick Release** ☐ Quick Release 2 Point (C-Q-COMPASS) ☐ Quick Release 4 Point (C-Q-COMPASS4) NC
- Compass 4 Fixed** ☐ Fixed 2 Point (C-NQ-COMPASS) ☐ Fixed 4 Point (C-NQ-COMPASS4) NC
- Compass Power Mount** ☐ Permobil w/ Corpus 3G (C-PMB-PERMOBIL) \$ 92.00
☐ Quantum w/ Tru Balance 3 or 4 (C-PMB-QUANTUM)
☐ Quickie w/ 3.7 Power (C-PMB-QUICKIE)
☐ Avid Rehab w/ Power T & R (C-PMB-AVID)
☐ ROVI w/ Motion Concepts (C-PMB-ROVI)
Using Power Mount hardware on ROVI requires mounting to the recessed planar interface plate available when ordering the Motion Concepts seating system. Drilling is required for mounting.
- Permobil Direct Mount** ☐ Permobil Direct Mount(C-DIRECT-MOUNT) \$ 92.00
Includes Unitrack Assembly

Embroidery | Optional, not available with GlideWear cover. Includes corresponding color zipper pull.

- Thread color** ☐ Red (C-EMB-RED) ☐ Purple (C-EMB-PURPLE) ☐ Pink (C-EMB-PINK) \$ 36.00
☐ Blue (C-EMB-BLUE) ☐ Orange (C-EMB-ORANGE) ☐ Green (C-EMB-GREEN)
☐ Silver (C-EMB-SILVER)

- Font** ☐ Helvetica (C-EMB-HELVETICA) ☐ Garamond (C-EMB-GARAMOND)
☐ Impress (C-EMB-IMPRESS) ☐ Kaufmann (C-EMB-KAUFMANN)

Word one ☐ Input is case sensitive:

Word two (optional) ☐ Input is case sensitive:

Font styles

HELVETICA
GARAMOND
Impress
Kaufmann

Other Accessories | Optional

- ☐ C-PV-SHIELD **Privacy Shield** \$ 52.00
Connects with hook & loop attachment

BodiLink premium head support & hardware

Optional, if selecting must choose pad size, foam selection, cover, and mounting hardware.

Pad size and foam selection

Pad size	Soft	Extra soft	
6"W x 3"L	☐ BL-HSP1-6W3L	☐ BL-HSP2-6W3L	E0955 \$ 269.00
8"W x 4"L	☐ BL-HSP1-8W4L	☐ BL-HSP2-8W4L	E0955 \$ 269.00
10"W x 5"L	☐ BL-HSP1-10W5L	☐ BL-HSP2-10W5L	E0955 \$ 269.00
12"W x 5"L	☐ BL-HSP1-12W5L	☐ BL-HSP2-12W5L	E0955 \$ 269.00
14"W x 5"L	☐ BL-HSP1-14W5L	☐ BL-HSP2-14W5L	E0955 \$ 269.00
18"W x 5"L	☐ BL-HSP1-18W5L	☐ BL-HSP2-18W5L	E0955 \$ 269.00

Cover options

☐ COMFORT-TEK	COMFORT-TEK For fluid protection & an easily cleaned surface	NC
☐ STRETCH-AIR	STRETCH-AIR For comfort & heat dissipation	NC
☐ GLIDEWEAR	GlideWear For skin protection & shear reduction. NOT fluid resistant	\$ 30.00

PT hardware, removable

☐ BL-HS-PT1RMMID6	Mid 6	E1033 \$ 254.00
☐ BL-HS-PT1RMLAT6	Lat 6	E1033 \$ 295.00
☐ BL-HS-PT1RMMID8	Mid 8	E1033 \$ 254.00
☐ BL-HS-PT1RMLAT8	Lat 8	E1033 \$ 295.00
☐ BL-HS-PT1RMMAX8	Max 8	E1033 \$ 372.00

Stem length option | For removable PT hardware only

☐ HS-STEM-7	Standard 7" stem	NC
☐ HS-STEM-3	3"stem (recommended for use with power mounting where there may be constraints)	NC

PT hardware, flip down | Flip down hardware has 7" stem.

☐ BL-HS-PT1FDMID6	Mid 6	E1033 \$ 310.00
☐ BL-HS-PT1FDLAT6	Lat 6	E1033 \$ 353.00
☐ BL-HS-PT1FDMID8	Mid 8	E1033 \$ 310.00
☐ BL-HS-PT1FDLAT8	Lat 8	E1033 \$ 353.00
☐ BL-HS-PT1FDMAX8	Max 8	E1033 \$ 405.00

Mounting option

☐ HS-MB-POSTA	Posterior A (For Compass 4 and Compass Power Mount hardware)	NC
☐ HS-MB-PW2C	Permobil C (For Permobil Direct Mount only)	\$ 101.00

Additional hardware options | Priced per selection.

Extra link for PT hardware	☐ Extra 2" link (BL-HS-PT1LINK2)	☐ Extra 3" link (BL-HS-PT1LINK3)	\$ 65.00
	☐ Extra 4" link (BL-HS-PT1LINK4)		
☐ BL-HS-52WINGA1	Tool-less wing lock for PT hardware Enter desired number.		\$ 25.00
☐ BL-HS-SPCRA	1/4 Spacer Plate		\$ 43.00

Additional Order Instructions (for Permobil):

Notes & Comments (not for Permobil):

Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, _____, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of seating and positioning products and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____


Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.


References

Section 1 | Hardware options

Compass 4 quick release




Compass 4 fixed




Compass power mount


Power mount hardware has 8" of height adjustment in 1/2" increments without using tools.



4-point



Section 2 | Accessories




Privacy shield

Provides coverage between the bottom of the back support to the seat base of their wheelchair. Attaches directly to the canes of a wheelchair.


Permobil Direct Mount

For use on Permobil power wheelchairs only



UniTrack Assembly

Included with Direct Mount



Section 3 | BodiLink head support pads

Basic pad sizes

W			
L	6W x 5L	L	12W x 6L
L	8W x 5L	L	14W x 6L
L	10W x 6L	L	18W x 6L
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

Premium pad sizes

W			
L	6W x 3L	L	12W x 5L with adjustable wings
L	8W x 4L	L	14W x 5L with adjustable wings
L	10W x 5L with adjustable wings	L	18W x 5L with adjustable wings
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad

Section 4 | BodiLink head support hardware options

GT hardware, removable

Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL




GT hardware, MID-LINE



BodiLink head support hardware: PT hardware, removable

Range of motion

PT model	Total # of links	Total link length	Max anterior reach	Max posterior reach	Max lateral reach
MID 6	2	6"	5.5"	1"	N/A
LAT 6	3	6"	5.5"	1"	6"
MID 8	2	8"	7.5"	1"	N/A
LAT 8	3	8"	7.5"	1"	8"
MAX 8	4	8"	7.5"	3"	8"




PT hardware, flip down hardware, removable

Flip down hardware has 7" stem



BodiLink head support hardware: PT hardware, removable stem length option

3" stem is recommended for use with power mounting where there may be special constraints with power chair functions



Mounting options




Mounting block Posterior A
For Comfort Unite, Embrace and Visco backs as well as Comfort Relief with Compass power mount


Mounting block Permobil C
For use with Permobil Direct Mount and Unitrack assembly

Extra hardware

1/4" spacer plate



Extra links: 2", 3", 4"



Tool-less wing lock

