



TiLite ZR - Order Form



Company name _____ Account number _____

Address/ Postcode / City _____

Phone number _____ Email _____ Contact person _____

Rep name _____ Order number _____ Quote number _____

Customer reference _____ User weight _____

Special considerations to be noted (e.g., medical diagnosis, specific requirements): _____ **Required field*

FRAME STYLE

Z2FS1 **ZR Titanium Frame** Full adjustability. 265lb (120kg) weight limit. 150lb (68kg) weight limit for seat sizes 10"(25.4cm)x10" to 12"(30.5cm) x12". £ 3,724.00

FRAME OPTIONS

Z2HDR1 **Heavy Duty Frame** 300lb weight limit. Includes tension adjustable by straps back upholstery. Requires folding aluminum adjustable height backrest, billet aluminum front wheels, Shadow or Spinergy SPOX rear wheels. LX rear wheels only with 0° or 2° camber. Not with Slipstream fork, velcro adjustable upholstery, swing away tubular armrests or swing away flip back tubular armrests.

Z2RFR1 **Reinforced Frame**

TRANSIT OPTIONS

Z2WTB **Transport Brackets** Consists of four tie-down brackets. Unoccupied use only. £ 323.00

FRAME FINISHES

Z2FF1 **Satin Finish** Available with Titanium Frame only.

Z2SCBT1 **Buffing Pads for Satin Frame** £ 15.00

Z2FF3 **TATTOOS** Tattoos on front frame tubes. Titanium frame finished in Satin. Tattoos will be trimmed and adjusted to fit your frame. £ 323.00

ZFF45 Need for Speed ZFF44 Flower Garden ZFF43 Mosaic



Need for Speed



Flower Garden



Mosaic

FRAME COLOR | Powder coated frame

- | | | | | |
|---------------|------------------------------|----------------------------|------------------------------|----------------------------|
| Color: | ZFF8 High Gloss Black | ZFF10 Red Pepper | ZFF29 Neon Pink | ZFF14 Ocean Blue Metallic |
| | ZFF15 Tangerine Metallic | ZFF30 Acid Green Metallic | ZFF17 Midnight Blue Pearl | ZFF18 White Pearl |
| | ZFF19 Black Lava | ZFF27 Titanium Grey | ZFF59 Pomegranate Red | ZFF62 Blue Mist |
| | ZFF57 Indigo Purple | ZFF40 Hyper Blue | ZFF41 Flame Orange | ZFF42 OD Green |
| | ZFF60 Silver Streak | ZFF63 Lavendar Dusk | ZFF58 Black Galaxy | ZFF61 Seafoam Green |
| | ZFF64 Daffodil Yellow | | | |

ANODIZED COLOR PACKAGE | Includes caster mount, caster fork and caster caps. If no anodize colour is selected, default will be black.

- Standard:** Z2ANO1 Black
- Anodized Package:** Z2ANO12 Gold Z2ANO15 Green Z2ANO13 Purple Z2ANO14 Orange Z2ANO10 Blue £ 51.00
Z2ANO11 Red

TiFit: TAILORED INDIVIDUALIZED FRAME

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.

REAR SEAT WIDTH 'A' | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

Z2RSW4-X	10" (25.4 cm)	11" (27.9 cm)	12" (30.5 cm)	13" (33.0 cm)	14" (35.6 cm)	15" (38.1 cm)
	16" (40.6 cm)	17" (43.2 cm)	18" (45.7 cm)	19" (48.3 cm)		
Z2RSW2	20" (50.8 cm)					

FRONT SEAT WIDTH (SEAT TAPER) 'T' | Measure from inside of front frame tube to inside of opposite front frame tube. Required with V-front end, not with standard front end.

Z2FSW1	No Taper					
Z2FSW3	1.5" (3.8 cm) Taper 4" (10.2 cm) narrower than rear seat width. Includes tension adjustable by straps seat upholstery. Not with 10" (25.4 cm) and 11" (27.9 cm) seat widths. Bolt-on adjustable sling available through our Creative Mobility Division #20. £ 262.00					

SEAT DEPTH 'B' | Measure from front of back post to the front edge of seat sling. Frame bend will start 0.5" (1.27cm) in front of seat sling unless Custom Frame Depth is specified or the combination of specifications affect the rolling dynamics of the chair.

Z2SD1-X	10" (25.4 cm)	11" (27.9 cm)	12" (30.5 cm)	13" (33.0 cm)	14" (35.6 cm)	15" (38.1 cm)
	16" (40.6 cm)	17" (43.2 cm)	18" (45.7 cm)	19" (48.3 cm)		
Z2SD2	20" (50.8cm) £ 486.00					

ERGONOMIC SEAT 'U' | Measure from front of back post to beginning of upward bend of seat tube.

Z2ERG1-X	5" (12.7 cm)	6" (15.2 cm)	7" (17.8 cm)	8" (20.3 cm)	9" (22.9 cm)
<i>Centre of gravity adjustment may be affected by this option. Not with V-front or seat taper, seat back that locks when folded, desk armrests, depth adjustable backrests, fold down rigid sideguards or fendered adjustable sideguards. Bolt-on adjustable sling available through our Creative Mobility Division #20. Solid seat available through our Creative Mobility Division CMD #16. Minimum seat depth 10" (25.4cm) for 6" (15.24cm). Minimum seat depth 12" (30.48cm) for 7" (17.78cm). Minimum seat depth 13" (33.02cm) for 8" (20.32cm).</i>					

FRONT SEAT HEIGHT 'C' | Measure from floor to top of seat tube at front edge of seat sling.

Z2FSH1-X	16" (40.6 cm)	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)	18.5" (47.0 cm)
	19" (48.3 cm)	19.5" (49.5 cm)	20" (50.8 cm)	20.5" (52.1 cm)	21" (53.3 cm)	

REAR SEAT HEIGHT 'D' | Measure from floor to top of seat tube at back post.

Z2RSH1-X	12.5" (31.8 cm)	13" (33.0 cm)	13.5" (34.3 cm)	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)
	15.5" (39.4 cm)	16" (40.6 cm)	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)
	18.5" (47.0 cm)	19" (48.3 cm)	19.5" (49.5 cm)	20" (50.8 cm)		

Rear Wheel	26" (66.04cm)
	25" (63.5cm)
	24" (60.96cm)
	22" (55.88cm)
	20" (50.8cm)

FRONT ANGLE OR OVERALL FRAME LENGTH | Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

Z2FA1-70	Frame Angle 'L' Measure from frame front to floor. 85° not with 6" front wheels. 90° not with 5" or 6" front wheels.
	70° 75° 80° 85° 90°

Z2FA2	Overall Frame Length 'M' Measure from front of backrest to front edge of footrest.
	Specify:

CENTRE OF GRAVITY 'H' | Measure from front of back post at the seat tube to the centre of the rear axle. If no centre of gravity is selected the chair will ship with the centre of gravity in the most rearward position. Ergo seat selection may limit available centre of gravity.

Z2COG1-X	0" (0.0 cm)	0.25" (0.6 cm)	0.5" (1.3 cm)	0.75" (1.9 cm)	1" (2.5 cm)	1.25" (3.2 cm)
	1.5" (3.8 cm)	1.75" (4.5 cm)	2" (5.1 cm)	2.25" (5.7 cm)	2.5" (6.4 cm)	2.75" (7.0 cm)
	3" (7.6 cm)	3.25" (8.3 cm)	3.5" (8.9 cm)	3.75" (9.5 cm)	4" (10.2 cm)	4.25" (10.8 cm)
	4.5" (11.4 cm)	4.75" (12.1 cm)	5" (12.7 cm)			

REAR WHEEL SPACING 'J' | Measure from outside of back post to inside of rear tire. ZRA 0.75" (1.91cm) rear wheel spacing not available with 0° or 2° camber. Ergonomic seat selection may limit available centre of gravity.

Z2RWS1-X	Fixed Rear Wheel Spacing
	0.75" (1.9 cm) 1" (2.5 cm) 1.25" (3.2 cm)
Z2CBR12	Adjustable Rear Wheel Spacing Camber Plugs
Z2CBR9	Additional Spacers to Increase Rear Wheel Spacing
Z2CBR11	Zero Play Aluminum Camber Plugs Not with power adaptable frame or more than 6° camber.

CAMBER 'K'

Z2CBR1-X 0° 2° 4° 6°

More than 0° camber not with power adaptable frame. 8° camber may be available through our Creative Mobility Division.

Z2CBR15 **Aluminum Camber Tube**

Z2CBR3 **Titanium Camber Tube** *Not with power adaptable frame.*

£ 182.00

FOOTREST

FOOTREST WIDTH | *Select standard front end 'I' if no seat taper 'T' has been selected. Select V-front end 'V' if a seat taper 'T' has been selected.*

Z2FE1-0 **Standard Front End No Taper**

Z2FE1-1.5 **Standard Front End 1,5" (3.8 cm) Taper**

Z2FE1-3.5 **Standard Front End 3,5" (8.9 cm) Taper**

Find your rear seat width 'A' in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

Rear Seat Width 'A'	10" (25.4cm)
	11" (27.94cm)
	12" (30.48cm)
	13" (33.02cm)
	14" (35.56cm)
	15" (38.1cm)
	16" (40.64cm)
	17" (43.18cm)
	18" (45.72cm)
	19" (48.26cm)
	20" (50.8cm)

Z2FE2-X **V-Front Taper 'V'** *Measure from inside of front frame tube to inside of opposite front frame tube 2.5" (6.35cm) above footrest. Titanium footrests have 1" (2.54cm) of adjustment up and down. Not with ergonomic seat frames.*

9" (22.9 cm) 10" (25.4 cm) 11" (27.9 cm) 12" (30.5 cm) 13" (33.0 cm) 14" (35.6 cm) 15" (38.1 cm)

STANDARD FOOTRESTS

STFR-X	13.5" (34.3 cm)	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)	15.5" (39.4 cm)	16" (40.6 cm)
	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)	18.5" (47.0 cm)	19" (48.3 cm)

Measure from front edge of seat sling to top rear of footrest. Measurement must be at least 2" (5.08cm) shorter than Front Seat Height 'C'.

Z2FTR3 **Angle Adjustable Footrest**

Z2FTR1 **Titanium Footrest w/Flat ABS Cover**

£ 182.00

Z2FTR2 **Titanium Open Loop Footrest**

£ 245.00

Z2FTR12 **Angle Adjustable Flip-Back Footrest** *Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width 'A', heavy duty frame or ABS cover with 2" (5.1 cm) sides.*

£ 200.00

HIGH MOUNT FOOTREST

| *Measure from front edge of seat sling to top rear of footrest.*

STFR-S **7"-9" (17.8-23.0 cm)**

STFR-M **9"-11" (22.9-27.9 cm)**

STFR-L **11"-13" (27.9-33.0 cm)**

Set at (Inch) HMFR-

Z2FTR4 **Angle Adjustable High Mount Footrest**

£ 95.00

CALF STRAPS

Z2CLF2-S **Velcro Adjustable**

£ 33.00

Small 9"-12" (22.9-30.5 cm) footrest widths	Medium 11"-15" (27.9-38.1 cm) footrest widths
Large 14"-17" (35.6-43.2 cm) footrest widths	Xtra Large 16"-19" (40.6-48.3 cm) footrest widths

£ 33.00

Z2CLF3-S **BodyPoint Padded Velcro Adjustable S** *Recommended for 8" - 11" footrest widths*

£ 98.00

Z2CLF3-M **BodyPoint Padded Velcro Adjustable M** *Recommended for 11" - 15" footrest widths*

£ 98.00

Z2CLF1 **Buckle Adjustable, Black Nylon Webbing**

£ 23.00

BACKREST

BACK TYPE

Z2SB1	Folding Aluminum Adjustable Height Back <i>Required for heavy duty frame.</i>	
Z2SB2	Folding Titanium Adjustable Height Back, Rounded Rigidizer Bar <i>Titanium back will match frame finish.</i>	£ 182.00
Z2SB15	Non-Folding Fixed Height Titanium Back, Rounded Rigidizer Bar <i>Not with transport brackets or push handles. Titanium back will match frame finish.</i>	£ 262.00

BACK OPTIONS

Z2SB11	Backrest Locks When Folded <i>Available on all backs. Not with ergonomic seat.</i>	
Z2SB19	4" (10.2 cm) Deep Backrest Rigidizer Bar <i>Not a rounded style rigidizer bar. Required for heavy duty frame. Not with non-folding, fixed height titanium back type.</i>	
Z2SB16	Depth Adjustable Back Frame <i>Seat depths from 10"-18" (25.4-45.7 cm) allow 2" (5.1 cm) rearward adjustment. Height-adjustable push handles have limited range. Not with 19" (48.3cm) or 20" (50.8cm) seat depths, heavy duty frame, tension adjustable by straps seat upholstery or carbon fiber side guards.</i>	£ 190.00
Z2SB3	TiShaft™ Back Release Bar, Aluminum <i>Not with non-folding fixed height titanium backs.</i>	
Z2SB5	TiShaft™ Back Release Bar, 2x2 Twill Weave Carbon Fiber <i>Not with non-folding fixed height titanium backs.</i>	£ 65.00

PUSH HANDLES

Z2SB6	Integrated Push Handles	
Z2SB7	Integrated Fold-Down Push Handles <i>Requires tension adjustable by straps back upholstery.</i>	£ 108.00
Z2SB8	Bolt-On Push Handles <i>Includes 4" (10.2 cm) deep backrest rigidizer bar. Not with titanium back.</i>	£ 182.00
Z2SB9	Bolt-On Height-Adjustable Push Handles <i>Includes 4" (10.2 cm) deep backrest rigidizer bar.</i>	£ 313.00

FOLDING BACK HEIGHT 'F' | ZSB1/ZSB2. Set at 0.5" (1.27cm) increments.

Push Handles	None / Bolt-On (Z2SB8)
	Fold-Down (Z2SB7)
	Integrated (Z2SB6)

BACK ANGLE 'G' | ZSBA1 Measure angle from front of back post to floor.

Z2SBA1-X	80°	83°	86°	89°	92°	95°	98°	101°
----------	-----	-----	-----	-----	-----	-----	-----	------

BACK SUPPORTS

BACK UPHOLSTERY

Z2BUP2	Velcro Adjustable <i>Not with fold-down push handles.</i>	
Z2BUP3	Tension Adjustable By Straps, Padded Nylon <i>Required for fold-down push handles.</i>	£ 103.00
Z2BUP5	Tension Adjustable By Straps, AIR Breathable <i>Required for fold-down push handles.</i>	£ 182.00
Z2UPC3-BL	Ultrasuede Backrest Stripe, Black <i>Not with AIR breathable upholstery.</i>	£ 98.00
Z2BUP0	Omit Back Upholstery	

SEAT OPTIONS

SEAT UPHOLSTERY

TRSUP1	Tension Adjustable Bolt-On Upholstery, Black <i>Not with ergonomic seat or tapered seat.</i>	
TRSUP2	Tension Adjustable By Straps, Black <i>Standard with ergonomic seat and seat taper of 1" (2.5 cm)-3" (7.6 cm).</i>	£ 158.00
TRSUP8	Aluminum Solid Seat <i>Ergonomic seat requires CMD016. Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width.</i>	£ 262.00
TRSUP0	Omit Seat Upholstery	

FRONT FORKS

Z2FK1	TiLite Standard Fork	
Z2FK2	TiLite Slipstream Single-Sided Fork <i>Not with heavy duty or power adaptable frame.</i>	£ 182.00
Z2GL1	Glide™ Suspension Fork <i>Black anodize only. Not with heavy duty frame. Select rider weight.</i>	£ 449.00
	125 lbs (57 kg) 125-180 lbs (57 -82 kg) 180-265 lbs (82 -120 kg)	

FRONT WHEELS

Z2FW24	3"x1.4" (7.6x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire Silver Hub Black Hub	
Z2FW14	4"x0.75" (10.2 x 1.9 cm) Plastic Wheel w/Poly Tire <i>Not with Slipstream fork or power adaptable frame.</i>	
Z2FW3	4"x0.75" (10.2 x 1.9 cm) Light-Up Micro Caster <i>Not with Slipstream fork or power adaptable frame.</i>	£ 77.00
Z2FW26	4"x1.4" (10.2 x 3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with power assist, power add-on system or heavy duty frame.</i>	£ 98.00
Z2FW27	4"x1.4" (10.2 x 3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire Silver Hub Black Hub	£ 170.00
Z2FW6	5"x1" (12.7x2.5 cm) Plastic Wheel w/Poly Tire <i>Not with 90° front angle, Slipstream fork or power adaptable frame.</i>	
Z2FW28	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with 90° front angle or power adaptable frame.</i>	£ 98.00
Z2FW30	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not with 90° front angle.</i>	£ 170.00
	Silver Hub Black Hub	
Z2FW9	6"x1" (15.2x2.5 cm) Plastic Wheel w/Poly Tire <i>Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.</i>	
Z2FW32	6"x1.4" (15.2x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.</i>	£ 98.00
Z2FW33	6"x1.4" (15.2 x 3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not with 85° or 90° front angle.</i>	£ 170.00
	Silver Hub Black Hub	

REAR WHEELS

See rear seat height ranges chart for rear seat height 'D' limitations.

	TiLite SHADOW™ (Z2RW14-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth.	£ 510.00
Wheel Size:	20"(451) 22" (501) 24" (540) 25"(559) 26"(590) 24"(540)	
Z2RW7-22	Spinergy SPOX (Z2RW7-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth. Orange, pink, purple and green spokes only available in 20" size.	£ 510.00
Wheel Size:	20"(451) 22" (501) 24" (540) 25"(559) 26"(590) 24"(540)	
Spoke Color:	Black Red Blue White Orange Pink Purple Green	
Z2RW8-22	Spinergy LX (Z2RW8-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth.	£ 716.00
Wheel Size:	22"(501) 24" (540) 25" (559) 26" (590) 24"(540) 26"(590)	
Spoke Color:	Black Red Blue White Orange Pink Purple Green	
Z2RW9-22	Spinergy Design Lab LX Wheels (Z2RW9-X) Black spokes only. If same color is selected, anodized hubs and rims match colour anodized package. 25" and 26" wheels require 15" (38.1cm) minimum seat depth.	£ 716.00
Wheel Size:	22"(501) 24" (540) 25" (559) 26" (590) 24"(540) 26"(590)	
Anodize Color:	Gold Green Blue Red Purple Orange	
Z2RW16-24	Spinergy Carbon Blade (Z2RW16-X) 2x2 Twill Weave Carbon Fiber. Not with heavy duty frame. 25" wheels require 15" (38.1cm) minimum seat depth.	£ 1,185.00
Wheel Size:	24" (540) 25"(559)	
Z2RW17-22	X-Core Mag (Z2RW17-X) <i>Not with heavy duty frame, short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.</i>	£ 103.00
Wheel Size:	20" (451) 22" (501) 24" (540)	

AXLES

Z2AXL1	Stainless Quick Release	
Z2AXL2	Titanium Quick Release	£ 245.00
Z2AXL3	Quad Release <i>Not with Mag or 26"(590) Spinergy Spox or LX rear wheels.</i>	£ 144.00

PNEUMATIC REAR TIRES

Z2RTR1	Treaded 22" (501), 24" (540), 26" (590)	
Z2RTR2	Airless Inserts <i>Not with Spinergy Carbon Blade rear wheels.</i>	£ 88.00
Z2RTR31	MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559), 26"(590)	
Z2RTR30	Primo Sentinel 24"(540), 25"(559), 26"(590)	£ 98.00
Z2RTR8	Schwalbe® Marathon Plus Evolution 24" (540), 25"(559), 26"(590)	£ 98.00

SOLID REAR TIRES

Z2RTR22	Primo Orion 20"(451), 22"(501), 24"(540), 25"(559) <i>Not with Spinergy Carbon Blade rear wheels.</i>	£ 98.00
Z2RTR23	Primo Active 24" (540), 25" (559) <i>Not with Spinergy Carbon Blade rear wheels.</i>	£ 98.00

HANDRIMS

Z2RIM1	Aluminum, Silver Anodized	
Z2RIM21	Aluminum, Black Anodized	£ 51.00
Z2RIM12	Titanium, Satin Finish <i>Not with 20" (451) or 22" (501) rear wheels or 24" (540) knobby tires.</i>	£ 299.00
Z2RIM20	Q-Grip <i>Exclusive high-friction, anti-slip coating. Not with 20" (451) rear wheels.</i>	£ 299.00
Z2RIM5	Plastic Coated, Black	£ 121.00
Z2RIM10	The Surge <i>Large profile. All-In-One oval with Gription™ strip.</i>	£ 299.00
Z2RIM11	The Surge LT <i>Small profile. All-In-One oval with Gription™ strip.</i>	£ 299.00
Z2RIM14	The Natural-Fit®, Standard Grip <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
Z2RIM15	The Natural-Fit®, Super Grip <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
Z2RIM16	The Natural-Fit®, Without Thumb Grip <i>Original, large profile.</i>	£ 299.00
Z2RIM17	The Natural-Fit® LT, Standard Grip <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
Z2RIM18	The Natural-Fit® LT, Super Grip <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
Z2RIM19	The Natural-Fit® LT, Without Thumb Grip <i>Reduced weight, small profile.</i>	£ 299.00

HANDRIM TAB LENGTH

Z2RIM7	Long Tabs	
Z2RIM8	Short Tabs <i>Not with Mag rear wheels or The Natural-Fit® handrims with thumb grip.</i>	£ 20.00

WHEEL LOCKS

Z2WLK7	Compact Composite Push to Lock <i>Available with 0.75" (1.91cm)-1.5" (3.81cm) rear wheel spacing only.</i>	
Z2WLK8	Compact Composite Pull to Lock <i>Available with 0.75" (1.91cm)-1.5" (3.81cm) rear wheel spacing only.</i>	
Z2WLK10	Extension Handles for Compact Composite Push/Pull to Lock	£ 83.00
Z2WLK11	MBL Composite Scissor Lock	£ 136.00
Z2WLK3	Uni-Lock	£ 153.00
	Push Pull	
Z2WLK4	Extension Handles for Uni-Lock	£ 83.00
Z2WLK15	Grade Aids Push to Lock <i>Not with solid rear tires.</i>	£ 169.00

SIDE GUARDS

Z2SDG2-S	Aluminum Side Guards, Rigid Removable	£ 182.00
	Small	
Z2SDG3-S	Aluminum Side Guards, Quad Removable w/Hole	£ 190.00
	Small Standard	
Z2SDG4-S	Aluminum Fold Down Side Guards, Rigid <i>Not available with ergonomic seats.</i>	£ 190.00
	Small Standard	
Z2SDG6	Aluminum Fendered Side Guards, Adjustable <i>24"-25" rear wheels require rear seat height 14.5"-19.5". 26" rear wheels require rear seat height 15.5"-18.5".</i>	£ 190.00
Z2SDG7-S	Carbon Side Guards, Rigid Removable	£ 313.00
	Small Standard	
Z2SDG8-S	Carbon Side Guards, Quad Removable w/Hole	£ 285.00
	Small Standard	
Z2SDG9-S	Carbon Fold Down Side Guards, Rigid <i>Not available with ergonomic seats.</i>	£ 313.00
	Small Standard	
Z2SDG12	Carbon Fendered Side Guards, Removable	£ 313.00

ARMRESTS

Z2ARM1-X	Swing Away Tubular <i>Not with non-folding, fixed height titanium seat back or height adjustable push handles.</i>	£ 200.00
Range:	6.5"-9.5" (16.5-24.1 cm) 9.5"-12.5" (24.1-31.8 cm)	
Z2ARM4-9	Swing Away Flip Back Tubular 8.5"-11.5" (21.6-29.2 cm) <i>Not with heavy duty frame.</i>	£ 289.00
Z2ARM2-X	Removable Height Adjustable Desk Arm with Rigid Side Guard <i>Requires 14" (35.56cm) minimum seat depth. Not with ergonomic seat.</i>	
Range:	9"-12" (22.9-30.5 cm) 12"-15" (30.5-38.1 cm) 12"-15" (30.5-38.1 cm)	£ 313.00
Pad Size:	Desk Length 10" (25.4 cm) Full Length 14" (35.6 cm) Desk Length 10" (25.4 cm) Full Length 14" (35.6 cm)	£ 341.00
Z2ARM3-	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop <i>Requires 15" (38.1cm) minimum seat depth. Not with ergonomic seat.</i>	£ 341.00
Range:	9"-12" (22.9-30.5 cm) 12"-15" (30.5-38.1 cm) 12"-15" (30.5-38.1 cm)	£ 313.00
Pad Size:	Desk Length 10" (25.4 cm) Full Length 14" (35.6 cm) Desk Length 10" (25.4 cm) Full Length 14" (35.6 cm)	£ 313.00
Z2ARM5	Armrests Covered in Black Ultrasuede <i>Not with desk arms.</i>	£ 103.00

POSITIONING BELTS

Z2BLT1	Velcro Adjustable, Black Nylon Webbing	£ 42.00
Z2BLT10	BodyPoint Optional Band C <i>Lamp Mounting Hardware</i>	£ 20.00
Z2BLT2	BodyPoint Auto-Style <i>Release Buckle</i>	£ 95.00
Z2BLT4	BodyPoint 1" Push Button <i>Padded Buckle</i>	£ 173.00
Z2BLT5	BodyPoint 1.5" Push Button <i>Padded Buckle</i>	£ 173.00
Z2BLT15	BodyPoint 1" Wide Evoflex	£ 178.00
	Swivel Buckle Push Button Buckle Rehab Latch Buckle	£ 178.00

ANTI-TIPS

Z2TIP1	Rear Aluminum, Black	£ 150.00
Z2TIP2	User Friendly Flip-Up	£ 307.00

ACCESSORIES

Z2GRD1	Clear Lexan Spoke Guards with TiMotion Logo <i>Not with Mag rear wheels.</i>	£ 121.00
Z2BCK3	Permobil Medical Necessities Backpack	£ 88.00
Z2PCH3	Permobil Medical Necessities Seat Pouch	£ 51.00
Z2UEST1	Upper Extremity Support Tray <i>Requires armrests.</i>	£ 266.00
	12"-14" (30.48-35.56cm) seat widths 13" -15" (33.02cm-38.1cm) seat widths	£ 266.00
Z2LUG1	Luggage Carriers	£ 136.00
Z2MPCT2-BL	Black Neoprene Impact Guards with Ultrasuede Stripe	£ 98.00
Z2CH1	Crutch Holder	£ 136.00

GENERAL

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

NOTES

TiFit REFERENCE DIAGRAMS

