

Order form

Ascent

Pricing in Canadian dollars

Ascent



Company Name/ACCT #: _____

P.O. Number: _____

Requested By: _____

Phone: _____ Fax: _____

Email: _____

Ship To: _____

Client Reference: _____

For best results, do not fill out in your browser. Interactive form should be completed using Adobe Reader after saving to your local drive. Then email or print and fax to Customer Support at sales.ca@permobil.com or 1.877.636.8944.

1 Size & cover

Depth	20"	16 x 20	17 x 20	18 x 20	19 x 20	20 x 20	21 x 20	22 x 20	23 x 20	24 x 20
	19"	16 x 19	17 x 19	18 x 19	19 x 19	20 x 19	21 x 19	22 x 19	23 x 19	24 x 19
	18"	16 x 18	17 x 18	18 x 18	19 x 18	20 x 18	21 x 18	22 x 18	23 x 18	24 x 18
	17"	16 x 17	17 x 17	18 x 17	19 x 17	20 x 17	21 x 17	22 x 17	23 x 17	24 x 17
	16"	16 x 16	17 x 16	18 x 16	19 x 16	20 x 16	21 x 16	22 x 16	23 x 16	24 x 16
		16"	17"	18"	19"	20"	21"	22"	23"	24"
Width										

Pricing

Cushion size	COMFORT-TEK OR STRETCH-AIR
Standard	\$420.00
Bariatric >20"	\$578.00

Your order part

Please summarize your cushion size and cover options here.

COMFORT-TEK
(AC-GF-WWDD)

AC-GF-

STRETCH-AIR
(AC-GS-WWDD)

AC-GS-

WWDD to be replaced with sizes from table;
WW - width in inches & DD - depth in inches

Cover & liner options

**COMFORT-TEK®**

For fluid protection & an easily cleaned surface.

**STRETCH-AIR®**

For patient comfort & heat dissipation.

**Incontinence liner**

Liner provides extra incontinence protection for the cushion. Add at time of cushion purchase for only \$56.00.

(INCON-LINER)

**Rigid insert**

3/16" plastic rigidizing board. \$96.00.

(RID_W_D)

QUESTIONS? PLEASE CONTACT CUSTOMER
SUPPORT FOR ASSISTANCE. | 800.265.9830

Accessories

Extra COMFORT-TEK outer cover

One = \$132.00 Two = \$264.00

(AC_-WWDD-CV)

Extra STRETCH-AIR outer cover

One = \$132.00 Two = \$264.00

(AC_-WWDD-CV)


Extra incontinence liner

One = \$126.00 Two = \$252.00

(BIN-AC_-WWDD-CV)

Removable solid seat pan & hardware kit

The solid seat pan kit includes a slotted aluminum pan and attaching hardware to accommodate 7/8" or 1" tubing. The kit also comes with two different cross bars to accommodate various wheelchair frame types. This will fit both folding and non-folding seat rails. Lateral thigh support hardware can be easily attached. \$690.00



2 BodiLink® Lateral Pelvic/Thigh support hardware & pads


Please select sizes in the appropriate fabric & style charts below. Contact Customer Support for custom sizes that are not listed below at 800.265.9830.

2.1 Premium pad size & shape

MSRP \$150.00

- You may make one selection per column (Left, Extra Left, Right, and Extra Right) in section 2.1 for Premium Pads, or 2.3 for Basic Pads.
- Make a pad cover fabric selection in 2.2 or 2.4.

*Length (L) refers to the actual size dimension of the support from top to bottom edge. Depth (D) refers to the actual size dimension from anterior to posterior edge.

Style	Size	Left	Extra left	Right	Extra right
	3.5"L x 4"D	BL-LPTSP2Z-3L4D-LH	BL-LPTSP2Z-3L4D-LH	BL-LPTSP2Z-3L4D-RH	BL-LPTSP2Z-3L4D-RH
	3.5"L x 8"D	BL-LPTSP2Z-3L8D-LH	BL-LPTSP2Z-3L8D-LH	BL-LPTSP2Z-3L8D-RH	BL-LPTSP2Z-3L8D-RH
	3.5"L x 12"D	BL-LPTSP2Z-3L12D-LH	BL-LPTSP2Z-3L12D-LH	BL-LPTSP2Z-3L12D-RH	BL-LPTSP2Z-3L12D-RH
	5.5"L x 6"D	BL-LPTSP2Z-5L6D-LH	BL-LPTSP2Z-5L6D-LH	BL-LPTSP2Z-5L6D-RH	BL-LPTSP2Z-5L6D-RH

2.2 Premium pad cover With foam insert



COMFORT-TEK
For fluid protection & an easily cleaned surface.



STRETCH-AIR
For comfort & heat dissipation.




For skin protection & shear reduction.
Not fluid resistant.

Cover options	MSRP	Left	Extra left	Right	Extra right
COMFORT-TEK	\$0.00/ea.	LPTSM-P2-COMFORT-FM	LPTSM-P2-COMFORT-FM	LPTSM-P2-COMFORT-FM	LPTSM-P2-COMFORT-FM
STRETCH-AIR	\$0.00/ea.	LPTSM-P2-STRETCH-FM	LPTSM-P2-STRETCH-FM	LPTSM-P2-STRETCH-FM	LPTSM-P2-STRETCH-FM
GLIDEWEAR	\$36.00/ea.	LPTSM-P2-GLIDE-FM	LPTSM-P2-GLIDE-FM	LPTSM-P2-GLIDE-FM	LPTSM-P2-GLIDE-FM

2.3 Basic pad

MSRP \$139.00/ea.

*Length (L) refers to the actual size dimension of the support from top to bottom edge. Depth (D) refers to the actual size dimension from anterior to posterior edge.

Style	Size	Left	Extra left	Right	Extra right
	3"L x 4"D	BL-LPTSP1Z-3L4D-LH	BL-LPTSP1Z-3L4D-LH	BL-LPTSP1Z-3L4D-RH	BL-LPTSP1Z-3L4D-RH
	3"L x 5"D	BL-LPTSP1Z-3L5D-LH	BL-LPTSP1Z-3L5D-LH	BL-LPTSP1Z-3L5D-RH	BL-LPTSP1Z-3L5D-RH
	4"L x 4"D	BL-LPTSP1Z-4L4D-LH	BL-LPTSP1Z-4L4D-LH	BL-LPTSP1Z-4L4D-RH	BL-LPTSP1Z-4L4D-RH
	4"L x 6"D	BL-LPTSP1Z-4L6D-LH	BL-LPTSP1Z-4L6D-LH	BL-LPTSP1Z-4L6D-RH	BL-LPTSP1Z-4L6D-RH
	4"L x 8"D	BL-LPTSP1Z-4L8D-LH	BL-LPTSP1Z-4L8D-LH	BL-LPTSP1Z-4L8D-RH	BL-LPTSP1Z-4L8D-RH
	4"L x 10"D	BL-LPTSP1Z-4L10D-LH	BL-LPTSP1Z-4L10D-LH	BL-LPTSP1Z-4L10D-RH	BL-LPTSP1Z-4L10D-RH
	4"L x 12" D	BL-LPTSP1Z-4L12D-LH	BL-LPTSP1Z-4L12D-LH	BL-LPTSP1Z-4L12D-RH	BL-LPTSP1Z-4L12D-RH
	4"L x 14" D	BL-LPTSP1Z-4L14D-LH	BL-LPTSP1Z-4L14D-LH	BL-LPTSP1Z-4L14D-RH	BL-LPTSP1Z-4L14D-RH
	4"L x 16" D	BL-LPTSP1Z-4L16D-LH	BL-LPTSP1Z-4L16D-LH	BL-LPTSP1Z-4L16D-RH	BL-LPTSP1Z-4L16D-RH
	5"L x 7" D	BL-LPTSP1Z-5L7D-LH	BL-LPTSP1Z-5L7D-LH	BL-LPTSP1Z-5L7D-RH	BL-LPTSP1Z-5L7D-RH

2.4 Basic pad cover



COMFORT-TEK
For fluid protection & an easily cleaned surface.



STRETCH-AIR
For comfort & heat dissipation.




For skin protection & shear reduction.
Not fluid resistant.

Cover options	MSRP	Left	Extra left	Right	Extra right
COMFORT-TEK	\$0.00/ea.	LPTS-P1-COMFORT	LPTS-P1-COMFORT	LPTS-P1-COMFORT	LPTS-P1-COMFORT
STRETCH-AIR	\$0.00/ea.	LPTS-P1-STRETCH	LPTS-P1-STRETCH	LPTS-P1-STRETCH	LPTS-P1-STRETCH
GLIDEWEAR®	\$36.00/ea.	LPTS-P1-GLIDE	LPTS-P1-GLIDE	LPTS-P1-GLIDE	LPTS-P1-GLIDE


2.5 BodiLink® lateral pelvic/thigh support hardware

- You may make one selection per column (Left, Extra Left, Right, and Extra Right) in section 2.5 from group A, B, -OR- C.
- TT long extension arms will only work with TT style hardware.
- GT hardware extra links will only work with GT style hardware.

A. TT hardware, slot mount




Hardware size
VS. cushion thickness




Hardware size	Max cushion thickness clearance	Recommended cushion thickness
Small	3.0"	2.0"- 3.0"
Medium	4.5"	3.0"- 4.5"
Large	6.5"	4.0"- 6.5"

	Size	MSRP	Left		Extra left		Right		Extra right	
Fixed	Small	\$218.00		BL-LPTS-TT1FXSL1-LH		BL-LPTS-TT1FXSL1-LH		BL-LPTS-TT1FXSL1-RH		BL-LPTS-TT1FXSL1-RH
	Medium	\$218.00		BL-LPTS-TT1FXSL2-LH		BL-LPTS-TT1FXSL2-LH		BL-LPTS-TT1FXSL2-RH		BL-LPTS-TT1FXSL2-RH
	Large	\$218.00		BL-LPTS-TT1FXSL3-LH		BL-LPTS-TT1FXSL3-LH		BL-LPTS-TT1FXSL3-RH		BL-LPTS-TT1FXSL3-RH
Removable	Small	\$311.00		BL-LPTS-TT1RMSL1-LH		BL-LPTS-TT1RMSL1-LH		BL-LPTS-TT1RMSL1-RH		BL-LPTS-TT1RMSL1-RH
	Medium	\$311.00		BL-LPTS-TT1RMSL2-LH		BL-LPTS-TT1RMSL2-LH		BL-LPTS-TT1RMSL2-RH		BL-LPTS-TT1RMSL2-RH
	Large	\$311.00		BL-LPTS-TT1RMSL3-LH		BL-LPTS-TT1RMSL3-LH		BL-LPTS-TT1RMSL3-RH		BL-LPTS-TT1RMSL3-RH

B. TT hardware, power mount



Hardware size
VS. cushion thickness



Hardware size	Max cushion thickness clearance	Recommended cushion thickness
Small	3.5"	2.0"- 3.5"
Medium	5.5"	3.0"- 5.5"
Large	7.5"	4.0"- 7.5"

	Size	MSRP	Left		Extra left		Right		Extra right	
Fixed	Small	\$282.00		BL-LPTS-TT1FXPWL1-LH		BL-LPTS-TT1FXPWL1-LH		BL-LPTS-TT1FXPWL1-RH		BL-LPTS-TT1FXPWL1-RH
	Medium	\$282.00		BL-LPTS-TT1FXPWL2-LH		BL-LPTS-TT1FXPWL2-LH		BL-LPTS-TT1FXPWL2-RH		BL-LPTS-TT1FXPWL2-RH
	Large	\$282.00		BL-LPTS-TT1FXPWL3-LH		BL-LPTS-TT1FXPWL3-LH		BL-LPTS-TT1FXPWL3-RH		BL-LPTS-TT1FXPWL3-RH
Removable	Small	\$368.00		BL-LPTS-TT1RMPWL1-LH		BL-LPTS-TT1RMPWL1-LH		BL-LPTS-TT1RMPWL1-RH		BL-LPTS-TT1RMPWL1-RH
	Medium	\$368.00		BL-LPTS-TT1RMPWL2-LH		BL-LPTS-TT1RMPWL2-LH		BL-LPTS-TT1RMPWL2-RH		BL-LPTS-TT1RMPWL2-RH
	Large	\$368.00		BL-LPTS-TT1RMPWL3-LH		BL-LPTS-TT1RMPWL3-LH		BL-LPTS-TT1RMPWL3-RH		BL-LPTS-TT1RMPWL3-RH


TT hardware, power mount option

NOTE: If choosing the Power Mount Hardware, choose the appropriate power mount type below.

Power mount	MSRP	Part number
QUANTUM	add \$0.00	LPTSM-TT1-PW1
PERMOBIL	add \$0.00	LPTSM-TT1-PW2
QUICKIE	add \$0.00	LPTSM-TT1-PW3
ROVI	add \$0.00	LPTSM-TT1-PW4
AVID REHAB	add \$0.00	LPTSM-TT1-PW5

2.6 TT Long extension arm 4"

MSRP \$58.00/arm



Left		Extra left		Right		Extra right	
	BL-LPTS-TT1LARM4		BL-LPTS-TT1LARM4		BL-LPTS-TT1LARM4		BL-LPTS-TT1LARM4

C. GT hardware, only slot mount


GT hardware Slot mount - Fixed



GT hardware Slot mount - Removable



No medial



1" medial




Hardware size	Max cushion thickness clearance	Recommended cushion thickness
No medial	*5.0"	2.5"- 5.0"
1" Medial	*4.0"	2.25"- 4.0"

*If you need to increase the height or medial reach, add additional links below.

Size	MSRP	Left	Extra left	Right	Extra right
Fixed	\$218.00/ea.	BL-LPTS-GT2FXS-LH	BL-LPTS-GT2FXS-LH	BL-LPTS-GT2FXS-RH	BL-LPTS-GT2FXS-RH
Removable	\$260.00/ea.	BL-LPTS-GT2RMS-LH	BL-LPTS-GT2RMS-LH	BL-LPTS-GT2RMS-RH	BL-LPTS-GT2RMS-RH

Additional GT options





GT additional hardware links	Left	Extra left	Right	Extra right
MSRP \$58.00/link (2 Additional 1.25" Links Allowed Per Hardware Ordered)	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK
	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK

3 BodiLink® Medial Knee/Thigh support hardware & pads




- You may make one selection per column.
- Choose between wedge or oval in 4.1.
- Choose a cover material in 4.2.
- Choose hardware size in 4.3.

3.1 Pad size & shape

MSRP \$203.00/ea.


Style	Size	Part number
 Wedge	2.5"W x 3.5"D	BL-MKTSP1-3W4D
	3.5"W x 5"D	BL-MKTSP1-4W5D
	4"W x 6"D	BL-MKTSP1-4W6D
 Oval	2.5"W x 3.5"D	BL-MKTSP2-3W4D
	3.5"W x 5"D	BL-MKTSP2-4W5D
	5"W x 6"D	BL-MKTSP2-5W6D

3.2 Pad cover material

 COMFORT-TEK  STRETCH-AIR 	<p>For skin protection & shear reduction. Not fluid resistant.</p> <p>For fluid protection & an easily cleaned surface.</p> <p>For patient comfort & heat dissipation.</p>
	GlideWear (MKTSP-GLIDE) (add \$36.00)
	COMFORT-TEK (MKTSP-COMFORT)
	STRETCH-AIR (MKTSP-STRETCH)



3.3 Medial Knee/Thigh support Swing Away hardware

MSRP \$280.00 /ea.



Size	Part number
Small	BL-MKTS-ST1SASL1
Medium	BL-MKTS-ST1SASL2
Large	BL-MKTS-ST1SASL3

*Swing Away Hardware only, not available in Fixed Hardware
 **MKTS Hardware must be mounted to Removable Solid Seat Pan in section 2.4
 ***If Leg Length Discrepancy is needed on Removable Solid Seat Pan, Offset Orientation must be selected



Size	Recommended inferior thigh thickness
Small	1.00"- 3.00"
Medium	2.00"- 5.00"
Large	3.00"- 7.00"