
Chairman Koala Mini-Flex







Three column pricing on order/quote:

Please send order/quote to fax#: (800) 231-3256 Email to: sales@permobil.com

| Dealer Information | on T |
|---|-----------------------------------|
| * Contact: | |
| Dealer Code: | |
| * Dealer Name: | |
| Address: | |
| * City: | |
| * Province/Postal Code: | |
| * Phone#: | |
| * Fax#: | |
| PO#: | |
| Email Address: | |
| Client Informatio Permobil recommends certified rehab special | that the client is evaluated by a |
| * First Name: | |
| | |
| Diagnosis: | |
| Funding Source: | |
| Client Age: | |
| Client Measurem | <u>nents</u> |
| * Weight: | |
| | |
| | |
| B) Chest Depth: | |
| , | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Permobil Ltd. 12 - 75 Mary St. Aurora, Ontario L4G 1G3 Tel: (800) 736-0925 Fax: (800) 231-3256 www.permobil.ca

Prices effective August 17, 2020 and payable in Canadian dollars.

Chair Model and Colors

| Part Number ☑ I106680-99-0 | Description Koala Mini-Flex w/ R-net Price Includes: FWD Koala Power Base setup for one Power Seat Function, R-net Electronics, Tie-Down Hardware for Strap Systems, Charger and Standard Positioning Belt. Must choose Flat Free or Pneumatic Tires below. Max Speed = 4.0mph, Weight Capacity = 80 Ib, STFH = 15". | MSRP - CA 9,928.00 |
|--|---|---|
| CHOOSE DRIVE TI Part Number ☐ I103889-99-0 ☐ I103890-99-0 | RES: Description Tri Spoke Split Rim w/ FF Drive Tires - 2.5 x 8" Tri Spoke Split Rim w/ Pneumatic Tire - 2.5 x 8" | MSRP - CA No Charge No Charge |
| CHOOSE SHROUD Part Number □ 1105756-99-0 □ 1105757-99-0 □ 1105758-99-0 □ 1106369-99-0 □ 1106370-99-0 □ 1106371-99-0 □ 1106945-99-0 CHOOSE HUBCAP Part Number □ 110871 | Description Shroud for Koala - Onyx Black Shroud for Koala - Pop Star Pink Shroud for Koala - Platinum Silver Shroud for Koala - Volcano Red Shroud for Koala - Cobalt Blue Shroud for Koala - Cobalt Blue Shroud for Koala - Purple Rain Shroud for Koala - Extreme Yellow Shroud for Koala - Green Apple COLOR: Description Match Hubcap Color to Shroud: | MSRP - CA No Charge No Charge No Charge No Charge No Charge No Charge No Charge MSRP - CA |
| Base Options | Sublime Green: Crystal Blue: Vintage Wine: Extreme Yellow: Chili Pepper Red: | |
| MUST CHOOSE BA Part Number V 1101979-99-0 | ATTERIES: Description Batteries, Koala (40AH) Sealed Gel, x2, Installed | MSRP - CA 890.00 |
| OPTIONAL ITEMS: Part Number 1106860-99-0 1100865-99-0 1106919-99-0 ID51113 | Description Light Kit - Koala Front Bumper Koala Enhanced Steering Perform Unit (ESP), R-net <i>Recommended item with switched drive inputs for improved tracking.</i> Programming Key for R-net - Permobil Version | MSRP - CA 994.00 615.00 1,223.00 540.00 |
| Joystick Option | ns | |
| CHOOSE JOYSTIC Part Number | | MSRP - CA 1,221.00 |
| Rev 2020-1 08/17/2020 | Page 2 of 10 | perm _o bil |

perm_obil

Chairman Koala Mini-Flex

Joystick Options

| CHOOSE JOYSTIC | CK TYPE: | |
|----------------------------------|---|-----------|
| Part Number | Description | MSRP - CA |
| I105246-99-0 | R-net LED Remote Joystick - No Display | No Charge |
| | This Joystick does NOT have a Display Screen, does NOT contain mono jack ports, and does NOT include Bluetooth or Assignable Buttons. PC Programming required and profiles limited t | |
| | five. | |
| CHOOSE JOYSTIC Part Number | CK HANDLE TYPE: Description | MSRP - CA |
| 110045 | Cone Shaped Joystick Knob - Standard | No Charge |
| 1100960-99-0 | Chin Cup For Joystick Knob | 123.00 |
| 1100961-99-0 | "T" Handle For Joystick Knob | 181.00 |
| 1100962-99-0 | "Large Ball" For Joystick Knob | 123.00 |
| 1100963-99-0 | "Softball" For Joystick Knob | 165.00 |
| □1100964-99-0 | "Mushroom" For Joystick Knob | 165.00 |
| □1100965-99-0 | "Stick" For Joystick Knob | 165.00 |
| 1105442-99-0 | 1.75" Black Foam Ball For Joystick Knob | 123.00 |
| 1105846-99-0 | Bodypoint J/S Handle 3" U-Shaped w/ Flex-Shaft | 158.00 |
| 1105847-99-0 | Bodypoint J/S Handle 4" U-Shaped w/ Flex-Shaft | 158.00 |
| ☐ 1105848-99-0 ☐ 1105848-99-0 | Bodypoint J/S Handle Dome Shaped, Rubber | 158.00 |
| | Bodypoint 3/0 Handle Dome Onaped, Nubber | 100.00 |
| Part Number | Description | MSRP - CA |
| 110127 | Fixed Joystick Mount - Right | No Charge |
| ☐ I10136 | Fixed Joystick Mount - Left | No Charge |
| ☐ I100849-99-0 | Joystick Mount-Right Swing Away | 404.00 |
| 1100848-99-0 | Joystick Mount-Left Swing Away | 404.00 |
| 1101260-99-0 | Midline Control Mount | 404.00 |
| | Mount Midline on Left Armrest: Mount Midline on Right Armrest: | |
| | | |
| Part Number | Description | MSRP - CA |
| 🖌 I11068 | Expandable Controller - R-net | No Charge |
| | Must be ordered with all expandable/remote joysticks. | |
| 🔲 l10513 | Harness for Expandable Controller | No Charge |
| | Must be ordered with any Expandable Controller. | |
| ☐ I105408-99-0 | Attendant Control R-net | 1,346.00 |
| 🔲 l107350-99-0 | R-net Bluetooth iDevice Module | 1,087.00 |
| | Allows input device commands (such as joystick nudges or switch clicks) to be used to operat an iPhone, iPad or iPod. By assigning each input to an iOS function, users can make phone | e |
| | calls, send texts and emails and access applications. Kit includes a Bluetooth iDevice Module, | |
| | an R-net Bus Cable, and two mono jack cables for direct switch inputs (switches not included) | |
| | Must be ordered with a Color JSM or Omni for mode display. | 4 007 00 |
| I107367-99-0 | R-net Bluetooth Mouse Module | 1,087.00 |
| | Enables mouse control through any R-net input device. It can operate the mouse on a computer and on select Android devices (with R-net for Android app). Kit includes a Bluetooth | |
| | Mouse Module, an R-net Bus Cable, two mono jack cables for L/R click (switches not included | |
| | and a USB BT Adapter for user's computer. Note: BT Adapter may not work with all | - |
| | computers. Must be ordered with a Color JSM or Omni for mode display. | 1 097 00 |
| I107368-99-0 | Add a second Bluetooth Mouse Module | 1,087.00 |
| | Allows R-net to simultaneously pair to a second compatible computer or Android device. Each module is accessible through a separate R-net mode. Kit includes a unique Bluetooth Mouse | |
| | Module, an R-net Bus Cable, two mono jack cables for L/R click and a USB BT Adapter. | |
| I10582 | Output Module (IOM) for R-net Control System | 1,801.00 |
| | | |
| | This allows a user to control an external device (ex: Communication Device, ECU, Door | |
| | Opener, etc.) through the drive input (JSM, Head Array, etc.). Each module can provide up to | 4 |
| | | 4 |

Seating System

| STANDARD SEATI Part Number IKOALA-MFII | NG SYSTEM: Description Mini-Flex Seat w/ Power Tilt Single actuator elevates into tilt (up to 25°) to allow seating system to clear base. Seating system also includes an adjustable seat frame, adjustable backrest and legrest angle, positioning belt and one-piece footplate. | MSRP - CA 8,067.00 |
|--|--|------------------------------|
| Seating Systen | n Options | |
| CHOOSE SEAT FU | INCTION CONTROL TYPE: | |
| Part Number | Description | MSRP - CA |
| ☐ I10418 | Single Seat Function Control Switch for R-net Please choose either Push Buttons or Toggle Switches below. Does not include thru drive control operation of power seat functions. | No Charge |
| 🔲 I10419 | Single Seat Function Control Kit for R-net | 1,711.00 |
| | For operation of a single seat function through the wheelchair electronics via the drive control. Order with R-net electronics or remote joystick options. Please indicate below if you want push buttons or toggles on the ICS Switchbox. | 1 |
| CHOOSE PUSH BL | JTTONS OR TOGGLES: | |
| Part Number | Description | MSRP - CA |
| ☐ I104135-99-0 ☐ I104136-99-0 | Push Buttons on Seat Function Control Kit Toggles on Seat Function Control Kit | No Charge 305.00 |
| ☐ I105409-99-0 | Do Not Install ICS Switchbox, Send as Part | No Charge |
| | NG POSITION OF ICS SWITCHBOX: | 0 |
| Part Number | Description | MSRP - CA |
| I10626 | Mount ICS Switchbox onto R-net Joystick Bracket | No Charge |
| | ICS Switchbox will be mounted to the same bracket as the R-net Joystick Module. If this item is selected, the ICS Switchbox will swing away with the Joystick Module. | |
| I103471-99-0 | Mount ICS Switchbox onto Armrest - VS, Koala | No Charge |
| | ICS Switchbox will be mounted to the end of the armrest pad. If this item is selected, the ICS Switchbox will NOT swing away with the Joystick Module. Mount on Left: Mount on Right: | |
| ☐ I106256-99-0 | Mount ICS Switchbox on Backrest | 171.00 |
| | Mount on Left: Mount on Right: | |
| OPTIONAL ITEMS: | | |
| Part Number | Description | MSRP - CA |
| I104196-99-0 | ICS Alternative Switchbox for R-net Electronics Seat function interface box that accommodates up to 8 momentary switches. Provides an | 1,346.00 |
| ☐ I106743-99-0 | additional method for accessing the seat functions. 1/8" mini-mono switches not included. Remote Stop System - All Electronics | 1,284.00 |
| — | Consists of a 315MHz Radio Frequency (RF) handheld transmitter and an RF receiver | |
| | mounted on the wheelchair. Custom charges may be required when ordering with a PS/PS Jr seat, a low backrest height or a pediatric wheelchair. If ordering on a K450, push handles must also be selected. | ŀ |
| Backrest Options | | |
| CHOOSE BACKRE | ST TYPE: | |
| Part Number | Description | MSRP - CA |
| | BACKREST NOTE: Reckrest beights are measured from the seat pap to the top of the backrest shell with the | |
| | Backrest heights are measured from the seat pan to the top of the backrest shell with the backrest set at 90°. Backrest cushions are provided with the MF Backrests only. | |
| <u> </u> | MF Backrest 10"W x 14"H | No Charge |
| ☐ I103186-99-0 | MF Backrest 12"W x 16"H | No Charge |
| | MF Backrest 14"W x 20"H | No Charge |
| ☐ I10113 | Tubular Backrest Frame Mini-Flex, 12" Wide Backrest canes to mount aftermarket backrest systems. | No Charge |

Backrest canes to mount aftermarket backrest systems.

Backrest Options

| CHOOSE BACKREST Part Number De I10114 | TYPE: escription Tubular Backrest Frame Mini-Flex, 14" Wide Backrest canes to mount aftermarket backrest systems. | MSRP - CA No Charge |
|--|---|--|
| CHOOSE BACKREST Part Number De 1104309-99-0 1104311-99-0 1104313-99-0 1104308-99-0 1104310-99-0 1104312-99-0 Seat Sizing | CUSHION: escription MX/MF Backrest Cushion, 10"W x 14"T - Leatherette MX/MF Backrest Cushion, 12"W x 16"T - Leatherette MX/MF Backrest Cushion, 14"W x 20"T - Leatherette MX/MF Backrest Cushion, 10"W x 14"T - Black Mesh MX/MF Backrest Cushion, 12"W x 16"T - Black Mesh MX/MF Backrest Cushion, 14"W x 20"T - Black Mesh | MSRP - CA No Charge No Charge No Charge No Charge No Charge No Charge |
| CHOOSE SEAT TYPE Part Number De □ 1103188-99-0 □ 1103189-99-0 □ 1103190-99-0 □ 110115 □ 110116 | escription MF Seat 10"W x 10"D MF Seat 12"W x 12"D MF Seat 14"W x 14"D Tubular Seat Frame Mini-Flex, 12" Wide Seat frame tubes to mount aftermarket seating systems. Tubular Seat Frame Mini-Flex, 14" Wide Seat frame tubes to mount aftermarket seating systems. | MSRP - CA No Charge No Charge No Charge No Charge No Charge |
| CHOOSE SEAT CUSH Part Number De I104145-99-0 I104146-99-0 I104147-99-0 I104305-99-0 I104306-99-0 I104307-99-0 | HION: escription Leatherette Seat Cushion MX/MF - 10"W x 10"D Leatherette Seat Cushion MX/MF - 12"W x 12"D Leatherette Seat Cushion MX/MF - 14"W x 14"D Black Mesh Seat Cushion MX/MF - 10"W x 10"D Black Mesh Seat Cushion MX/MF - 12"W x 12"D Black Mesh Seat Cushion MX/MF - 14"W x 14"D | MSRP - CA 649.00 649.00 603.00 603.00 603.00 |
| Armrest Options | | |
| ☐ I100770-99-0 ☐ I100774-99-0 CHOOSE RIGHT ARM Part Number De ☐ I100769-99-0 | escription Armrest Left, 8" Leatherette Armrest Left, 10" Leatherette IREST PAD: escription Armrest Right, 8" Leatherette | MSRP - CA No Charge No Charge MSRP - CA No Charge |
| ☐ I100773-99-0 OPTIONAL ITEMS: Part Number De ☐ I10137 ☐ I10016 | Armrest Right, 10" Leatherette escription Height Adjustable Armrest Assembly Height Adjustable Armrest Assembly - No Charge <i>No charge with power tilt and/or recline.</i> | No Charge MSRP - CA 372.00 No Charge |
| Legrest Options | | |
| OPTIONAL ITEMS: | escription Footplate, Small w/ 5-12" Pan to Ftplate Adj. | MSRP - CA No Charge |

Legrest Options

| OPTIONAL ITEMS: | | |
|-------------------------|--|-----------|
| Part Number | Description | MSRP - CA |
| I101089-99-0 | Footplate, Large w/ 5-12" Pan to Ftplate Adj. | No Charge |
| ☐ I100599-99-0 | Foot Strap Kit | 93.00 |
| l107503-99-0 | BP Ankle Huggers, Med Side Release, Adj (Pair) | 280.00 |
| _ | This item will be sent as a part with the wheelchair. It will not be installed. | |
| Accessories | | |
| 1100518-99-0 | Positioning Belt | No Charge |
| ☐ I100519-99-0 | Positioning Belt Retractable | 307.00 |
| | r Usitioning Deit Refractable | 307.00 |
| HEADREST OPTIO | | |
| Part Number | Description | MSRP - CA |
| I100749-99-0 | MF Headrest for Koala/Ps Jr - Leatherette | 508.00 |
| _ | Must also select PN I10552. | |
| I10552 | Adj/Removable Headrest Hardware | 137.00 |
| I107499-99-0 | Universal Headrest Adapter | 258.00 |
| | Please Note: Recline is limited to 160° or less (depending on backrest height) when ordering a Universal Headrest Adapter on a 23" or 24" tall Corpus backrest. | |
| OPTIONAL ITEMS: | | |
| Part Number | Description | MSRP - CA |
| 🔲 I100753-99-0 | Thigh Support Kit Leatherette | 508.00 |
| | Must also select PN I10550. | |
| 🔲 I100751-99-0 | Lateral Supports Leatherette | 508.00 |
| | Must also select PN I10551. | |
| l10550 | Adj Removable - Thigh Support Hardware (Pair) | 137.00 |
| 110551 | Adj Removable - Trunk Support Hardware (Pair) | 137.00 |
| 1100867-99-0 | Knee Block Leatherette | 579.00 |
| [] 1107100-99-0 | RAM X-Grip 10" Tablet Holder w/Swing Away Mount | 504.00 |
| | Compatible with most 10" screen tablets with or without a protective case. Includes adjustable | |
| | swing away mount. Note: Customization may be required if ordered along with an Omni. | |
| I107222-99-0 | USB Charger | 215.00 |
| | Provides up to 1.5A (at 5V) to charge most smartphones and tablets. The charger features an isolated circuit design for improved safety; and by pulling power from the ICS, prevents battery drainage when the chair is powered off. Includes mounting hardware and ICS connector. No charge with 4 power seat function configurations. Mount on left armrest: Mount on right armrest: | |
| 1105805-99-0 | Medical Necessities Bag Hooks | 99.00 |
| _ | Please Note: Recline is limited to 165° or less (depending on backrest height) when ordering with 23" or 24" tall Ergo backrest. Custom required if ordered with a ROHO AGILITY backrest. May ship as a part at shorter backrest heights. | |
| I100598-99-0 | Chest Harness, Position Belt w/Bracket | 460.00 |
| | Chest harness kit includes a standard positioning belt. | |
| ISH212 | BP Shoulder Harness Medium, Front Pull | 243.00 |
| | This item will be sent as a part with the wheelchair. It will not be installed. | |
| I100578-99-0 | Small Angle Adjustable Tray | 469.00 |
| | Must also select PN I10556. | |
| 110556 | Adj Removable - Tray Hardware (1 Each) | 137.00 |
| Alternative Driv | | |
| | • | |
| | DPORTIONAL JOYSTICK SYSTEMS: | |
| Part Number | Description | MSRP - CA |
| I10751 | Mini-Joystick for Omni - (9-pin connector) | 3,122.00 |
| | Operating Force = 13 g Neutral to Full Deflection = 5mm | |

perm_obil

Alternative Drive Systems

| ALTERNATIVE PR | OPORTIONAL JOYSTICK SYSTEMS: | |
|--|---|--|
| Part Number | Description | MSRP - CA |
| 🔲 I103893-99-0 | Compact Joystick for Omni - (9-pin connector) | 1,523.00 |
| | Operating Force = 220 g Neutral to Full Deflection = 28mm Joystick includes two 3.5mm mono jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob. | |
| I103894-99-0 | Compact Joystick LITE for Omni - (9-pin connector) | 1,743.00 |
| | Operating Force = 50 g Neutral to Full Deflection = 17mm Joystick includes two 3.5mm mon jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob. | 0 |
| | IAL JOYSTICK MOUNTING HARDWARE: | |
| Part Number | Description | MSRP - CA |
| I104690-99-0 | Alt. JS Swing Away Mount Kit - Armrest | 296.00 |
| | Mount in front of Left Arm: Mount in front of Right Arm: | |
| ☐ I107135-99-0 | Alt JS/Omni Combo Swing Away Mount Kit - Armrest | 599.00 |
| | Used to mount Omni and Alternative Proportional Joystick to the same armrest. Includes Swing Away Omni/Tablet Mount, with a longer mounting rod, two PERMOfix modules, one 3" rod and one 4" rod. | |
| I104143-99-0 | Mount in front of Left Arm: Mount in front of Right Arm: Alt. JS Adjustable Mount Kit - Chin Boom | 959.00 |
| | Swing-Away / Removable Chin Boom mounted on right of backrest shell. Custom charge ma | |
| | be applied if ordering lower backrest heights. | , |
| I10752 | Haims Harness for Chin Control Mount, Large | 685.00 |
| _ | For neck width up to 19cm. | |
| 110753 | Haims Harness for Chin Control Mount, Small | 685.00 |
| | For neck width up to 14cm. | |
| | | |
| | | |
| ALT PROPORTION Part Number | IAL JOYSTICK ACCESSORIES: | MSRP - CA |
| Part Number | IAL JOYSTICK ACCESSORIES: Description | - |
| | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: | 284.00 |
| Part Number | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: | 284.00 |
| Part Number ☐ I104904-99-0 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at left of Joystick: Mount at right of Joystick: | 284.00 |
| Part Number ☐ I104904-99-0 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g | 284.00 |
| Part Number ☐ I104904-99-0 ☐ I104641-99-0 SIP & PUFF SYST Part Number | <pre>IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g</pre> | 284.00 517.00 MSRP - CA |
| Part Number I104904-99-0 I104641-99-0 SIP & PUFF SYST | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at fort of Joystick: Mount at left of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g | 284.00 |
| Part Number ☐ 1104904-99-0 ☐ 1104641-99-0 SIP & PUFF SYST Part Number | <pre>IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g</pre> | 284.00 517.00 MSRP - CA |
| Part Number ☐ 1104904-99-0 ☐ 1104641-99-0 SIP & PUFF SYST Part Number | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni | 284.00 517.00 MSRP - CA |
| Part Number ☐ I104904-99-0 ☐ I104641-99-0 SIP & PUFF SYST Part Number ☐ I10573 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni | 284.00 517.00 MSRP - CA 1,831.00 |
| Part Number ☐ I104904-99-0 ☐ I104641-99-0 SIP & PUFF SYST Part Number ☐ I10573 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni Requires Omni Control Module. Includes breath tube kit. Sip & Puff System with Fiber Optic Opti-Stop | 284.00 517.00 MSRP - CA 1,831.00 |
| Part Number ☐ 1104904-99-0 ☐ 1104641-99-0 SIP & PUFF SYST Part Number ☐ 110573 ☐ 110574 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni Requires Omni Control Module. Includes breath tube kit. Sip & Puff System with Fiber Optic Opti-Stop Requires Omni Control Module. Includes breath tube kit. | 284.00 517.00 MSRP - CA 1,831.00 2,437.00 |
| Part Number ☐ 1104904-99-0 ☐ 1104641-99-0 SIP & PUFF SYST Part Number ☐ 110573 ☐ 110574 | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni Requires Omni Control Module. Includes breath tube kit. Sip & Puff System with Fiber Optic Opti-Stop Requires Omni Control Module. Includes breath tube kit. Sip & Puff Kit for Total Control Head Array For use with Total Control Head Array. Requires Omni Control Module. Includes breath tube | 284.00 517.00 MSRP - CA 1,831.00 2,437.00 |
| Part Number ☐ 1104904-99-0 ☐ 1104641-99-0 SIP & PUFF SYST Part Number ☐ 110573 ☐ 110574 ☐ 1106807-99-0 — | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at front of Joystick: Mount at rear of Joystick: Mount at feft of Joystick: Mount at right of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni Requires Omni Control Module. Includes breath tube kit. Sip & Puff System with Fiber Optic Opti-Stop Requires Omni Control Module. Includes breath tube kit. Sip & Puff Kit for Total Control Head Array For use with Total Control Head Array. Requires Omni Control Module. Includes breath tube kit. | 284.00 517.00 MSRP - CA 1,831.00 2,437.00 1,011.00 |
| Part Number ☐ I104904-99-0 ☐ I104641-99-0 SIP & PUFF SYST Part Number ☐ I10573 ☐ I10574 ☐ I106807-99-0 — | IAL JOYSTICK ACCESSORIES: Description Dual Switches for Compact Joystick - Fixed Mount Includes two pushbutton switches mounted on rigid arms. Switches set-up for Mode & On/Off function. Switch operation force = 130 g Mount at font of Joystick: Mount at rear of Joystick: Dual Switches for Compact Joystick - Gooseneck Mnt Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches set-up for Mode & On/Off function. Switch operation force = 130 g EMS: Description Sip & Puff System for Omni Requires Omni Control Module. Includes breath tube kit. Sip & Puff System with Fiber Optic Opti-Stop Requires Omni Control Module. Includes breath tube kit. Sip & Puff Kit for Total Control Head Array For use with Total Control Head Array. Rot use with Total Control Head Array. Adjustable Mounting Hrdw - Sip & Puff Required when selecting PN 110573, 110574 or 1106807-99-0. | 284.00 517.00 MSRP - CA 1,831.00 2,437.00 1,011.00 |

| CONFIGURE HEA | D ARRAY: | |
|----------------|---|-----------|
| Part Number | Description | MSRP - CA |
| 🔲 I106805-99-0 | Permobil Head Array - 3-Switch System | 5,650.00 |
| | Features an occipital pad sensor and two stainless steel arms configured with proximity sensors. The arms are mounted to the upper attachment points on the head array. Longer arms are also included to extend the sensor adjustment range. ESP recommended. Choose Omni Control Module separately. | |

Total Control Head Array

| | - | |
|----------------------------------|--|-------------------------------|
| CONFIGURE HEAL Part Number | D ARRAY: Description Program Head Array as a 5-Switch System Select additional arms/sensors below and indicate the intended use of each sensor in the Notes & Comments section. Choose Omni Control Module separately. | MSRP - CA No Charge |
| ☐ I105920-99-0 ☐ I105921-99-0 | CHOOSE OCCIPITAL PAD SIZE (REQUIRED) Small Occipital Pad for Head Array - 4.25"W x 3"H Large Occipital Pad for Head Array - 6"W x 4"H | No Charge No Charge |
| ☐ I10847 ☐ I105936-99-0 | CHOOSE OCCIPITAL PAD MOUNT (REQUIRED): Fixed Mount for Occipital Pad - Head Array Adj. Swivel Mount for Head Array Occipital Pad Enables Occipital Pad to be angled up/down and left/right independent of the lateral arms. | No Charge 506.00 |
| 1105927-99-0 | CHOOSE HEAD ARRAY MOUNT HARDWARE (REQUIRED): Stealth TWB480 Backrest Mounting Hdwr with Links Please select the length of the vertical stem below: | 314.00 |
| ☐ I105941-99-0 ☐ I105925-99-0 | Standard length (10"): Short length (6"): Stealth TWB480 Backrest Mnt Hdwr with Flipback Stealth HMO475 MultiAxis Backrest Mounting Hdwr SELECT LEFT ARM PACKAGE (OPTIONAL) | 519.00 266.00 |
| I10976 | Add Left Lateral Arm w Proximity Sensor Choose Lateral Arm Adjustment Range: | 428.00 |
| I 10977 | Short (5.5" - 10"): Long (5.5" - 14"): Add Left Lateral Arm w Egg Switch Choose Lateral Arm Adjustment Range: | 285.00 |
| □ 110978 | Short (5.5" - 10"): Long (5.5" - 14"): Add Left Lateral Arm w Pad (No Sensor or Switch) Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"): | 174.00 |
| | SELECT RIGHT ARM PACKAGE (OPTIONAL): Add Right Lateral Arm w Proximity Sensor | 428.00 |
| I10979 | Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"): | 428.00 |
| I10980 | Add Right Lateral Arm w Egg Switch Choose Lateral Arm Adjustment Range: | 285.00 |
| I 10981 | Short (5.5" - 10"): Long (5.5" - 14"): Add Right Lateral Arm w Pad (No Sensor or Switch) Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"): | 174.00 |
| Alt Drive Syste | | |
| | | |

| CHOOSE OMNI (R Part Number | EQUIRED): Description | MSRP - CA |
|-------------------------------|--|-----------|
| I108609-99-0 | Omni2 Control Module for R-net - Koala | 1,995.00 |
| — | Two-section design features 3.5" VGA high resolution display, USB charger port, built in IR control and integrated Bluetooth technology for control of up to 4 Bluetooth devices. Must also select mounting hardware below. Please specify which type of alternative drive input device you will be using. Input Device: | 0 |
| I103476-99-0 | Adjustable Swing-Away Hardware - Omni/Tablet | 290.00 |
| | Mount in front of Left Arm: Mount in front of Right Arm: | |
| CHOOSE MOUNTI | NG POSITION OF SEAT CONTROL SWITCHBOX: | |
| Part Number | Description | MSRP - CA |
| 🔲 I10080 | Mount Seat Control Switchbox on Backrest | No Charge |

Mount Seat Control Switchbox on Backrest



Alt Drive Accessories

| PERMOFIX MOUNT | | |
|-----------------------|---|-----------|
| Part Number | Description | MSRP - CA |
| ☐ I105907-99-0 | Proximity Sensor + Swivel Assembly Only available with the Total Control Head Array. Swivel assembly allows sensor to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. Since Proximity Sensors require power, they CANNOT be used as On/Off switches. | 416.00 |
| I105919-99-0 | Egg Switch + Swivel Mount Assembly Swivel assembly allows switch to be mounted with PERMOfix or directly to lateral arm of Total | 277.00 |
| 1105912-99-0 | Control Head Array. Solid Oval Pad + Swivel Assembly | 169.00 |
| L1103912-99-0 | Solid Oval Fad F Swiver Assembly Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. | 109.00 |
| I106675-99-0 | Oval Plate + Swivel Assembly - No Switch | 146.00 |
| — | Blank plate provides mounting option for Micro Lite, Buddy Button or other switch options. Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. | |
| OPTIONAL ITEMS: | | |
| Part Number | Description | MSRP - CA |
| | Microlight Switch Qty: | 183.00 |
| | Buddy Button Qty: | 138.00 |
| | Egg Switch Black Qty: | 152.00 |
| <u> </u> 1101771-99-0 | Mini Cup Switch Qty: | 135.00 |
| I107500-99-0 | Proximity Switch Qty: | 640.00 |
| <u> </u> | Mini Joyswitch 5 Switch OC for Omni - (9-pin) | 1,087.00 |
| l10772 | Dome Switch, Backrest Mnt w Gooseneck Qty: | 570.00 |
| | Mount on Left: Mount on Right: Mounts at top of backrest shell. Custom charge may be applied if ordering with short backrest heights. Kit Includes: One PERMOfix joint with Flat Plate, two PERMOfix joints with 45° swivel adjustment, one 150mm rod, one 200mm rod and one 225mm gooseneck switch with 1.2m cable and mounting clamp. | |
| I10846 | Dome Switch, Backrest Swg Awy Mnt w Gsneck Qty: | 855.00 |
| | Mount on Left: Mount on Right: w 90° Swing-Away Function. Mounts at top of back. Custom charge applies if ordered with short back. Kit Includes: One PERMOfix joint with Flat Plate, one PERMOfix joint with 45° swivel adjustment, two 6" rods, one 90° Swing-Away joint, one 9" gooseneck switch w 50" cable and mounting clamp. | |
| I105935-99-0 | 3.5mm Ext. Cable for Sensor/Switch, 0.3m Long | 39.00 |
| <u> </u> | 3.5mm Ext. Cable for Sensor/Switch, 1m Long | 43.00 |
| I 1105932-99-0 | 3.5mm Ext. Cable for Sensor/Switch, 2m Long | 47.00 |
| <u> </u> | 3.5mm Ext. Cable for Sensor/Switch, 3m Long | 52.00 |
| <u> </u> | 3.5mm Y-splitter Cable for Sensor/Switch | 43.00 |
| _ | Allows two Proximity Sensors/Mechanical Switches to connect to the same direction jack. | |

Chair Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

-A client name or code, the client's measurements, the client's weight

-The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil, LTD. is not

- responsible for configuration or size discrepancies resulting from customer errors on the order form.
- -Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- -Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgment:

I, ______, and an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of powered wheelchairs and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty.