

**TiLite X Order Form** (replaces TiLite X)  
Folding Frame

Effective December 2024 (New items in red)

Page 1 of 8

PROVIDER INFORMATION		RTS INFORMATION			
Dealer:	Account #:	RTS:	Phone:		
PO:	Ordered By:	Email:			
Email:		SHIP TO INFORMATION			
Mark For:	User Weight:	Name:	Ship Via:		
TiLite Sales Rep:		Address:			
<b>TiLite Information:</b>	Promo Code:	City:	State:	Zip:	
Ship Date:	Order #:	Phone:	Fax:		

**Please contact the Permobil Manual Customer Service Team at [chairs.tilite@permobil.com](mailto:chairs.tilite@permobil.com) - Phone: 800.736.0925 or Fax: 866.586.2413**

**FRAME STYLE**

- Standard Aluminum Frame (Full Adjustability)..... **\$2,725 K0005 E1236**
  - 250 lb. weight limit..... **STD**
  - 300 lb. weight limit..... **NCO**
- Standard Aluminum Frame with Transit Tie-Down**..... **\$2,995 K0005 E1236**
  - 250 lb. weight limit..... **STD**
  - 300 lb. weight limit..... **NCO**
- Heavy Duty Aluminum Frame (350 Pound (158 Kg) Weight Limit. Available with 18" to 22" Seat Widths and 16" to 20" Seat Depths)  
Requires Aluminum Casters – Provided as NCO)..... **\$575**

**SMARTDRIVE POWER ASSIST SYSTEM**



- Permobil Smart Drive MX2+\* (N/A with rear seat heights less than 13.5")..... **\$7,529 E0986**
- SpeedControl Dial\*  Extended Mount **OR**  SwitchControl Buttons..... **NCO**  
*\*SpeedControl Dial mounting may be limited based on chair and wheel lock configuration. Please refer to table on page 8 for more information.*
- SwitchControl Button with Mono Jack Option ..... **\$159**
  - Buddy Button ..... **\$262**
- Carrying Bag ..... **\$84**
- Universal Padded Handle..... **\$22**  
*\*SmartDrive apps available on Apple App Store and Google Play Store for Apple Watch Series 5 or newer and Samsung Galaxy Watch 4 or newer.*

**TRANSIT OPTIONS**

- Transit Tie-Down (Consists of four Tie-Down Brackets. N/A with HD Frame, Fixed Height Non-Removable Armrest or Swing Away Tubular Armrest.  
(Please refer to the user manual for important information regarding the Transit Tie-Down Option)..... **\$363**
- Transport Bracket Option (Consists of four Tie-Down Brackets. Unoccupied Use Only. N/A with HD Frame, Fixed Height Non-Removable  
Armrest or Swing Away Tubular Armrest..... **\$379**

**FRAME FINISHES**

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> High Gloss Black     | <input type="checkbox"/> TiLite Red                 | <input type="checkbox"/> Neon Pink            |
| <input type="checkbox"/> Ocean Blue Metallic  | <input type="checkbox"/> Tangerine Metallic         | <input type="checkbox"/> Acid Green Metallic  |
| <input type="checkbox"/> Midnight Blue Pearl  | <input type="checkbox"/> White Pearl                | <input type="checkbox"/> Black Lava           |
| <input type="checkbox"/> Titanium Grey        | <input type="checkbox"/> <b>Pomegranate Red</b>     | <input type="checkbox"/> <b>Blue Mist</b>     |
| <input type="checkbox"/> <b>Indigo Purple</b> | <input type="checkbox"/> Hyper Blue                 | <input type="checkbox"/> Flame Orange         |
| <input type="checkbox"/> OD Green             | <input type="checkbox"/> <b>Silver Streak</b>       | <input type="checkbox"/> <b>Lavender Dusk</b> |
| <input type="checkbox"/> <b>Black Galaxy</b>  | <input type="checkbox"/> <b>Seafoam Green</b> ..... | <b>STD</b>                                    |

**FRAME MEASUREMENTS** (Please see information on page 8 regarding frame measurements)

For odd size seat depths, frame depth will be 1" longer than seat sling.

		Seat Width A									
		14	15	16	17	18	19	20	21	22	
Seat Depth B	14	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
	15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
	16	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	17	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	18	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	19		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	20			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

- Note: Configurations including Seat Widths 20"-22" ..... **\$559 E2201**
- Configurations including 20" Seat Depth..... **\$675 E2203**



Permobil.com  
2701 West Court Street | Pasco, Washington 99301  
509.352.2245 Tel | 866.586.2413 Toll-Free  
[chairs.tilite@permobil.com](mailto:chairs.tilite@permobil.com)

**FRONT SEAT HEIGHT RANGES**

Front Wheel Size	Front Seat Heights C
3" Front Wheel	13.5" -18"
4" Front Wheel	14.5" - 18.5"
5" Front Wheel	15.5" - 19"
6" Front Wheel	16.5" - 19.5"
8" Front Wheel	18.5" - 20.5"

**FRONT SEAT HEIGHT c** Measure from floor to top of seat tube at front edge of seat sling.

- 13.5"  14"  14.5"  15"  15.5"  16"  16.5"  17"  17.5"  18"  18.5"  19"  19.5"  20"  20.5" .....STD

**REAR SEAT HEIGHT RANGES**

Rear Wheel Size	Rear Seat Heights D
22" (501)	13" - 18.5"
24" (540)	14" - 19.5"
25" (559)	14.5" - 20"
26" (590)	15" - 20"

**REAR SEAT HEIGHT D** Measure from floor to top of seat tube at back post.

- 13"  13.5"  14"  14.5"  15"  15.5"  16"  16.5"  17"  17.5"  18"  18.5"  19"  19.5"  20" .....STD

**CENTER OF GRAVITY E** Measure from front of back post at the seat tube to the center of the rear axle.

- 1"  1.5"  2"  2.5"  3"  3.5"  4" .....STD

**Amputee Axle Plate** (Center of Gravity positioned 1" behind back canes. N/A with User Friendly Anti-tips. Limitations will apply) .....\$225 E0959

**FRONT HANGERS**

Composite Footrest with Std Fork					
	3"	4"	5"	6"	8"
85°	•	•	•	•	•
80°	•	•	•	•	•
70°	•	•	•	•	•

Composite Footrest with Glide Fork					
	3"	4"	5"	6"	8"
85°	•	•	•*	•*	•*
80°	•	•	•	•	•
70°	•	•	•	•	•

\*Seat to Footrest must be at least 4" less than Front Seat Height

Composite Footrest with Glide Fork					
	3"	4"	5"	6"	8"
85°	•	•	•	•	•
80°	•	•	•	•	•
70°	•	•	•	•	•

Depth Adj Footrest with Glide Fork					
	3"	4"	5"	6"	8"
85°	•	•	•	•	•
80°	•	•	•	•	•
70°	•	•	•	•	•

- 70°  80°  85° .....STD  
 Omit Hangers .....NCO

**SEAT TO FOOTREST F** Measure from front edge of seat sling to top rear of footrest. Measurement must be at least 2" shorter than Front Seat Height c.

**Footrest Type**

- Composite Flip-up Footrest .....STD  
 10.5"- 14" (High Mount Hanger) Set at .....\$202 K0037  
 14"- 18.5" (Standard Hanger) Set at .....NCO
- Depth and Angle Adjustable Footrest (7"-8.5" will receive 3" extension tube - 9"-10" will receive 5" extension tube) ....\$293 K0040**  
 7"- 10" (Clamp-on High Mount) Set at .....\$202 K0037  
 10.5"- 14" (High Mount Hanger) Set at .....\$202 K0037  
 13.5"- 18.5" (Standard Hanger) Set at .....NCO  
 Extra-long footplate (9" long).....\$189 K0041

**Elevating Leg Rest**

Elevating Leg Rest, Single (When choosing a left or right ELR, please select the opposite hanger above. N/A with 14" Seat Width A)

- Install on  Left **OR**  Right .....\$250 E0990  
 Elevating Leg Rest, Pair (N/A with 14" Seat Width A) .....\$425 E0990

Seat to Footrest/ Elevating Leg Rests F Measure from front edge of seat sling to top rear of ELR footrest.

- 14"  15"  16"  17"  18"  19"  20"  21"

**INTEGRATED RESIDUAL LIMB SUPPORT** Mounts in place of front hangers.

- Residual Limb Support.....\$449 E1020  
  - 8" x 10" pad **OR**  8" x 14" pad Install on  L **OR**  R
- Residual Limb Support Pair.....\$850 E1020  
  - 8" x 10" pad **OR**  8" x 14" pad.

**FOOTREST ACCESSORIES**

- Safe Tread Non-Skid Adhesive Patch.....\$20
- Heel Loops.....\$55 E0951

**CALF STRAPS**

- Velcro Adjustable.....\$44 K0038  
  - Large (Recommended for 14"- 17" seat widths.)
  - Extra Large (Recommended for 16"- 22" seat widths.)
- Bodypoint® Padded Velcro Adjustable.....\$109 K0038  
  - Medium (Recommended for 16"- 20" seat widths.)
  - Large (Recommended for 20"- 22" seat widths.)
- Buckle Adjustable  
  - Black Nylon Webbing .....\$50 K0038

**SEAT BACK CONFIGURATIONS**

**SEAT BACK TYPE**

- Fixed Angle, Adjustable Height Seat Back.....STD
- Fixed Angle, Adjustable Height Seat Back w/ 8° Bend.....NCO
- Folding Adjustable-Angle and Height Seat Back (N/A with HD).....\$250
- Folding Stabilizer Bar.....\$423

**PUSH HANDLES**

- None.....NCO
- Integrated Push Handles.....NCO
- Integrated Fold-Down Push Handles (N/A with HD).....\$125
- Bolt-on height adjustable Push Handles (N/A with HD).....\$363

**SEAT BACK HEIGHT** G Measure from top of seat tube at rear of frame to top of backrest upholstery.

**Fixed Angle, Adjustable Height Seat Back**

Push Handles	Short	Tall	Set at: (Use 1" increments)
None	<input type="checkbox"/> 12.5"- 15.5"	<input type="checkbox"/> 16.5"- 20.5"	Set at: _____
Integrated	<input type="checkbox"/> 12"- 15"	<input type="checkbox"/> 16"- 20"	Set at: _____
Fold-Down	<input type="checkbox"/> 12"- 15"	<input type="checkbox"/> 16"- 20"	Set at: _____
Bolt-on Height Adj.	<input type="checkbox"/> 12.5"- 15.5"	<input type="checkbox"/> 16.5"- 20.5"	Set at: _____

**Folding Angle, Adjustable Height Seat Back**

Push Handles	Short	Medium	Tall	Set at: (Use .5" increments.)
None	12.5"- 14.5"	15"- 17"	17.5"- 20"	Set at: _____
Integrated	14"- 15.5"	16"- 17"	17.5"- 20"	Set at: _____
Fold-Down	14.5"-15.5"	16"- 17.5"	18"- 20.5"	Set at: _____

**BACK UPHOLSTERY**

- Standard Back Upholstery (Tension Adjustable. Includes Privacy Flap).....STD
- AIR Breathable Back Upholstery (Tension Adjustable. Includes Privacy Flap).....\$369 E2611/E2612  
  - Removable Lumbar Contour Pack  Removable Lateral Contour Pack
- Omit Back Upholstery.....NCO
- 4" Military Service Patch.....\$115  
  - Army  Navy  Air Force  Marines  Coast Guard  Purple Heart

**PERMOBIL BACK SUPPORTS** (Please see information on page 8 regarding product shipment)

**COMFORT ACTA-BACK® Back Support** (Backs over 20" wide or tall subject to increase pricing)

- Shell Height  10"  12"  14"  16"  18"  20"  22".....\$623 E2613/E2614  
  - Comfort-Tek Cover  Stretch-Air Cover.....NCO
  - Comfort Privacy Flap.....\$44

**COMFORT ACTA-BACK® Deep Back Support** (Backs over 20" wide or tall subject to increase pricing)

- Shell Height  10"  12"  14"  16"  18"  20"  22".....\$738 E2615/E2616  
  - Comfort-Tek Cover  Stretch-Air Cover.....NCO

**TiLite X Order Form**  
FOLDING FRAME

Effective December 2024 (New items in red)

Page 4 of 8

- 3" Deep Wing  5" Deep Wing.....NCO
- Comfort Privacy Flap.....\$44

**COMFORT ACTA-EMBRACE®** (Backs over 20" wide or tall subject to increase pricing)

- Shell Height**  10"  12"  14"  16"  18"  20"  22".....\$649 E2613/E2614
- Comfort-Tek Cover  Stretch-Air Cover.....NCO
- Comfort Privacy Flap.....\$44

**COMFORT ACTA-RELIEF**

- Shell Height**  10"  12"  14"  16"  18"  20"  22".....\$886 E2615
- Comfort-Tek Cover  Stretch-Air Cover.....NCO
- Comfort Privacy Flap.....\$44

**SEAT UPHOLSTERY AND SEATING**

- Tension Adjustable.....STD
- Omit Seat Upholstery.....NCO

**PERMOBIL SEAT CUSHIONS** (Please see information on page 8 regarding product shipment)

**Comfort Cushions** (Cushions over 20" wide subject to increase pricing)

- Comfort Curve Comfort-Tek Cushion.....\$122 E2601/E2602
- Comfort Elements® Comfort-Tek Cushion (Odd size cushions subject to increased pricing).....\$112 E2601/E2602
- Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion.....\$428 E2607/E2608
- Comfort M2 Zero Elevation Cushion with Comfort-Tek cover.....\$474 E2607/E260

**ROHO® Cushions** (Cushions over 20" wide subject to increase pricing)

- ROHO Single Compartment  Low Profile  Mid Profile  High Profile .....\$534 E2622/E2623
- ROHO Quadro Select  Low Profile  Mid Profile  High Profile .....\$534 E2624/E2625
- ROHO Hybrid Elite  Single Compartment  Dual Compartment.....\$552 E2622/E2623
- ROHO Hybrid Select.....\$571 E2624

**CUSTOM CONFIGURATION OPTIONS**

**FRONT WHEELS** (Please reference table in front hanger section for compatibility)

**3" Casters**

- 3"x1.5" LiteSpeed Billet Aluminum Wheel w/ Soft Roll Tire  Silver Hub **OR**  Black Hub.....\$205

**4" Casters**

- 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire.....STD
- 4"x.75" Plastic Wheel w/Poly Tire.....\$65
- 4"x.75" Light-Up Micro-Caster.....\$125
- 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire  
 Silver Hub **OR**  Black Hub.....\$217

**5" Casters**

- 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire.....STD
- 5"x1" Plastic Wheel w/Poly Tire.....\$65
- 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire  
 Silver Hub **OR**  Black Hub.....\$233

**6" Casters**

- 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire.....STD
- 6"x1" Plastic Wheel w/Poly Tire.....\$65
- 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire  
 Silver Hub **OR**  Black Hub.....\$244

**8" Front Wheels**

- 8"x1" Plastic Wheel w/Poly Tire.....NCO

**FRONT FORKS**

- TiLite Standard Fork.....STD
  - Glide Suspension Fork(Max user weight 265 lbs).....\$526 E1015
- Rider's Weight:  125 lbs.  125-180 lbs.  180-265 lbs.

**REAR WHEELS** (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations)

**ONE ARM DRIVE**

- One Arm Drive (Requires 24" Rear Wheel and 0° Camber, N/A with HD.).....\$1,298 E0958
- Install on  Left **OR**  Right

TiLite X Order Form  
FOLDING FRAME

**STANDARD REAR WHEELS** (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations)

	22" (501)	24" (540)	25" (559)	26" (590)
TiLite Wheels	<input type="checkbox"/> STD	<input type="checkbox"/> STD	<input type="checkbox"/> STD	<input type="checkbox"/> STD

When ordering 24" wheel with treaded pneumatic or treaded tire with airless inserts and aluminum black or silver anodized handrims and long tabs, the chair will ship with TiLite standard rear wheel. Otherwise, the chair will ship TiLite Shadow rear wheel.

**ALTERNATIVE REAR WHEELS** (See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

	22" (501)	24" (540)	25" (559)	26" (590)
X-Core Mag®	<input type="checkbox"/> \$225	<input type="checkbox"/> \$225		
Spinergy Spox <input type="checkbox"/> Black <input type="checkbox"/> Red <input type="checkbox"/> Blue <input type="checkbox"/> White	<input type="checkbox"/> \$1,195	<input type="checkbox"/> \$1,195	<input type="checkbox"/> \$1,195	<input type="checkbox"/> \$1,195
Spinergy LX <input type="checkbox"/> Black <input type="checkbox"/> Red <input type="checkbox"/> Blue <input type="checkbox"/> White <input type="checkbox"/> Bright Orange <input type="checkbox"/> Flamingo Pink <input type="checkbox"/> Purple	<input type="checkbox"/> \$1,295	<input type="checkbox"/> \$1,295	<input type="checkbox"/> \$1,295	<input type="checkbox"/> \$1,295
Spinergy Design Lab LX (Available with black spokes only.) <input type="checkbox"/> Gold Anodize <input type="checkbox"/> Green Anodize <input type="checkbox"/> Blue Anodize <input type="checkbox"/> Red Anodize <input type="checkbox"/> Purple Anodize <input type="checkbox"/> Orange Anodize	<input type="checkbox"/> \$1,995	<input type="checkbox"/> \$1,995	<input type="checkbox"/> \$1,995	<input type="checkbox"/> \$1,995

X-Core Mags requires Aluminum Silver Anodized Handrims with long tabs. N/A with Heavy Duty Frame, Quad Release Axles, Spoke Guards

**PNEUMATIC REAR TIRES**

- Treaded pneumatic (N/A with 25"(559) rear wheels).....STD
- Treaded with Airless Inserts (N/A with 25"(559) rear wheels).....\$145
- MBL SpeedLite.....STD
- Primo Sentinel.....\$159
- Schwalbe® Marathon Plus Evolution (N/A with Mag or 22" (501) wheels).....\$169
- Primo C-763 Knobby (Available on 24"(540) rear wheels).....\$129

E2213

**SOLID REAR TIRES**

- Primo Active (Available with 24"(540) and 25"(559) Rear Wheels).....\$160
- Primo Orion (Replaces Primo Express) (N/A with 26"(590) Rear Wheels).....\$160

**CAMBER** (Rear wheel spacing will be set to minimum value allowed by your configuration)

- 0°  2°  4° .....STD

**AXLES**

- Stainless Quick Release.....STD
- Quad Release (N/A with Mag, 24"(540)/ 25" (559) Spinergy Spox or Spinergy LX Rear Wheels).....\$169
- Fixed Non-removable.....\$179

**HANDRIMS**

- Aluminum –  Silver Ano OR  Black Ano.....STD
- Plastic Coated – Black .....\$174
- Omit Handrims.....NCO

**The Natural-Fit® – Original, Larger Profile**

- Standard Grip (Requires Long Tabs).....\$428
- Super Grip (Requires Long Tabs).....\$466
- Without Thumb Grip.....\$390

**The Natural-Fit® LT – Reduced Weight, Smaller Profile**

- Standard Grip (Requires Long Tabs).....\$450
- Super Grip (Requires Long Tabs).....\$514
- Without Thumb Grip.....\$423

**The Surge (All-In-One Oval with Gription™ Strip)**

- The Surge (Larger Profile).....\$495
- The Surge LT (Smaller Profile).....\$466

**Q Grip (High-Friction, Anti-Slip Coating)**

- Q-Grip .....\$495

**TAB LENGTH**

- Long Tabs.....STD
- Short Tabs (N/A with Mag Rear Wheels).....\$39

**SPOKE GUARDS**

- Clear Lexan (N/A with Mag Rear Wheels).....\$179

K0065

**WHEEL LOCKS**

**Aluminum Wheel Locks**

- Push to Lock ..... **STD**
- Pull to Lock ..... **STD**
- Extension Handles for Aluminum Push/Pull to Lock ..... **\$75 E0961**

**Composite Wheel Locks**

- Compact Composite Push to Lock ..... **\$129**
- Compact Composite Pull to Lock ..... **\$129**
- Extension Handles for Compact Composite Push/Pull to Lock ..... **\$93 E0961**
- Compact Composite Scissor Lock ..... **\$158**

**Additional Wheel Locks**

- Grade Aids, Push to Lock (Requires pneumatic tires) ..... **\$395 E0974**
- Hemi Wheel Lock –  Left **OR**  Right ..... **\$330**

**SIDE GUARDS**

**ALUMINUM SIDE GUARDS**

- Rigid Removable  Small  Standard ..... **\$217**
- Quad Removable w/ Hole  Small  Standard ..... **\$233**

**ARMRESTS**

- Omit ..... **NCO**

**Standard Armrest**

- Fixed Height Non-Removable Armrest (N/A with Heavy Duty) ..... **STD**

**Swing Away Tubular Armrests (N/A HD, Bolt on push handles or Transit/Transport option)**

- Height Adjustable ..... **\$244 E0973**  
Range:  9" to 12" **OR**  12" to 15"
- Height Adjustable with Sideguards (Side guard will be NCO) (N/A with Heavy Duty) ..... **\$425 E0973**  
 9" to 12" **OR**  12" to 15"

**T-Style Armrests (Requires minimum seat depth of 15")**

- 2-Point Flip Back Height Adjustable T-Style Armrest (N/A with Folding Angle, Adjustable Height Seat Back) ..... \$395 E0973**  
 8" to 12" **OR**  10" to 14"  
 Desk Length Pad (10") **OR**  Full Length Pad (14")
- Removeable Height Adjustable T-Style Armrest ..... \$375 E0973**  
 8" to 12" **OR**  10" to 14"  
 Desk Length Pad (10") **OR**  Full Length Pad (14")

**POSITIONING BELTS**

- Velcro Adjustable, Black Nylon Webbing ..... **\$61 E0978**
- Bodypoint® 2" Wide Push-Button Buckle (Auto-Style) ..... **\$103 E0978**
- Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style, N/A with 19" -20" Rear Widths) ..... **\$185 E0978**
- Bodypoint® 4" Wide Push-Button Buckle Padded (Auto-Style, N/A with 19" -20" Rear Widths) ..... **\$196 E0978**
- Bodypoint® EvoFlex® Pelvic Stabilizer Push Button ..... **\$201 E0978**
- Q'Strain® WC-19 Wheelchair-Anchored Pelvic Belt (Recommended for use with Transit Tie Down) ..... **\$217 E0978**
- Bodypoint® Optional Band Clamp Mounting Hardware ..... **\$70**

**ACCESSORIES**

**ANTI-TIPS**

- Standard Rear Aluminum - Black ..... **\$174 E0971**
- User Friendly Flip-up ..... **\$363 E0971**

**FUNCTIONAL ACCESSORIES**

- Upper Extremity Support Tray  
 12" to 14" **OR**  13" to 15" Seat Widths A (Requires T Style Armrests.) ..... **\$315 E0950**
- Luggage Carriers (N/A with High Mount Footrests.) ..... **\$158**
- Crutch Holder -  Left **OR**  Right ..... **\$244 E2207**
- Oxygen Tank Holder –  Left **OR**  Right ..... **\$330 E2208**

**SOFT GOODS ACCESSORIES**

- Permobil Medical Necessities Bag .....\$103
- Permobil Medical Necessities Seat Pouch.....\$66
- Bodypoint® Mobility Bag.....\$109
- Neoprene Impact Guards, Black.....\$195

**GENERAL**

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer’s coverage policy.

**Get the latest order forms at permobil.com.** Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Strain® is a registered trademark of Q'Strain Inc.

**NOTES**

---



---



---


**QUOTE THIS CHAIR**

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

**ORDER THIS CHAIR**

**Measurement Guide**

- A** Seat Width - Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.
- B** Seat Depth - Measure from front of back post to the front edge of seat sling.
- C** Front Seat Height - Measure from floor to top of seat tube at front edge of seat sling.
- D** Rear Seat Height - Measure from floor to top of seat tube at back post.
- E** Center of Gravity - Measure from front of back post at the seat tube to the center of the rear axle.
- F** Seat to Footrest - Measure from front edge of seat sling to top rear of footrest.
- G** Seat Back Height - Measure from top of back post to top of seat tube at rear of frame



## Seating and Positioning Shipping Information

The following Seating and Positioning products will ship with the chair. Cushions are stocked with Comfort Tek Cover and backs are stocked with Stretch Air Cover. All other Seating and Positioning products will be drop-shipped from the manufacturer. (Width x Depth)

Curve Cushion	Elements Cushion	Acta Embrace Cushion	M2 Cushion Zero Elevation	ROHO Single High Profile Cushion	ROHO Quadtro Cushion
18" x 18"	18" x 18"	18" x 18"	18" x 18"	18" x 18"	18" x 18"
16" x 16"	16" x 18"	16" x 18"	18" x 16"	16" x 18"	16" x 16"
16" x 18"	18" x 16"	16" x 16"	20" x 16"	16" x 16"	20" x 16"
			20" x 20"		20" x 18"
			16" x 16"		

Acta Back	Acta Embrace Back	Acta Relief Back	ROHO Agility Mid Active	ROHO Agility Min Active
18" x 12"	18" x 16"	18" x 16"	18" x 10"	18" x 10"
18" x 16"	16" x 16"	16" x 16"	16" x 10"	16" x 10"
16" x 16"		18" x 12"		
16" x 12"		16" x 12"		

## SpeedControl Dial Compatibility Information

### SpeedControl Dial Compatibility:

SpeedControl Dial mounting will require Aluminum or Composite push/pull wheel locks and a seat depth greater than 14". The following configurations are compatible with the SpeedControl Dial. Both wheel locks work with all 19" and 20" seat depth configurations. Please consider this when selecting your free wired controller for SmartDrive.

- : Aluminum push/pull wheel lock compatible
- : Composite push/pull wheel lock compatible

Seat depth	Center of gravity	Rear wheel sizes				Seat depth	Center of gravity	Rear wheel sizes			
		22"	24"	25"	26"			22"	24"	25"	26"
15" - 16"	1"	●	●	●	●	17" - 18"	1"	●○	●○	●○	●○
	1.5"	●	●	●	●		1.5"	●○	●○	●○	●○
	2"	●	●				2"	●○	●○	●○	●
	2.5"	●					2.5"	●○	●○	●	●
	3"	●					3"	●○	●	●	●
	3.5"						3.5"	●○	●		
	4"						4"	●	●		