TiLite Twist Canadian Order Form – AADL #W425

PROVIDER INFORM					Page 1 of 6
Provider:		unt #:			
20:	Orde	red By:			
Email:			SHIP TO INFORMATION		
/lark For:			Name:	Ship Via:	
iLite Sales Rep:			Address:		
TiLite Information:	Prom	no Code:	City:	Province:	Postal Code:
Ship Date:	Orde	r #:	Phone:	Fax:	
Please Em	ail to the Permobil	Manual Customer Exp	perience Team at orders@perm	obil.com or Fax to 50	9.586.2413
RAME STYLE					
	Til ite Twist (Full &	djustability. Seat Width A Gr	ows 2" and Seat Depth B		
-			\$3,976	\bigcirc	\bigcirc
			es a No Taper Footrest.) \$181	()	
RANSIT TIE-DOWN		-4)			
		otion (Tested to WC-19. Consi	ists of four Tie-Down Brackets.	1 Pr	000
		ailable with user weight less			
		n Option Brochure for importar	nt information regarding the \$427 A1		
		//	······································	U U OL	Abduction Lou Frame/ 2"
RAME FINISHES					Outward Flare
High Gloss Pain		High Gloss Black	TWFF10 🖵 TiLite Red		
Metallic Paint	TWFF29 TWFF14	Neon Pink Ocean Blue Metallic	TWEE15 D Topgoring Motallia	An VII	
	TWFF14 TWFF30	Acid Green Metallic	TWFF15 Tangerine Metallic		
Pearlescent Pai		Midnight Blue Pearl	TWFF18 🖵 White Pearl	H	
Matte Paint	TWFF19	Black Lava	TWFF27 🖵 Titanium Grey		
Candy Paint	TWFF22	Ruby Red	TWFF23 🗖 Azure Blue		
Matte Textured F	TWFF25 Paint TWFF40	 Electric Plum Hyper Blue 	TWFF41 🖵 Flame Orange		
Matte Textureu I	TWFF42		STD		
RAME MEASUREM easurements shown bel rvice or visit our Creativ SEAT WIDTH A opposite seat tub and components request) needed TWSW5	eNTS ow are our most popul e Mobility Division (CM Measure from outside te at back post. Seat V (except TiShaft Back to grow the Twist seat 0 8"-10" 0 9"-11" Default will be smalles	ar selections. Not seeing (<i>MD</i>) catalog <u>here</u> to view ad of seat tube at back post to Vidth grows 2". All upholste Release Bar available at no width are included.	o the outside of the ry (except cushion) o charge upon 12"-14" □ 13"-15"STD ange. Please use "Set at"	G	
			,		
edge of seat sling Frames, and 2" fi (except cushion) Seat Depth grov TWSD4	y will be 1.5" from the l rom the beginning of th and components need vs 3". 3 8"-11" <i>(Requires eithe</i> 11"-14" 12"-15" Default will be shortest	back post to the front edge beginning of the bend on N he bend on Abduction Fran led to grow the Twist seat of the <i>18" or 20" Rear Wheels.</i>) □ □ 13"-16" Seat Depth for selected ra han default. Set at(Us	lo Taper and Tapered hes. All Upholstery depth are included. 9"-12" 10"-13" STD ange. Please use "Set at"		3++
edge of seat sling Frames, and 2" fr (except cushion) Seat Depth grow TWSD4	y will be 1.5" from the l rom the beginning of th and components need vs 3". 3"-11" (<i>Requires eithe</i> 11"-14" 12"-15" Default will be shortest for Seat Depth other th EIGHT C Measure from ths up and down in 1/2" poths B only. For 2" Tape 13" 13.5" 14	beginning of the bend on N he bend on Abduction Fram led to grow the Twist seat of a 13"-16"	 Taper and Tapered hes. All Upholstery depth are included. 9"-12" 10"-13" STD ange. Please use "Set at" e 1" increments) It front edge of seat 		

Effective October 1, 2024 (New Items in Red)

ALUMINUM RIGID, GROWABLE FRAME

FRAME MEASUREMENTS


TWRSH1

FRONT SEAT HEIGHT C RANGES

Front Wheel Size	Front Seat Heights for 8"-11" Seat Depth B	Front Seat Heights for 9"-12" Seat Depth B	Front Seat Heights for 10"-13" Seat Depth B	Front Seat Heights for 11"-14" Seat Depth B	Front Seat Heights for 12"-15" Seat Depth в	Front Seat Heights for 13"-16" Seat Depth B
3"	13.0" - 14.5"	13.5" - 15.0"	13.0" - 16.0"	14.0" - 17.0"	14.5" - 17.5"	15.5" - 18.5"
" Glide™	14.5" - 15.5"	15.0" - 16.5"	14.0" - 17.0"	15.0" - 18.0"	16.0" - 19.0"	16.5" - 19.5"
4"	13.5" - 15.0"	14.0" - 15.5"	13.5" - 16.5"	14.0" - 17.5"	15.0" - 18.0"	16.0" - 18.5"
4" Glide™	14.5" - 16.0"	15.5" - 17.0"	14.5" - 17.5"	15.5" - 18.5"	16.0" - 19.0"	17.0" - 20.0"
5"	N/A	N/A	14.0" - 17.0"	14.5" - 17.5"	15.5" - 18.5"	16.5" - 19.5"
5" Glide™	N/A	N/A	N/A	N/A	N/A	N/A

REAR SEAT HEIGHT D Measure from floor to top of seat tube at Back Post. Twist adjusts up and down in 1/2" increments.

	ionito.			
12"	12.5"	🖵 13"	1 3.5"	
1 4"	1 4.5"	🖵 15"	1 5.5"	
1 6"	1 6.5"	🖵 17"	17.5"	
🖵 18"	🖵 18.5"	🖵 19"	19.5"	STD



REAR SEAT HEIGHT RANGES

18"	12" – 17"
20"	13" – 17.5"
22"	14" – 18.5"
24"	15" – 19.5"

FRONT ANGLE L Measure from frame front to floor.

TWFA1 □ 70° □ 80° □ 90°______STD SEAT TO FOOTREST E/FOOTRESTS Measure from front edge of seat sling to top rear of footrest. Standard Footrests Measurement must be at least 2" shorter than Front Seat Height C. □ 9" □ 9.5" □ 10" □ 10.5" □ 11" □ 11.5" □ 12" □ 12.5" □ 13" □ 13.5" □ 14" □ 14.5" □ 15" □ 15.5" □ 16" □ 16.5" TWFTR3 Angle Adjustable Footrest STD □ Flip-Back Depth & Angle Adjustable Footrest (Not available when both 13" -15" Seat Width A and Abduction Frame/2" TWFTR24 Outward Flare are ordered.)______\$236 **High Mount Footrests** □ 5" □ 5.5" □ 6" □ 6.5" □ 7" □ 7.5" □ 8" □ 8.5" □ 9" □ 9.5" □ 10" □ 10.5" □ 11" □ 11.5" □ 12" □ 12.5" **1**3" TWFTR4 Angle Adjustable High Mount Footrest \$160 □ Flip-Back Depth & Angle Adjustable High Mount Footrest (Not available when both 13" -15" (33-38cm) Seat Width A TWFTR27 and Abduction Frame with 2" Outward Flare are ordered.) \$340

SEAT TO FOOTREST E **RANGES** (2" Taper available with 12" - 15" or 13" - 16" Seat Depths B only. Add 1.5" to minimum Seat to Footrest E Ranges with 2" Taper.)

	3" Front Wheel		el 4" Front Wheel		5" Front Wheel	
Seat	Standard	High Mount	Standard	High Mount	Standard	High Mount
Depth B	Footrest	Footrest	Footrest	Footrest	Footrest	Footrest
8" - 11"	9.0" - 12.0"	5.0" - 8.0"	9.0" - 12.0"	5.0" - 8.0"	N/A	N/A
9" - 12"	10.0" - 13.0"	6.0" - 9.0"	10.0" - 13.0"	6.0" - 9.0"	N/A	N/A
10" - 13"	9.0" - 13.5"	5.0" - 9.5"	9.0" - 13.5"	5.0" - 9.5"	9.0" - 14.0"	5.0" - 10.0"
11" - 14"	10.0" - 14.5"	6.0" - 10.5"	10.0" - 14.5"	7.0" - 11.5"	10.0" - 15.0"	6.0" - 11.0"
12" - 15"	11.0" - 15.0"	7.0" - 11.5"	11.0" - 15.0"	8.0" - 12.5"	11.0" - 15.5	7.0" - 12.0"
13" - 16"	12.0" - 16.0"	8.0" - 12.5"	12.0" - 16.0"	7.5" - 12.0"	12.0" - 16.5"	8.0" - 13.0"

FOOTREST WIDTH | Select one of the following options: No Taper or 2" Taper. Measure from <u>inside</u> of front frame tube to <u>inside</u> of opposite front frame tube.

TWFSW1	□ No Taper (2" Narrower than Seat Width A.) STD	
TWFSW4	□ 2" Taper (4" Narrower than Seat Width A. Available with 12" -	
	15" or 13" - 16" Seat Depths B only. Add 1.5" to minimum Seat to	
	Footrest E Ranges.) NCO	

FOOTREST WIDTH I (Inside Measurement) No Taper

A	Seat Width A	(2" Narrower than	(4" narrower than
	(Outside Measurement)	Seat Width A)	Seat Width A)
	8"	6"	N/A
	9"	7"	N/A
	10"	8"	N/A
	11"	9"	N/A
	12"	10"	8"
	13"	11"	9"
	14"	12"	10"
	15"	13"	11"


2" Taper

Effective October 1, 2024 (New Items in Red)

ALUMINUM RIGID, GROWABLE FRAME

FRAME MEASUREMENTS

	TYPE/PUSH HANDLES/SEAT BACK HEIGHT F Measure from top of back seat tube at rear of frame.	
TWSB1	G Folding Aluminum Adjustable Height with TiShaft Aluminum Back Releas	е STD
TWSB11	Seat Back that Locks when Folded	NCO
PUSH HAND	LES	
TWSB6	Integrated Push Handles	NCO
TWSB7	□ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps	
	Back Upholstery.)	\$126
TWSB8	Bolt-On Push Handles (Requires 12"-14" or 13"-15" Seat Width A range.)	\$219
TWSB9	Bolt-On Height-Adjustable Push Handles (Requires 12"-14" or 13"-15" Se	at
	Width A range.)	\$449
TWSB20	Bolt-On Center Mount Height-Adjustable Push Handle	
	□ Small 9.25" □ Standard 14.25" □ Tall 19.25"	\$203
TWSB21	General Stroller Handle	\$279



A1

SEAT BACK HEIGHT F (Short Seat Back Height F not available with Flip Back Tubular Armrests.)

Push Handles (Selec	ted Above) Short	Medium	Tall	Set at: (Use 1/2" increments)
None/Bolt-On/Stroller Integrated Integrated Fold-Down	 8.5"- 11.5" 10.5"- 12.5" 13"- 15.5" 	 □ 12"- 16.5" □ 13.5"- 16.5" □ 14.5"- 19" 	 16.5"- 20.5" 17.5"- 20.5" 18.5"- 21" 	Set at: Set at: Set at:

AVAILABLE ON ALL BACKS



TWCBR1		□ 12°STD
TWCBR15	Aluminum Camber Tube	STD

CUSTOM CONFIGURATION OPTIONS

TWFW24	□ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub	\$197	Δ1
TWFW14	□ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork.)		
TWFW3	4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork.)	\$88	
TFFW26	4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire	\$104	
TWFW27	□ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub		A1
TWFW6	□ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle L, Slipstream Fork.)	NCO	
TWFW28	□ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle L.)		A1
TWFW30	□ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub		
	(Not available with 90° Front Angle L.)	\$274	A1

CUSTOM CONFIGURATION OPTIONS

PRECISION LOCK FRONT FORKS			
TWFK1	TiLiteStandard Fork	STD	
TWFK2	TiLite Slipstream Single-Sided Fork	\$203	A1
TWGL1	□ Glide [™] Suspension Fork (Black anodize only. Not available with Heavy Duty Frame.)	\$596	A1
	Rider's Weight: 🗅 125 lbs. 🗅 125-180 lbs. 🗅 180-265 lbs.		
TWTS1	TitaniumFork Stem	\$66	A1

0

October 1, 20	24 (New Items in Red) ALUMINUM RIGID, GROWABLE FRAME	
	IS (See Beer Seet Height Barges Chart on Dage 2 for Beer Seet Unight D. Smithters)	
TWRW14	ELS (See Rear Seat Height Ranges Chart on Page 2 for Rear Seat Height D limitations.) TiLite SHADOW™	STI
	□ 18"(400)	511
	□ 20"(451)	
	□ 22"(501)	
	$\Box 24"(540)$	
	(Client Cost)	
TWRW7	Spinergy® SPOX 🛛 Black 🗅 Red 🗅 Blue 🗅 White 🗅 Orange 🖵 Pink 🖵 Purple 🖵 Green (Orange, Pink, Purple	
	And Green only available in 20" size.)	\$98
	□ 20"(451) - Std. Hub	
	□ 22"(501) - Std. Hub	
THOMAS		
TWRW8	Spinergy® LX Black Red Blue White Bright Orange Flamingo Pink Purple Green	<u></u> \$1,*
	□ 22"(501) - Std. Hub	
TODIA	□ 24"(540) - Std. Hub	
TPRW9	Spinergy Design Lab LX Wheels (If same color is selected, anodized hubs and rims match color anodized packa	ge
	on page 1. Available with black spokes only.)	.
	Gold Anodize Green Anodize Blue Anodize Red Anodize Purple Anodize Orange Anodize	\$1,9
	22"(501) - Std. Hub	
	□ 24"(540) - Std. Hub	64
TWRW16	Spinergy® Carbon Blade with 2x2 Twill Weave Carbon Fiber	\$1,0
TWRW17	24"(540)	
	X-Core Mag (Not available with Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims)	
	□ 20"(451)	\$11
	□ 22"(501) □ 24"(540)	
		ψ12
AXLES		
TWAXL1	Stainless Quick Release	STI
TWAXL2		
TWAXL3	Quad Release (Not available with Mag Rear Wheels.)	\$18
PNEUMATIC	REAR TIRES	
TWRTR1	Treaded	
TWRTR2	Airless Inserts (Not available with 18" Rear Wheels)	
TWRTR4	□ MBL SpeedLite 20"(451), 22"(501), 24"(540)	NC
TWRTR30	□ 24"(540)Primo Sentinel	\$17
TWRTR8	24"(540) Schwalbe® Marathon Plus Evolution	\$17
TWRTR32	24"(540) Primo C-763 Knobby Tires	\$10
SOLID REAL		
TWRTR22	18"(400), 20"(451), 22"(501) and 24"(540) Primo Express (Not available with Spinergy Carbon Blade Rear Wheels.)	
TWRTR23	24"(540)Primo Active	\$14
HANDRIMS		
TWRIM1	Aluminum – Silver Anodized	STE
TWRIM21	Aluminum – Black Anodized (Not available with 18" (400) Rear Wheels.)	\$66
TWRIM12	Titanium – Satin Finish (Not available with 18" (400) 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)	\$53
The Natural-	Fit® (Original, Larger Profile) (Not available with 18"(400) or 20"(451) Rear Wheels.)	
TWRIM14	Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
TWRIM15	□ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$51
TWRIM 16	Without Thumb Grip	\$41
The Natural-	Fit [®] LT (Reduced Weight, Smaller Profile) <i>(Not available with 18"(400) or 20"(451) Rear Wheels.)</i>	
TWRIM17	Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
TWRIM18	□ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
TWRIM19	Without Thumb Grip	
TWRIM10	□ The Surge (All-In-One Oval with Gription M Strip, Larger Profile) (Not available with18"(400) or 20"(451) Rear Wheels)	
TWRIM11	□ The Surge LT (All-In-One Oval with Gription TM Strip, Smaller Profile) (Not available with 18"(400) or 20"(451) Rear Wheels).	\$51
TWRIM20	Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 18"(400), 20"(451) Rear Wheels)	\$41
Additional H	landrim Options	
THEFT	Plastic Coated – Black (Not available with 18" (400) Rear Wheels.)	\$175
TWRIM5		

CUSTOM CONFIGURATION OPTIONS Tab Length TWRIM7 Long Tabs

rus congin		
TWRIM7	Long Tabs	STD
TWRIM8	Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	\$39

WHEEL LOCKS

WHEEL LOC			
TWWLK7	Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing J only.)		
TWWLK8	Compact Composite Pull to Lock (Available with .75" to 1.5" Rear Wheel Spacing J only.)		
TWWLK10	Extension Handles for Composite Push/Pull to Lock		
Additional V		* 005	
TWLK11 TWWLK3			A1
TWWLK3	Uni-Lock Set At: D Push OR D Pull Extension Handles for Uni-Lock	 \$0/	A1 A1
10000			~'
BACK UPHO	DLSTERY		
TWBUP2	Velcro Adjustable (Not available with Fold-Down Push Handles.)	STD	
	Tension Adjustable by Straps (Required with Fold-Down Push Handles.)		
TWBUP3	Padded NylonBASIC SEATING		
TWBUP5	AIR Breathable Upholstery (Not available with Ultrasuede or NiteLite Backrest Stripe.)BASIC SEATING	\$437	
TWUPC3	Ultrasuede Backrest Stripe Black Sapphire Red Pepper Burnt Orange Ultraviolet NiteLite Reflective (Not available with AIR Breathable Upholstery)BASIC SEATING	¢116	
TWBUP0	Omraviolet Initelite Reflective (Not available with AIR Breathable Opholstery)BASIC SEATING OmitBack Upholstery		
TWB010			
SEAT UPHO	ILSTERY		
TWSUP1	Tension Adjustable Bolt On (Black only.)	STD	
TWSUP0	Omit Seat Upholstery	NCO	
	IION (Seating Benefit) eating options? <u>Click here</u> to view the new TiLite Seating Order Form.)		
TWCSH2	Comfort Curve Cushion (Stretch-Air cover)BASIC SEATING BASIC SEATING	\$150	
TWCSH23	Comfort Embrace Zero Elevation Cushion (Comfort-Tek cover)		
TWCSH11	ROHO [®] LOW PROFILE [®] Single Compartment Cushion		
SIDE GUAR	DS		
Aluminum			
TWSDG2	Rigid Removable Extra Small OR Small OR Std		
TWSDG3	Quad Removable w/Hole Small OR Std	\$345	
	eave Carbon Fiber	*	
TWSDG7	Rigid Removable Small OR Std Small OR Std	\$372	A1
TWSDG8	Quad Removable w/Hole Small OR Std		
TWSDG12	<i>NEW</i> Fendered Removable	\$650	A1
	Aluminum and Carbon Fiber Non-Fendered Side Guards	* 045	
TWSDG13	Side Guards Custom Cut to Profile of Rear Wheels		
(e.g., ±0 selected.	Offset Profiled Sideguards (Removable or Fold-Down) <i>CMD</i> 007. <i>Please specify desired offset to nearest</i> $\pm \frac{1}{2}$ " 50") and sideguard type (rigid or fold-down) in the Notes section of the order form. Sideguard material must be Some limitations may apply.		
	(Desk Arms come with built-in Side Guards.)		
TWARM1	Swing Away Tubular	\$284	
TWARM4 TWARM2	 Flip Back Tubular (Not available with Short Seat Back Height or Velcro Adjustable Back Upholstery F.) Removable Height Adjustable Pediatric Desk Arm with Rigid Side Guard (Requires 10" minimum Seat Depth B.) 		
IWARIVIZ	Standard Length Pad (10")		
Available Ar	mrest Option		
TWARM5	Covered in Black Ultrasuede (Not available with Desk Arms)	\$126	A1
UPPER BOD	DY POSITIONING (Seating Benefit)		
TWUBP1	□ Bodypoint [®] PivotFit [™] Dynamic shoulder harness with cam buckle mounts, rear-pull	<u>\$296 </u>	
	🗆 Extra Small 🛛 Small		
	SITIONING BELTS		
TWBLT1	□ Velcro Adjustable, black nylon webbing seat beltBASIC SEATING	\$61	Δ1
TWBLT2	□ Bodypoint® 2" wide Push-Button Buckle (Auto-Style)		
TWBLT4	Bodypoint® 1" wide Push-Button Buckle Padded (Auto-Style)BASIC SEATING	\$187	A1
TWBLT5	Bodypoint® 1.5" wide Push-Button Buckle Padded (Auto-Style)BASIC SEATING	\$187	A1
TWBLT8	Q'Straint® WC-19 Wheelchair-Anchored Pelvic Belt	6040	
	(Recommended for use with Transit Tie Down)BASIC SEATING	\$219 ¢22	A1
TWBLT10	Bodypoint [®] Optional Band Clamp Mounting Hardware	. .⊅∠2	
CALF STRA	Ρ		
TWCLF2	Velcro Adjustable	\$50	
	□ Small (Recommended for 9"- 12" Footrest Widths.)	-	
	Medium (Recommended for 11"- 15" Footrest Widths.)		

TiLite Twist Canadian Order Form – AADL #W425

Effective October 1, 202	24 (New Items in Red) ALUMINUM RIGID, GROWABLE FRAME	Pag
TWCLF3	Bodypoint® Padded Velcro Adjustable	\$88
	Medium (Recommended for 12"- 15" Footrest Widths)	
TWCLF1	Buckle Adjustable, Black Nylon Webbing	\$34
CUSTOM CONFIG	URATION OPTIONS	
TWCLF15	Bodypoint [®] Ankle Huggers (Seating Benefit)	
	Xtra Small	
	Small	\$318
RESIDUAL L	IMB SUPPORT (Seating Benefit)	
TWRSL1	□ Residual Limb Support □ Left OR □ Right (8" width x 10" length)	\$563
TWRSL2	□ Residual Limb Support Pair (8" width x 10" length)	
BACKPACK		
TWBCK3	Permobil Medical Necessities Backpack	\$104
SEAT POUC	н	
TWPCH3	Permobil Medical Necessities Seat Pouch	_\$66
SPOKE GUA	RDS	
TWGRD1	Clear with TiMotion Logo (Not available with Mag Rear Wheels or 18" Rear Wheels.)	\$148
ANTI-TIPS		
TWTIP1	Rear Aluminum - Black (Seat Widths A of 8" to 10", 9" to 11" or 10" to 12" will ship with the Center Mount Single Non-Swivel	¢04.4
TWTIP2	Caster (TWTIP6) at no additional cost when Black Aluminum (TWTIP1) is selected.)	
TWTIP2		
TWTIP6	Center Mount Swivel Caster Anti-Tip	
	Center Mount Non-Swivel Caster Anti-Tip	φ213
ACCESSORI		
TWUEST1	Upper Extremity Support Tray D 12" to 14" OR D 13" to 15" Seat Widths A (Requires Armrests.)	\$318

TWUEST1Upper Extremity Support Tray12" to 14"OR13" to 15" Seat Widths A (Requires Armrests.)\$318TWMPCT2Neoprene Impact Guards with Ultrasuede StripeBlack\$116TWCH1Crutch Holder\$160

GENERAL

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or click here to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobil.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols[™] and [®]. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil[®] is a registered trademark of Permobil. Adobe[®], Acrobat[®], Acrobat Professional[®] and Reader[®] are registered trademarks of Adobe Systems Inc. Bodypoint[®] is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO[®], AGILITY[®], Low Profile[®] and Quadtro Select[®] are registered trademarks of ROHO Inc. Schwalbe[®] is a registered trademark of Radies of TiSport, TeK[™], COMPARS[®], CURV[®], ELEMENTS[®], and STRETCH AIR[™] are registered trademarks of THE COMFORT COMPANY[®] and are licensed to Permobil. Q'Straint[®] is a registered trademark of Q'Straint Inc.

NOTES

QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR